

Informacja o optymalnej możliwej do zastosowania technologii pozyskania drewna

Pakiet: pakiet nr 3

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Reczkow	06-25-2-10- - -	PR			70	100	70
Reczkow	06-25-2-10- - -	PTP			70	100	70
Reczkow	06-25-2-10- - -	PTW			30	100	30
Reczkow	06-25-2-10-110 -d -00	TWP	22	96	1	4	23
Reczkow	06-25-2-10-110 -f -00	TWP	82	92	7	8	89
Reczkow	06-25-2-10-135 -d -00	TPP			20	100	20
Reczkow	06-25-2-10-136 -b -00	TPP	42	98	1	2	43
Reczkow	06-25-2-10-136 -c -00	TPP	20	95	1	5	21
Reczkow	06-25-2-10-136 -f -00	TWP	74	94	5	6	79
Reczkow	06-25-2-10-139 -h -00	TWP	91	69	40	31	131
Reczkow	06-25-2-10-139 -l -00	TPP	47	98	1	2	48
Reczkow	06-25-2-10-139 -n -00	TWP			63	100	63
Reczkow	06-25-2-10-150 -f -00	TWP			48	100	48
Reczkow	06-25-2-10-152 -c -00	TPP			19	100	19
Reczkow	06-25-2-10-163 -b -00	TWP	100	96	4	4	104
Reczkow	06-25-2-10-163 -c -00	TWP	111	89	14	11	125
Reczkow	06-25-2-10-165 -g -00	TPP	180	99	1	1	181
Reczkow	06-25-2-10-175 -k -00	IIDU			281	100	281
Reczkow	06-25-2-10-175 -n -00	TWP			16	100	16
Reczkow	06-25-2-10-215 -h -00	IB	170	99	2	1	172
Reczkow	06-25-2-10-215 -i -00	IB	120	98	2	2	122
Reczkow	06-25-2-10-217 -g -00	IB	123	95	6	5	129
Reczkow	06-25-2-10-221 -i -00	TWP			20	100	20
Reczkow	06-25-2-10-221 -j -00	TPP			20	100	20
Reczkow	06-25-2-10-221 -m -00	TWP			20	100	20
Reczkow	06-25-2-10-222 -m -00	TWP			20	100	20
Reczkow	06-25-2-10-222 -o -00	TWP			41	100	41
Reczkow	06-25-2-10-224 -c -00	IB			40	100	40
Reczkow	06-25-2-10-94 -h -00	TWP			55	100	55
Reczkow	06-25-2-10-94 -l -00	TWP			59	100	59
Skornice	06-25-2-12- - -	PR			336	100	336
Skornice	06-25-2-12- - -	PTP			435	100	435
Skornice	06-25-2-12- - -	PTW			100	100	100
Skornice	06-25-2-12-189 -g -00	IIDU			102	100	102
Skornice	06-25-2-12-199 -b -00	CP-P			11	100	11
Skornice	06-25-2-12-200 -b -00	CP-P			10	100	10
Skornice	06-25-2-12-203 -c -00	IIIA	276	97	8	3	284

Informacja o optymalnej możliwej do zastosowania technologii pozyskania drewna

Leśnictwo	Adres leśny	Grupa czynn.	Pozyskanie maszynowe [m3]	%	Pozyskanie ręczne [m3]	%	Razem [m3]
Skornice	06-25-2-12-204 -a -99	IB	389	100			389
Skornice	06-25-2-12-204 -b -99	IB	403	99	3	1	406
Skornice	06-25-2-12-205 -c -00	TWP			31	100	31
Skornice	06-25-2-12-209 -b -00	TPP			104	100	104
Skornice	06-25-2-12-209 -c -00	TPP			18	100	18
Skornice	06-25-2-12-209 -d -00	TPP	98	98	2	2	100
Skornice	06-25-2-12-209 -f -00	TPP	63	88	9	13	72
Skornice	06-25-2-12-209 -g -00	TPP			29	100	29
Skornice	06-25-2-12-209 -h -00	TPP			25	100	25
Skornice	06-25-2-12-210 -b -00	TPP	171	98	4	2	175
Skornice	06-25-2-12-210 -d -00	TPP	86	100			86
Skornice	06-25-2-12-211 -a -00	TPP	177	96	8	4	185
Skornice	06-25-2-12-211 -b -00	TPP	171	97	5	3	176
Skornice	06-25-2-12-211 -c -00	TPP	12	100			12
Skornice	06-25-2-12-211 -d -00	TPP			191	100	191
Skornice	06-25-2-12-212 -b -00	TPP	177	99	2	1	179
Skornice	06-25-2-12-212 -g -00	TPP	45	100			45
Skornice	06-25-2-12-212 -h -00	TPP	70	100			70
Skornice	06-25-2-12-235A -f -00	TWP			10	100	10
Skornice	06-25-2-12-241B -i -00	TWP			14	100	14
Skornice	06-25-2-12-242 -b -00	TPP			157	100	157
Skornice	06-25-2-12-243 -a -00	TWP			93	100	93
Skornice	06-25-2-12-243 -b -00	TWP			147	100	147
Skornice	06-25-2-12-244 -b -00	TPP			24	100	24
Skornice	06-25-2-12-246 -d -00	TPP			31	100	31
Skornice	06-25-2-12-249 -b -00	IB	310	99	4	1	314
Skornice	06-25-2-12-249 -i -00	IB	74	100			74
Skornice	06-25-2-12-252B -b -00	TWP			74	100	74
Skornice	06-25-2-12-253 -n -00	IIIAU	924	97	32	3	956
Skornice	06-25-2-12-255 -i -00	IB	233	100			233
Skornice	06-25-2-12-256 -g -00	TWP			20	100	20
Skornice	06-25-2-12-260 -k -00	TWP			100	100	100
Skornice	06-25-2-12-263 -j -00	IIIAU			192	100	192
		Suma:	4 861	60	3 308	40	8 169