


## Schema **Schemat\_FA\_VAT(1)\_v1-0E\_EN.xsd**

schema location:

attributeFormDefault: **unqualified**  
elementFormDefault: **qualified**  
targetNamespace: <http://ksef.mf.gov.pl/wzor/2021/08/05/08052/>

Elements	Complex types	Simple types
<a href="#"><b>Faktura</b></a>	<a href="#"><b>TAdres</b></a>	<a href="#"><b>currCode_Type</b></a>
	<a href="#"><b>TAdresPolski</b></a>	<a href="#"><b>SWIFT_Type</b></a>
	<a href="#"><b>TAdresZagraniczny</b></a>	<a href="#"><b>TData</b></a>
	<a href="#"><b>TKluczWartosc</b></a>	<a href="#"><b>TDataT</b></a>
	<a href="#"><b>TNaglowek</b></a>	<a href="#"><b>TFormaPlatnosci</b></a>
	<a href="#"><b>TPodmiot</b></a>	<a href="#"><b>TG TU</b></a>
	<a href="#"><b>TPodmiot1</b></a>	<a href="#"><b>TIlosci</b></a>
	<a href="#"><b>TRachunekBankowy</b></a>	<a href="#"><b>TKodFormularza</b></a>
		<a href="#"><b>TKodPocztowyPL</b></a>
		<a href="#"><b>TKodyKrajowUE</b></a>
		<a href="#"><b>TKwotowy</b></a>
		<a href="#"><b>TLadunek</b></a>
		<a href="#"><b>TNaturalny</b></a>
		<a href="#"><b>TNrNRB</b></a>
		<a href="#"><b>TNrRBZagr</b></a>
		<a href="#"><b>TNumerKSeF</b></a>
		<a href="#"><b>TNumerTelefonu</b></a>
		<a href="#"><b>TOznaczenieProcedury</b></a>
		<a href="#"><b>TOznaczenieProceduryZ</b></a>
	<a href="#"><b>TProceduraFa</b></a>	
	<a href="#"><b>TProceduraZamowienie</b></a>	
	<a href="#"><b>TProcentowy</b></a>	
	<a href="#"><b>TRachunekWlasnyBanku</b></a>	
	<a href="#"><b>TRodzajFaktury</b></a>	
	<a href="#"><b>TRodzajTransportu</b></a>	
	<a href="#"><b>TRolaPodmiotu3</b></a>	
	<a href="#"><b>TRolaPodmiotuUpowaznionego</b></a>	
	<a href="#"><b>TStatusInfoPodatnika</b></a>	
	<a href="#"><b>TStawkaPodatku</b></a>	
	<a href="#"><b>TTypKorekty</b></a>	
	<a href="#"><b>TZnakowy</b></a>	
	<a href="#"><b>TZnakowy50</b></a>	

## element Faktura

diagram	 <pre> classDiagram     class Faktura {         &lt;&lt;VAT invoice&gt;&gt;     }     class tnsNaglowek {         &lt;&lt;Header&gt;&gt;     }     class tnsPodmiot1 {         &lt;&lt;Taxable person data. Given name and surname or name of the supplier of the goods or services&gt;&gt;     }     class tnsPodmiot2 {         &lt;&lt;Purchaser data&gt;&gt;     }     class tnsPodmiot3 {         &lt;&lt;0..oo Data of the third party (ies) (other than supplier or purchaser in the Podmiot2 section), related to the invoice&gt;&gt;     }     class tnsPodmiotUpowazniony {         &lt;&lt;Data of the authorized entity related to the invoice&gt;&gt;     }     class tnsFa {         &lt;&lt;Based on article 106a-106q of the Act. Sales values and tax amounts shall be completed in the currency in which the invoice was issued, except for the fields where the tax amounts were converted in accordance with article 31a in connection with article 106(11) of the Act. In the case of issuing a correcting invoice, all data are filled in as adjusted. Data on tax bases, tax amounts and total amounts are filled in by difference&gt;&gt;     }     class tnsStopka {         &lt;&lt;0..3 Other information on the invoice&gt;&gt;     }      Faktura --&gt; tnsNaglowek     Faktura --&gt; tnsPodmiot1     Faktura --&gt; tnsPodmiot2     Faktura --&gt; tnsPodmiot3     Faktura --&gt; tnsPodmiotUpowazniony     Faktura --&gt; tnsFa     Faktura --&gt; tnsStopka   </pre>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	content complex
children	<a href="#">tns:Naglowek</a> <a href="#">tns:Podmiot1</a> <a href="#">tns:Podmiot2</a> <a href="#">tns:Podmiot3</a> <a href="#">tns:PodmiotUpowazniony</a> <a href="#">tns:Fa</a> <a href="#">tns:Stopka</a>
annotation	documentation VAT invoice
source	<pre> &lt;xsd:element name="Faktura"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;VAT invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:complexType&gt;   </pre>

	<pre> &lt;xsd:sequence&gt;   &lt;xsd:element name="Naglowek" type="tns:TNaglowek"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Header&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:element name="Podmiot1"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Taxable person data. Given name and surname or name of the supplier of the goods or services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;xsd:complexType&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="PrefiksPodatnika" type="tns:TKodyKrajowUE" fixed="PL" minOccurs="0"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Code (prefix) of the EU VAT payer for the cases specified in article 97(10)(2) and (3) of the Act and in the case referred to in article 136(1)(3) of the Act&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;EORI number of the taxpayer (seller)&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot1"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Taxpayer identification data&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="Adres" type="tns:TAdres"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Taxpayer's address&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Taxpayer's correspondence address&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Taxpayer's e-mail address&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Taxpayer's telephone number&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="StatusInfoPodatnika" type="tns:TStatusInfoPodatnika" minOccurs="0"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Taxpayer status&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;       &lt;/xsd:sequence&gt;     &lt;/xsd:complexType&gt;   &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; </pre>
--	---

	<pre> &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Podmiot2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Purchaser data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="PrefiksNabywcy" type="tns:TKodyKrajowUE" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Code (prefix) of the EU VAT buyer, referred to in article 106e(1)(24) of the Act and in the case referred to in article 136(1)(4) of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;EORI number of the buyer of the goods&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer identification data&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Adres" type="tns:TAdres" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer's address. Optional fields for the cases specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer's correspondence address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer's e-mail address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer's phone number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="NrKlienta" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Customer number for cases in which the buyer uses it in the contract or order&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt; </pre>
--	---

	<pre> &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Podmiot3" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Data of the third party (ies) (other than supplier or purchaser in the Podmiot2 section), related to the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;EORI number of the buyer of the goods&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Data identifying the third party&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Adres" type="tns:TAdres"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Third party address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Third party correspondence address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Third party email address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Third party telephone number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:choice&gt;         &lt;xsd:element name="Rola" type="tns:TRolaPodmiotu3"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;The role of the entity&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:sequence&gt;           &lt;xsd:element name="Rolalnna" type="etd:TWybor1"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Other entity tag: 1 - Other entity&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;           &lt;xsd:element name="OpisRoli" type="tns:TZnakowy"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Description of the role of the entity - in case of selecting </pre>
--	---

	<p>the role as Other entity&lt;/xsd:documentation&gt;</p> <pre> &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:choice&gt; &lt;xsd:element name="Udzial" type="tns:TProcentowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Share - The percentage share of an additional buyer. The share of the buyer named in the Podmiot2 section is then the supplementing up to 100% of the sum of shares of additional buyers. If the field is left blank, it is assumed that the shares of the buyers appearing in the invoice are equal&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="NrKlienta" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Customer number for cases in which the entity listed as a third party uses it in the contract or order&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:complexType&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PodmiotUpowazniony" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Data of the authorized entity related to the invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:complexType&gt; &lt;xsd:sequence&gt;     &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;EORI number of the authorized entity&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Data identifying the authorized entity&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="Adres" type="tns:TAdres"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Address of the authorized entity&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Correspondence address of the authorized entity&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="EmailPU" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;E-mail address of the authorized entity&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt; </pre>
--	---

```

<xsd:element name="TelefonPU" type="tns:TNumerTelefonu" minOccurs="0"
maxOccurs="3">
    <xsd:annotation>
        <xsd:documentation>Telephone number of the authorized
entity</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="RolaPU" type="tns:TRolaPodmiotuUpowaznionego">
    <xsd:annotation>
        <xsd:documentation>The role of the authorized entity</xsd:documentation>
    </xsd:annotation>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Fa">
    <xsd:annotation>
        <xsd:documentation>Based on article 106a-106q of the Act. Sales values and tax
amounts shall be completed in the currency in which the invoice was issued, except for the fields
where the tax amounts were converted in accordance with article 31a in connection with article
106e(11) of the Act. In the case of issuing a correcting invoice, all data are filled in as as adjusted.
Data on tax bases, tax amounts and total amounts are filled in by difference</xsd:documentation>
    </xsd:annotation>
<xsd:complexType>
    <xsd:sequence>
        <xsd:element name="KodWaluty" type="tns:currCode_Type">
            <xsd:annotation>
                <xsd:documentation>The three-letter currency code (ISO-4217) in the cases
referred to in article 31a of the Act</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_1" type="tns:TDataT">
            <xsd:annotation>
                <xsd:documentation>Date of issue, subject to article 106na(1) of the
Act</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_1M" type="tns:TZnakowy" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Place of issue of the invoice</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_2" type="tns:TZnakowy">
            <xsd:annotation>
                <xsd:documentation>A sequential number, based on one or more series, which
uniquely identifies the invoice</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="WZ" type="tns:TZnakowy" minOccurs="0"
maxOccurs="unbounded">
            <xsd:annotation>
                <xsd:documentation>WZ the stock movement document numbers (external
release) related to the invoice</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
    <xsd:choice minOccurs="0">

```

	<pre> &lt;xsd:element name="P_6" type="tns:TDataT"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The date on which the supply of goods or services was made or completed or the date of receipt of the payment referred to in article 106b(1)(4), in so far as that date can be determined and differs from the date of issue of the invoice. The field must be completed when the date is common for all items of the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="OkresFa"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The period covered by the invoice in the cases referred to in article 19a(3), first sentence and (4) and (5)(4) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="P_6_Od" type="tns:TDataT"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The starting date of the invoice period&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_6_Do" type="tns:TDataT"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;End date of the period to which the invoice relates - the date when the delivery of goods or the service was completed&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:choice&gt;   &lt;xsd:sequence minOccurs="0"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Optional fields for the cases specified in article 106e(2) and (3) and (4)(1), as well as (4)(3) and (5)(1-3) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;xsd:element name="P_13_1" type="tns:TKwotowy"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_14_1" type="tns:TKwotowy"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The amount of tax on the sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_14_1W" type="tns:TKwotowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If the invoice is issued in a foreign currency, the tax amount&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;   &lt;/xsd:sequence&gt; &lt;/xsd:choice&gt; </pre>
--	---

from the sum of the net sales value with the basic rate, converted in accordance with article 31a in connection with article 106e paragraph 11 of the Act - currently 23% or 22%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act

```
</xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:sequence minOccurs="0">
<xsd:annotation>
    <xsd:documentation>Optional fields for the cases specified in article 106e(2) and (3) and (4)(1), as well as (4)(3) and (5)(1-3) of the Act</xsd:documentation>
</xsd:annotation>
<xsd:element name="P_13_2" type="tns:TKwotowy">
    <xsd:annotation>
        <xsd:documentation>The sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="P_14_2" type="tns:TKwotowy">
    <xsd:annotation>
        <xsd:documentation>Tax amount on the sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="P_14_2W" type="tns:TKwotowy" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
    </xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:sequence minOccurs="0">
<xsd:annotation>
    <xsd:documentation>Optional fields for the cases specified in article 106e(2) and (3) and (4)(1), as well as (4)(3) and (5)(1-3) of the Act</xsd:documentation>
</xsd:annotation>
<xsd:element name="P_13_3" type="tns:TKwotowy">
    <xsd:annotation>
        <xsd:documentation>The sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="P_14_3" type="tns:TKwotowy">
    <xsd:annotation>
```

`<xsd:documentation>`The amount of tax on the sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act`</xsd:documentation>`

```

</xsd:annotation>
</xsd:element>
<xsd:element name="P_14_3W" type="tns:TKwotowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a second reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
  </xsd:sequence>
  <xsd:sequence minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>Optional fields for the cases specified in article 106e(2), (3), (4)(3) and (5)(1-3) of the Act</xsd:documentation>
    </xsd:annotation>
    <xsd:element name="P_13_4" type="tns:TKwotowy">
      <xsd:annotation>
        <xsd:documentation>The sum of the net sales value with a third reduced rate in the currency in which the invoice was issued - reverse charge procedure, for which the taxpayer is the buyer, in accordance with article 17(1)(7) and (8) of the Act and for the tax rate in the case of a flat rate for passenger taxis. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
      <xsd:element name="P_14_4" type="tns:TKwotowy">
        <xsd:annotation>
          <xsd:documentation>The amount "0" for the reverse-charge procedure for which the taxpayer is the customer according to article 17(1)(7) and (8) of the Act and the tax amount on the sum of the net sales value for the tax rate in the currency in which the invoice was issued in the case of a flat rate for passenger taxis. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
          </xsd:annotation>
          </xsd:element>
        <xsd:element name="P_14_4W" type="tns:TKwotowy" minOccurs="0">
          <xsd:annotation>
            <xsd:documentation>If the invoice is issued in a foreign currency, the amount "0" for the reverse charge procedure, for which the taxpayer is the buyer, pursuant to article 17(1)(7) and (8) of the Act and the amount of tax on the sum of the net sales value in a foreign currency for a tax rate in the case of a flat rate for passenger taxis, converted in accordance with article 31a in connection with article 106e(11) of the Act. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
            </xsd:annotation>
            </xsd:element>
          </xsd:sequence>
        </xsd:element>
      </xsd:sequence>
    </xsd:annotation>
  </xsd:element>
</xsd:documentation>

```

	<pre> &lt;/xsd:sequence&gt; &lt;xsd:sequence minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Optional fields for the cases specified in article 106e(2) and (3) and (4)(1), as well as (4)(3) and (5)(1-3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:element name="P_13_5" type="tns:TKwotowy"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;The sum of the net sales value for the transaction of delivery of goods and provision of services outside the territory of the country. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:element name="P_14_5" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;The amount of value added tax in the case of the special procedure referred to in section XII in chapter 6a of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:sequence&gt;     &lt;xsd:element name="P_13_6" type="tns:TKwotowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Sum of net sales value with 0% rate. In the case of advance invoices, the net amount of the advance. Optional field for cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_13_7" type="tns:TKwotowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Sum of the value of exempt sales. In the case of advance invoices, the net amount of the advance. Optional fields for the cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_15" type="tns:TKwotowy"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Total amount receivable or, in the case of advance invoices, the payment amount received. In the case of correcting invoices, the correction of the total amount receivable&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="Adnotacje"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Other invoice annotations&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:complexType&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="P_16" type="etd:TWybor1_2"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;In the case of the supply of goods or services, the tax obligation arises in accordance with article 19a(5)(1) or article 21(1) of the Act - the words "Cash accounting", the value should be "1"; otherwise - value "2"&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;       &lt;/xsd:sequence&gt;     &lt;/xsd:complexType&gt;   &lt;/xsd:sequence&gt; </pre>
--	---

	<pre> &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_17" type="etd:TWybor1_2"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the case of the invoices referred to in article 106d(1) of the Act - the word "Self-billing", enter the value "1"; otherwise - value "2" &lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_18" type="etd:TWybor1_2"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the case of the supply of goods or service for which the buyer of the goods or services is obliged to settle the value added tax or a tax of a similar nature - the words "Reverse charge" should be entered as "1", otherwise - the value "2" &lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_18A" type="etd:TWybor1_2"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the case of invoices in which the total amount receivable is the amount referred to in article 19(2) of the Act of 6 March 2018 - Entrepreneurs' Law, covering the supply of goods or services listed in Annex 15 to the Act for the taxpayer - the words "Split payment mechanism", enter the value "1", otherwise - value "2" &lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:sequence&gt;     &lt;xsd:element name="P_19" type="etd:TWybor1_2"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;In the case of the supply of goods or the provision of services exempt from tax pursuant to article 43(1), article 113(1) and (9) or regulations issued on the basis of article 82(3) of the Act or on the basis of other regulations, enter the value "1", otherwise - the value "2" &lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:choice minOccurs="0"&gt;             &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;The node is not populated when the field P_19 takes the value "2" &lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;             &lt;xsd:element name="P_19A" type="tns:TZnakowy" default="false"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;If the field P_19 equals "1" - indicate the provision of the act or act issued on the basis of the act, on the basis of which the taxpayer applies the tax exemption &lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;                 &lt;xsd:element name="P_19B" type="tns:TZnakowy" default="false"&gt;                     &lt;xsd:annotation&gt;                         &lt;xsd:documentation&gt;If field P_19 equals "1" - indicate the provision of Directive 2006/112/EC that exempts such supply of goods or services from tax &lt;/xsd:documentation&gt;                     &lt;/xsd:annotation&gt;                     &lt;/xsd:element&gt;                     &lt;xsd:element name="P_19C" type="tns:TZnakowy" default="false"&gt;                         &lt;xsd:annotation&gt;                             &lt;xsd:documentation&gt;If field P_19 equals "1" - indicate another legal basis indicating that the supply of goods or services is exempt &lt;/xsd:documentation&gt;                         &lt;/xsd:annotation&gt;                     &lt;/xsd:element&gt;                 &lt;/xsd:choice&gt;             &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt; </pre>
--	---

	<pre> &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:choice&gt; &lt;/xsd:sequence&gt; &lt;xsd:sequence&gt;   &lt;xsd:element name="P_22" type="etd:TWybor1_2"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;When the subject of the intra-Community supply are new means of transport, enter the value "1", otherwise - the value "2" &lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:sequence minOccurs="0"&gt;     &lt;xsd:element name="P_22A" type="tns:TDataT"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If field P_22 equals "1" - enter the date of approval of the new means of transport for use &lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_22BMK" type="tns:TZnakowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If the field P_22 equals "1" you can enter the brand of the new means of transport &lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_22BMD" type="tns:TZnakowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If the field P_22 equals "1" you can enter the model of a new means of transport &lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_22BK" type="tns:TZnakowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If the field P_22 equals "1" you can enter the color of a new means of transport &lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_22BNR" type="tns:TZnakowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If the field P_22 equals "1", the registration number of the new means of transport can be entered &lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="P_22BRP" type="tns:TZnakowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If field P_22 is equal to "1", the year of production of the new means of transport can be entered &lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:choice&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="P_22B" type="tns:TZnakowy"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - the mileage of the vehicle should be provided &lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;       &lt;/xsd:sequence&gt;     &lt;/xsd:choice&gt;   &lt;/xsd:sequence&gt; </pre>
--	--

```
</xsd:element>
<xsd:choice minOccurs="0">
    <xsd:element name="P_22B1" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>If field P_22 equals "1" and the delivery
concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the VIN
number</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="P_22B2" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>If field P_22 equals "1" and the delivery
concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the body
number</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="P_22B3" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>If field P_22 equals "1" and the delivery
concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the chassis
number</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="P_22B4" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>If field P_22 equals "1" and the delivery
concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the frame
number</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:choice>
        <xsd:element name="P_22BT" type="tns:TZnakowy" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>If field P_22 equals "1" and the delivery
concerns land vehicles, referred to in article 2(10)(a) of the Act - you can specify the type of new
means of transport</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:sequence>
            <xsd:sequence>
                <xsd:element name="P_22C" type="tns:TZnakowy">
                    <xsd:annotation>
                        <xsd:documentation>If the field P_22 equals "1" and the delivery
concerns the vessels referred to in article 2(10)(b) of the Act, the number of working hours of using
the new means of transport should be specified</xsd:documentation>
                    </xsd:annotation>
                </xsd:element>
                <xsd:element name="P_22C1" type="tns:TZnakowy" minOccurs="0">
                    <xsd:annotation>
                        <xsd:documentation>If the field P_22 equals "1" and the delivery
concerns the vessels referred to in article 2(10)(b) of the Act, the hull number of the new means of
transport may be given</xsd:documentation>
                    </xsd:annotation>
                </xsd:element>
                <xsd:sequence>
                    <xsd:sequence>
```

	<pre> &lt;xsd:element name="P_22D" type="tns:TZnakowy"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the number of working hours of using the new means of transport should be specified&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_22D1" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the serial number of the new means of transport may be given&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:sequence&gt; &lt;/xsd:choice&gt; &lt;/xsd:sequence&gt; &lt;/xsd:sequence&gt; &lt;xsd:element name="P_23" type="etd:TWybor1_2"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the case of invoices issued in the simplified procedure by the second taxpayer referred to in article 135(1)(4)(b) and (c) and (2), containing the annotation referred to in article 136(1)(1) and the statement referred to in article 136(1)(2) of the Act, the value "1" should be entered, otherwise - the value "2"&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:sequence&gt;     &lt;xsd:element name="P_PMarzy" type="etd:TWybor1_2"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;In the event of the margin procedures referred to in article 119 or 120 of the Act, the value "1" should be entered, otherwise - the value "2"&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:choice minOccurs="0"&gt;     &lt;xsd:element name="P_PMarzy_2" type="etd:TWybor1"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;In the case of the supply of tourism services for which the tax base is a margin, in accordance with article 119(1) of the Act, and the invoice documenting the service includes the words "Margin scheme - Travel agents", the value should be "1"&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_PMarzy_3_1" type="etd:TWybor1"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;In the case of the supply of second-hand goods for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Second-hand goods", the value should be "1"&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_PMarzy_3_2" type="etd:TWybor1"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;In the case of delivery of works of art for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Works of art", the value should be "1"&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>
--	--

```

"1"</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="P_PMarzy_3_3" type="etd:TWybor1">
    <xsd:annotation>
        <xsd:documentation>In the case of the supply of collectors' items and
antiques, for which the tax base is a margin, in accordance with article 120 of the Act, and the
invoice documenting the delivery contains the words "Margin scheme - Collector's items and
antiques", the value should be "1" </xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        </xsd:choice>
        </xsd:sequence>
        </xsd:sequence>
    </xsd:complexType>
</xsd:element>
<xsd:element name="RodzajFaktury" type="tns:TRodzajFaktury">
    <xsd:annotation>
        <xsd:documentation>Type of invoice</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:sequence minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Elements for cases, when the field of RodzajFaktury takes
the values KOR, KOR_ZAL or KOR_ROZ</xsd:documentation>
    </xsd:annotation>
    <xsd:element name="PrzyczynaKorekty" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Reason for correction for correction
invoice</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="TypKorekty" type="tns:TTypKorekty" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Type of effect of the correction in the
books</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:sequence maxOccurs="unbounded">
        <xsd:element name="DataWystFaKorygowanej" type="tns:TDataT">
            <xsd:annotation>
                <xsd:documentation>Date of issue of the invoice to which the corrective
invoice relates</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="NrFaKorygowanej" type="tns:TZnakowy">
            <xsd:annotation>
                <xsd:documentation>Corrected invoice number</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="NrKSeFFaKorygowanej" type="tns:TNumerKSeF">
            <xsd:annotation>
                <xsd:documentation>Number identifying the corrected invoice in the National
System of e-Invoices (KSeF)</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
    </xsd:sequence>

```

	<pre> &lt;/xsd:sequence&gt; &lt;xsd:element name="OkresFaKorygowanej" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;For the correcting invoice referred to in article 106j(3) of the Act - the period to which the discount or reduction is granted, if the taxpayer grants the discount or price reduction in relation to the supply of goods or services made or provided to one recipient in a given period&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="NrFaKorygowany" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Correct corrected invoice number if the reason for the correction is an incorrect corrected invoice number. In such a case, this incorrect number should be indicated in the field NrFaKorygowanej&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Podmiot1K" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the event of correction of the seller's data, complete seller's data appearing in the corrected invoice should be provided. The field does not apply to the correction of an incorrect NIP number appearing in the original invoice. Then the invoice must be corrected to zero values&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;xsd:complexType&gt;         &lt;xsd:sequence&gt;             &lt;xsd:element name="PrefiksPodatnika" type="tns:TKodyKrajowUE" minOccurs="0"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Code (prefix) of the EU VAT payer for the cases specified in article 97 sec. 10 points 2 and 3 of the Act and in the case referred to in article 136 sec. 1 point 3 of the Act&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;             &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot1"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Taxpayer identification data&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;             &lt;xsd:element name="Adres" type="tns:TAdres"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Taxpayer's address&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;         &lt;/xsd:sequence&gt;     &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Podmiot2K" minOccurs="0" maxOccurs="unbounded"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the event of a correction of the data of the buyer acting as Podmiot2 or an additional buyer acting as Podmiot3, the complete data of this entity appearing in the corrected invoice should be provided. Wrong numbers identifying the buyer and the additional buyer are not subject to correction. In the case of correcting the remaining data of the buyer or additional buyer, the indicated identification number must be identical to the number in the Podmiot2 or Podmiot3 part of the correcting invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;xsd:complexType&gt; </pre>
--	---

	<pre> &lt;xsd:sequence&gt;   &lt;xsd:element name="PrefiksNabywcy" type="tns:TKodyKrajowUE" minOccurs="0"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Code (prefix) of the EU VAT buyer, referred to in article 106e paragraph 1 point 24 of the Act and in the case referred to in article 136 sec. 1 point 4 of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Buyer identification data&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:element name="Adres" type="tns:TAdres" minOccurs="0"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Buyer's address. Optional fields for the cases specified in article 106e paragraph 5 point 3 of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:sequence&gt;     &lt;xsd:complexType&gt;       &lt;xsd:element&gt;         &lt;xsd:sequence&gt;           &lt;xsd:element name="FP" type="etd:TWybor1" minOccurs="0"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;The invoice referred to in article 109(3)(d) of the Act&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;           &lt;xsd:element name="TP" type="etd:TWybor1" minOccurs="0"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Existing links between the buyer and the person delivering the goods or the service provider pursuant to § 10(4)(3), subject to the provisions of (4)(b) of the Regulation on the detailed scope of data contained in tax returns and records in the field of tax on goods and services&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;           &lt;xsd:element name="DodatkowyOpis" type="tns:TKluczWartosc" minOccurs="0" maxOccurs="12"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Reserve fields for showing additional information on the invoice, including those required by law, for which no other fields/elements are provided&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;           &lt;xsd:element name="NrFaZaliczkowej" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Mandatory field for the invoice issued after the goods or the service are delivered referred to in article 106f(3) and the last of the invoices referred to in article 106f(4) of the Act&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;           &lt;xsd:element name="ZwrotAkcyzy" type="tns:TKwotowy" minOccurs="0"&gt;             &lt;xsd:annotation&gt; </pre>
--	--

	<p>         &lt;xsd:documentation&gt;Additional information necessary for farmers applying for a refund of excise duty included in the price of diesel fuel&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="FaWiersze" minOccurs="0"&gt;         &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Detailed invoice items in the currency in which the invoice was issued - an optional node for an advance invoice, an invoice correcting an advance invoice, and corrective invoices for all deliveries of goods or services made or provided in a given period, referred to in article 106j(3) of the Act, for which you must provide data on the discount or reduction broken down into tax rates and procedures in section Fa. In the case of corrective invoices referred to in article 106j(3) of the Act, when the discount or price reduction relates to a part of the supply of goods or services made or provided in a given period, the names (types) of goods or services covered by the correction should be entered in the FaWiersz section. In the case of the invoices referred to in article 106f(3) of the Act, the full value of the order or contract should be presented. In the case of invoices correcting invoice items (including correcting invoices, invoices referred to in article 106f(3) of the Act, if the correction concerns the contract value), the differences resulting from the correction of individual items or the reversal of individual corrected items and the correct values of the corrected items as separate lines. In the case of corrective invoices, the invoices referred to in article 106f(3) of the Act, if the correction does not relate to the value of the contract and at the same time changes the tax base or the tax base, enter an entry canceling a given row according to the state before the correction and an entry restoring the value of the order in order to confirm that its value has not been changed&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:complexType&gt;         &lt;xsd:sequence&gt;         &lt;xsd:element name="LiczbaWierszyFaktury" type="tns:TNaturalny"&gt;         &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Number of invoice lines&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:choice&gt;         &lt;xsd:element name="WartoscWierszyFaktury1" type="tns:TKwotowy"&gt;         &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The total value of the P_11 column&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="WartoscWierszyFaktury2" type="tns:TKwotowy"&gt;         &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The total value of the P_11A column&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;/xsd:choice&gt;         &lt;xsd:element name="FaWiersz" maxOccurs="unbounded"&gt;         &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Detailed invoice items in the currency in which the invoice was issued&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:complexType&gt;         &lt;xsd:sequence&gt;         &lt;xsd:element name="NrWierszaFa" type="tns:TNaturalny"&gt;         &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Sequential line (row) number of the invoice&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       </p>
--	--

	<pre> &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="UU_ID" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The universal unique line (row) number of the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_6A" type="tns:TDataT" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The date of the delivery or completion of the delivery of goods or service or the date of receipt of the payment referred to in article 106b(1)(4) of the Act, if such date is specified and differs from the invoice issue date. The field must be completed when there are different dates for each line of the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_7" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Name (type) of good or service. Optional field only for the case specified in article 106j(3)(2) of the Act (correction invoice)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="GTIN" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Global Trade Item Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="20"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKWiU" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Symbol of the Polish Classification of Products and Services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="CN" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Combined Nomenclature symbol&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>
--	--

	<pre> &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKOB" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Symbol of the Polish Classification of Construction Objects&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DodatkoweInfo" type="tns:TZnakowy50" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8A" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Measure of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8B" type="tns:Tllosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Quantity (number) of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9A" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Unit price of a good or service without the tax amount (net unit price). Optional field for cases specified in article 106e(2) and (3) and (5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9B" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The price together with the tax amount (gross unit price), in the case of applying article 106e(7) and (8) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_10" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Amounts of any price rebates or reductions, including in the form of an early payment rebate, unless included in the net unit price. Optional field for cases specified in article 106e(2) and (3) and (5)(1) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--	---

	<pre> &lt;xsd:element name="P_11" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value of the goods supplied or services rendered, covered by the transaction, excluding the tax amount (net sales value). Optional field for cases specified in article 106e (2) and (3) and (5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11A" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Gross sales value, in the case of application of article 106e(7) and (8) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12" type="tns:TStawkaPodatku" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax rate. Optional field for cases specified in article 106e(2), (3), (4)(3) and (5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12_XII" type="tns:TProcentowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value added tax rate in the case referred to in section XII in chapter 6a of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12_Procedura" type="tns:TProceduraFa" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indication of the procedure for the invoice line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KwotaAkcyzy" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of excise duty included in the price of the goods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="GTU" type="tns:TGTU" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code for the supply of goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Procedura" type="tns:TOznaczenieProcedure" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indications of the procedure&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KursWaluty" type="tns:TIlosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; </pre>
--	--

```

        </xsd:element>
        </xsd:sequence>
        </xsd:complexType>
        </xsd:element>
        </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="Rozliczenie" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Additional invoice settlements</xsd:documentation>
        </xsd:annotation>
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="Obciazenia" minOccurs="0" maxOccurs="unbounded">
                    <xsd:annotation>
                        <xsd:documentation>Charges</xsd:documentation>
                    </xsd:annotation>
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="Kwota" type="tns:TKwotowy">
                                <xsd:annotation>
                                    <xsd:documentation>The amount is added to the amount indicated in
the field P_15</xsd:documentation>
                                </xsd:annotation>
                            </xsd:element>
                            <xsd:element name="Powod" type="tns:TZnakowy">
                                <xsd:annotation>
                                    <xsd:documentation>Reason for the charge</xsd:documentation>
                                </xsd:annotation>
                            </xsd:element>
                        </xsd:sequence>
                    </xsd:complexType>
                </xsd:element>
                <xsd:element name="SumaObciazen" type="tns:TKwotowy" minOccurs="0">
                    <xsd:annotation>
                        <xsd:documentation>The total sum of charges</xsd:documentation>
                    </xsd:annotation>
                </xsd:element>
                <xsd:element name="Odliczenia" minOccurs="0" maxOccurs="unbounded">
                    <xsd:annotation>
                        <xsd:documentation>Deductions</xsd:documentation>
                    </xsd:annotation>
                    <xsd:complexType>
                        <xsd:sequence>
                            <xsd:element name="Kwota" type="tns:TKwotowy">
                                <xsd:annotation>
                                    <xsd:documentation>The amount deducted from the amount shown in
the field P_15</xsd:documentation>
                                </xsd:annotation>
                            </xsd:element>
                            <xsd:element name="Powod" type="tns:TZnakowy">
                                <xsd:annotation>
                                    <xsd:documentation>Reason for the deduction</xsd:documentation>
                                </xsd:annotation>
                            </xsd:element>
                        </xsd:sequence>
                    </xsd:complexType>
                </xsd:element>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>

```

```

        </xsd:complexType>
    </xsd:element>
    <xsd:element name="SumaOdliczen" type="tns:TKwotowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>The total sum of deductions</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:choice minOccurs="0">
        <xsd:element name="DoZaplaty" type="tns:TKwotowy">
            <xsd:annotation>
                <xsd:documentation>The amount due to be paid is equal to the field P_15
increased by the field SumaObciazen and decreased by the field
SumaOdliczen</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="DoRozliczenia" type="tns:TKwotowy">
            <xsd:annotation>
                <xsd:documentation>Overpaid amount to be settled /
returned</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:choice>
            </xsd:sequence>
        </xsd:complexType>
    </xsd:element>
    <xsd:element name="Platnosc" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Terms of payment</xsd:documentation>
        </xsd:annotation>
        <xsd:complexType>
            <xsd:sequence>
                <xsd:choice minOccurs="0">
                    <xsd:sequence>
                        <xsd:element name="Zaplacono" type="etd:TWybor1">
                            <xsd:annotation>
                                <xsd:documentation>Marker informing that the amount due resulting
from the invoice has been paid: 1 - has been paid</xsd:documentation>
                            </xsd:annotation>
                        </xsd:element>
                        <xsd:element name="DataZaplaty" type="tns:TData">
                            <xsd:annotation>
                                <xsd:documentation>Payment date, if payment has been made by the
time the invoice is issued</xsd:documentation>
                            </xsd:annotation>
                        </xsd:element>
                        <xsd:sequence>
                            <xsd:element name="ZapłataCzesciowa" type="etd:TWybor1">
                                <xsd:annotation>
                                    <xsd:documentation>Marker informing that the due amount resulting
from the invoice has been paid in part: 1 - has been paid in part</xsd:documentation>
                                </xsd:annotation>
                            </xsd:element>
                            <xsd:sequence maxOccurs="unbounded">
                                <xsd:annotation>
                                    <xsd:documentation>The possibility of more than one partial payment

```

may occur only in the case of payments made after the delivery of goods or services, and before the invoice is issued

```

</xsd:documentation>
</xsd:annotation>
<xsd:element name="KwotaZaplatyCzesciowej" type="tns:TKwotowy">
    <xsd:annotation>
        <xsd:documentation>Partial payment amount</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="DataZaplatyCzesciowej" type="tns:TData">
    <xsd:annotation>
        <xsd:documentation>Date of the partial payment, if the partial payment has been made for the invoice</xsd:documentation>
    </xsd:annotation>
</xsd:element>
</xsd:sequence>
</xsd:choice>
<xsd:sequence minOccurs="0" maxOccurs="unbounded">
    <xsd:element name="TerminPlatnosci" type="tns:TData">
        <xsd:annotation>
            <xsd:documentation>Payment deadline</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="TerminPlatnosciOpis" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Description of the payment deadline</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    </xsd:sequence>
    <xsd:choice minOccurs="0">
        <xsd:element name="FormaPlatnosci" type="tns:TFormaPlatnosci">
            <xsd:annotation>
                <xsd:documentation>Payment method</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:sequence>
            <xsd:element name="PlatnosciInna">
                <xsd:annotation>
                    <xsd:documentation>Other form of payment tag: 1 - other form of payment</xsd:documentation>
                </xsd:annotation>
            </xsd:element>
            <xsd:simpleType>
                <xsd:restriction base="etd:TWybor1">
                    <xsd:enumeration value="1"/>
                </xsd:restriction>
            </xsd:simpleType>
        </xsd:sequence>
        <xsd:element name="OpisPlatnosci" type="tns:TZnakowy">
            <xsd:annotation>
                <xsd:documentation>Clarifying another form of payment</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
    </xsd:choice>
</xsd:sequence>
```

	<pre> &lt;/xsd:choice&gt; &lt;xsd:element name="RachunekBankowy" type="tns:TRachunekBankowy" minOccurs="0" maxOccurs="unbounded"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Bank account number&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="RachunekBankowyFaktora" type="tns:TRachunekBankowy" minOccurs="0" maxOccurs="unbounded"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Factor's bank account&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Skonto" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Discount&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;xsd:complexType&gt;         &lt;xsd:sequence&gt;             &lt;xsd:element name="WarunkiSkonta" type="tns:TZnakowy"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Conditions that the buyer should meet to take advantage of the discount&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;             &lt;xsd:element name="WysokoscSkonta" type="tns:TZnakowy"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Discount amount&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;         &lt;/xsd:sequence&gt;     &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="WarunkiTransakcji" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Transaction terms, if any&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;xsd:complexType&gt;         &lt;xsd:sequence&gt;             &lt;xsd:element name="DataZamowienia" type="tns:TData" minOccurs="0"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Date of the order or contract&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;         &lt;xsd:sequence minOccurs="0"&gt;             &lt;xsd:element name="NrUmowy" type="tns:TZnakowy" minOccurs="0"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Contract number&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;             &lt;xsd:element name="NrZamowienia" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;                 &lt;xsd:annotation&gt; </pre>
--	--

	<pre> &lt;xsd:documentation&gt;Order number&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;xsd:element name="NrPartiiTowaru" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Lot numbers&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="WarunkiDostawy" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Terms of delivery of goods - if there is an agreement between the parties to the transaction that specifies the terms of delivery, the so-called Incoterms&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:sequence minOccurs="0"&gt;         &lt;xsd:element name="KursUmowny" type="tns:Tllosci"&gt;             &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;Contractual exchange rate - in cases when the invoice contains information about the exchange rate at which the amounts indicated in the invoice in PLN were converted. It does not apply to the cases referred to in article 31a of the VAT Act&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="WalutaUmowna" type="tns:currCode_Type"&gt;             &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;Contractual currency - a three-letter currency code (ISO-4217) in cases where the invoice contains information about the exchange rate at which the invoice amounts were converted in PLN. It does not apply to the cases referred to in article 31a of the VAT Act&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;/xsd:sequence&gt;         &lt;xsd:element name="Transport" minOccurs="0" maxOccurs="unbounded"&gt;             &lt;xsd:complexType&gt;                 &lt;xsd:sequence&gt;                     &lt;xsd:choice&gt;                         &lt;xsd:element name="RodzajTransportu" type="tns:TRodzajTransportu"&gt;                             &lt;xsd:annotation&gt;                                 &lt;xsd:documentation&gt;Type of transport used in the case of a completed delivery of goods&lt;/xsd:documentation&gt;                             &lt;/xsd:annotation&gt;                         &lt;/xsd:element&gt;                     &lt;/xsd:choice&gt;                     &lt;xsd:element name="TransportInny"&gt;                         &lt;xsd:annotation&gt;                             &lt;xsd:documentation&gt;Other type of transport tag: 1 - other type of transport&lt;/xsd:documentation&gt;                         &lt;/xsd:annotation&gt;                     &lt;/xsd:element&gt;                 &lt;/xsd:sequence&gt;                 &lt;xsd:restriction base="etd:TWybor1"&gt;                     &lt;xsd:enumeration value="1"&gt;                         &lt;xsd:annotation&gt;                             &lt;xsd:documentation&gt;Other type of </pre>
--	---

	<pre> transport&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;     &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="OpisInnegoTransportu" type="tns:TZnakowy50"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Description of the other mode of transport&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt; &lt;/xsd:choice&gt; &lt;xsd:element name="Przewoznik" minOccurs="0"&gt;     &lt;xsd:complexType&gt;         &lt;xsd:sequence&gt;             &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Carrier identification details&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;                 &lt;xsd:element name="AdresPrzewoznika" type="tns:TAdres"&gt;                     &lt;xsd:annotation&gt;                         &lt;xsd:documentation&gt;Carrier's address&lt;/xsd:documentation&gt;                     &lt;/xsd:annotation&gt;                     &lt;/xsd:element&gt;                     &lt;/xsd:sequence&gt;                     &lt;/xsd:complexType&gt;                 &lt;/xsd:element&gt;                 &lt;xsd:element name="NrZleceniaTransportu" type="tns:TZnakowy" minOccurs="0"&gt;                     &lt;xsd:annotation&gt;                         &lt;xsd:documentation&gt;Transport order number&lt;/xsd:documentation&gt;                     &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;                 &lt;xsd:sequence&gt;                     &lt;xsd:choice&gt;                         &lt;xsd:element name="OpisLadunku" type="tns:TLadunek"&gt;                             &lt;xsd:annotation&gt;                                 &lt;xsd:documentation&gt;Type of cargo&lt;/xsd:documentation&gt;                             &lt;/xsd:annotation&gt;                         &lt;/xsd:element&gt;                         &lt;xsd:sequence&gt;                             &lt;xsd:element name="LadunekInny"&gt;                                 &lt;xsd:annotation&gt;                                     &lt;xsd:documentation&gt;Other cargo marker: 1 - other cargo&lt;/xsd:documentation&gt;                                 &lt;/xsd:annotation&gt;                             &lt;/xsd:element&gt;                             &lt;xsd:simpleType&gt;                                 &lt;xsd:restriction base="etd:TWybor1"&gt;                                     &lt;xsd:enumeration value="1"&gt;   &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Other cargo&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; </pre>
--	---

```

                </xsd:enumeration>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
<xsd:element name="OpisInnegoLadunku" type="tns:TZnakowy50">
    <xsd:annotation>
        <xsd:documentation>Description of the other
cargo</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
    </xsd:sequence>
</xsd:choice>
<xsd:element name="JednostkaOpakowania" type="tns:TZnakowy">
    <xsd:annotation>
        <xsd:documentation>Packaging unit</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
</xsd:sequence>
<xsd:sequence>
    <xsd:element name="DataGodzRozpTransportu" type="etd:TDataCzas">
        <xsd:annotation>
            <xsd:documentation>Date and time of the start of
transport</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
    <xsd:element name="DataGodzZakTransportu" type="etd:TDataCzas">
        <xsd:annotation>
            <xsd:documentation>Date and time of completion of
transport</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
    <xsd:element name="WysylkaZ" type="tns:TAdres">
        <xsd:annotation>
            <xsd:documentation>Shipping address</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
    <xsd:element name="WysylkaPrzez" type="tns:TAdres" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Intermediate shipping
address</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
    <xsd:element name="WysylkaDo" type="tns:TAdres">
        <xsd:annotation>
            <xsd:documentation>Address of the destination to which the
transport was ordered</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
    </xsd:sequence>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

	<pre> &lt;xsd:element name="PodmiotPosredniczacy" type="etd:TWybor1" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The value "1" means the delivery made by the entity referred to in article 22(2)(d) of the VAT Act. The field applies to a situation in which the entity participates in a chain transaction other than the simplified tripartite procedure referred to in article 135(1)(4) of the VAT Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;     &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Zamowienie" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The order or contract referred to in article 106f(1)(4) of the Act (for advance invoices) in the currency in which the advance invoice was issued. In the case of an invoice correcting the advance invoice, the differences resulting from the correction of individual items of the order or contract or the reversal of individual corrected items of the order or contract and the correct values of the corrected items should be presented as separate lines if the correction concerns the value of the order. In the case of correcting invoices, advance invoices, if the correction does not apply to the value of the order and at the same time changes the amount of the tax base or tax, you should enter an entry canceling a given line according to the state before the correction and an entry restoring the value of the order to confirm that its value has not changed&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;     &lt;xsd:complexType&gt;         &lt;xsd:sequence&gt;             &lt;xsd:element name="LiczbaWierszyZamowienia" type="tns:TNaturalny"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;The number of lines for the order or contract&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;             &lt;xsd:element name="WartoscZamowienia" type="tns:TKwotowy"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Value of the order or contract, including the tax amount&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;             &lt;xsd:element name="ZamowienieWiersz" maxOccurs="unbounded"&gt;                 &lt;xsd:annotation&gt;                     &lt;xsd:documentation&gt;Detailed items of the order or contract in the currency in which the advance invoice was issued&lt;/xsd:documentation&gt;                 &lt;/xsd:annotation&gt;                 &lt;xsd:complexType&gt;                     &lt;xsd:sequence&gt;                         &lt;xsd:element name="NrWierszaZam" type="tns:TNaturalny"&gt;                             &lt;xsd:annotation&gt;                                 &lt;xsd:documentation&gt;Sequential order or contract line number&lt;/xsd:documentation&gt;                             &lt;/xsd:annotation&gt;                             &lt;/xsd:element&gt;                         &lt;xsd:element name="UU_IDZ" minOccurs="0"&gt;                             &lt;xsd:annotation&gt;                                 &lt;xsd:documentation&gt;The universal unique number for the order or contract line&lt;/xsd:documentation&gt;                             &lt;/xsd:annotation&gt;                         &lt;/xsd:element&gt;                     &lt;/xsd:sequence&gt;                 &lt;/xsd:complexType&gt;             &lt;/xsd:element&gt;         &lt;/xsd:sequence&gt;     &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	--

```

        </xsd:annotation>
        <xsd:simpleType>
            <xsd:restriction base="tns:TZnakowy">
                <xsd:maxLength value="50"/>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
    <xsd:element name="P_7Z" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Name (type) of good or
service</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="GTINZ" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Global Trade Item Number</xsd:documentation>
        </xsd:annotation>
        <xsd:simpleType>
            <xsd:restriction base="tns:TZnakowy">
                <xsd:maxLength value="20"/>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
    <xsd:element name="PKWiUZ" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Symbol of the Polish Classification of Products
and Services</xsd:documentation>
        </xsd:annotation>
        <xsd:simpleType>
            <xsd:restriction base="tns:TZnakowy">
                <xsd:maxLength value="50"/>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
    <xsd:element name="CNZ" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Combined Nomenclature
symbol</xsd:documentation>
        </xsd:annotation>
        <xsd:simpleType>
            <xsd:restriction base="tns:TZnakowy">
                <xsd:maxLength value="50"/>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
    <xsd:element name="PKOBZ" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Code of the Polish Classification of Construction
Objects</xsd:documentation>
        </xsd:annotation>
        <xsd:simpleType>
            <xsd:restriction base="tns:TZnakowy">
                <xsd:maxLength value="50"/>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>

```

	<pre> &lt;xsd:element name="DodatkoweInfoZ" type="tns:TZnakowy50" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8AZ" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Measure of ordered goods or scope of service&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8BZ" type="tns:Tllosci" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The quantity of the ordered goods or the scope of the service&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9AZ" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Net unit price&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11NettoZ" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Value of the ordered goods or services without the tax amount&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11VatZ" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The amount of tax on the ordered goods or services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z" type="tns:TStawkaPodatku" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Tax rate&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z_XII" type="tns:TProcentowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Value added tax rate in the case referred to in section XII in chapter 6a of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z_Procedura" type="tns:TProceduraZamowienie" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Procedure indication for the order line&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="GTUZ" type="tns:TGTU" minOccurs="0"&gt; </pre>
--	---

	<pre> &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Code for the supply of goods and services&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="ProceduraZ" type="tns:T OznaczenieProcedureZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indication of the procedure for the order line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KwotaAkcyzyZ" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of excise tax included in the price of the goods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KursWalutyZ" type="tns:T Ilosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the VAT Act. For advance invoices, a rate that is identical for all goods and services should be provided&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Stopka" minOccurs="0" maxOccurs="3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other information on the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:complexType&gt; &lt;xsd:sequence minOccurs="0"&gt;   &lt;xsd:element name="StopkaFaktury" type="etd:TTekstowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Invoice footer&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:element name="KRS" minOccurs="0"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;National Court Register number&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:complexType&gt; &lt;xsd:restriction base="etd:TNrKRS"&gt;   &lt;xsd:maxLength value="50"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>
--	---

	<pre> &lt;xsd:element name="REGON" type="etd:TNrREGON" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;REGON&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="BDO" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Waste Database Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TZnakowy"&gt;       &lt;xsd:maxLength value="9"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

### element Faktura/Naglowek

diagram	<pre> classDiagram     class tn:TNaglowek {         tn:KodFormularza         tn:WariantFormularza         tn:DataWytwarzeniaFa         tn:SystemInfo     }     tn:Naglowek --&gt; tn:TNaglowek : Header     tn:TNaglowek &lt; -- tn:KodFormularza     tn:TNaglowek &lt; -- tn:WariantFormularza     tn:TNaglowek &lt; -- tn:DataWytwarzeniaFa     tn:TNaglowek &lt; -- tn:SystemInfo </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TNaglowek</a>
properties	content complex
children	<a href="#">tns:KodFormularza</a> <a href="#">tns:WariantFormularza</a> <a href="#">tns:DataWytwarzeniaFa</a> <a href="#">tns:SystemInfo</a>
annotation	documentation Header
source	<pre> &lt;xsd:element name="Naglowek" type="tns:TNaglowek"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Header&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## element Faktura/Podmiot1

diagram	<pre> classDiagram     class tns_Podmiot1 {         &lt;&lt;Taxable person data. Given name and surname or name of the supplier of the goods or services&gt;&gt;     }     class tns_PrefiksPodatnika {         &lt;&lt;Code (prefix) of the EU VAT payer for the cases specified in article 97(10)(2) and (3) of the Act and in the case referred to in article 136(1)(3) of the Act&gt;&gt;     }     class tns_NrEORI {         &lt;&lt;EORI number of the taxpayer (seller)&gt;&gt;     }     class tns_DaneDentyfikacyjne {         &lt;&lt;Taxpayer identification data&gt;&gt;     }     class tns_Adres {         &lt;&lt;Taxpayer's address&gt;&gt;     }     class tns_AdresKoresp {         &lt;&lt;Taxpayer's correspondence address&gt;&gt;     }     class tns_Email {         &lt;&lt;Taxpayer's e-mail address&gt;&gt;     }     class tns_Telefon {         &lt;&lt;Taxpayer's telephone number&gt;&gt;     }     class tns_StatusInfoPodatnika {         &lt;&lt;Taxpayer status&gt;&gt;     }      tns_Podmiot1 "1" -- "*" tns_PrefiksPodatnika     tns_Podmiot1 "1" -- "*" tns_NrEORI     tns_Podmiot1 "1" -- "*" tns_DaneDentyfikacyjne     tns_Podmiot1 "1" -- "*" tns_Adres     tns_Podmiot1 "1" -- "*" tns_AdresKoresp     tns_Podmiot1 "1" -- "*" tns_Email     tns_Podmiot1 "0..3" -- "*" tns_Telefon     tns_Podmiot1 "1" -- "*" tns_StatusInfoPodatnika   </pre>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	content complex
children	<a href="#">tns:PrefiksPodatnika</a> <a href="#">tns:NrEORI</a> <a href="#">tns:DaneDentyfikacyjne</a> <a href="#">tns:Adres</a> <a href="#">tns:AdresKoresp</a> <a href="#">tns:Email</a> <a href="#">tns:Telefon</a> <a href="#">tns&gt;StatusInfoPodatnika</a>
annotation	documentation Taxable person data. Given name and surname or name of the supplier of the goods or services
source	<pre> &lt;xsd:element name="Podmiot1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxable person data. Given name and surname or name of the supplier of the goods or services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="PrefiksPodatnika" type="tns:TKodyKrajowUE" fixed="PL" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Code (prefix) of the EU VAT payer for the cases specified in article 97(10)(2) and (3) of the Act and in the case referred to in article 136(1)(3) of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;   </pre>


	<pre> &lt;/xsd:element&gt; &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;EORI number of the taxpayer (seller)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer identification data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Adres" type="tns:TAdres"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer's address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer's correspondence address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer's e-mail address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer's telephone number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="StatusInfoPodatnika" type="tns:TStatusInfoPodatnika" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer status&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>
--	--

#### element Faktura/Podmiot1/PrefiksPodatnika

diagram	 <p>Code (prefix) of the EU VAT payer for the cases specified in article 97(10)(2) and (3) of the Act and in the case referred to in article 136(1)(3) of the Act</p>						
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#">tns:TKodyKrajowUE</a>						
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple
minOcc	0						
maxOcc	1						
content	simple						

	fixed PL																																																																																							
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr><td>enumeration</td><td>AT</td><td></td></tr> <tr><td>enumeration</td><td>BE</td><td></td></tr> <tr><td>enumeration</td><td>BG</td><td></td></tr> <tr><td>enumeration</td><td>CY</td><td></td></tr> <tr><td>enumeration</td><td>CZ</td><td></td></tr> <tr><td>enumeration</td><td>DK</td><td></td></tr> <tr><td>enumeration</td><td>EE</td><td></td></tr> <tr><td>enumeration</td><td>FI</td><td></td></tr> <tr><td>enumeration</td><td>FR</td><td></td></tr> <tr><td>enumeration</td><td>DE</td><td></td></tr> <tr><td>enumeration</td><td>EL</td><td></td></tr> <tr><td>enumeration</td><td>HR</td><td></td></tr> <tr><td>enumeration</td><td>HU</td><td></td></tr> <tr><td>enumeration</td><td>IE</td><td></td></tr> <tr><td>enumeration</td><td>IT</td><td></td></tr> <tr><td>enumeration</td><td>LV</td><td></td></tr> <tr><td>enumeration</td><td>LT</td><td></td></tr> <tr><td>enumeration</td><td>LU</td><td></td></tr> <tr><td>enumeration</td><td>MT</td><td></td></tr> <tr><td>enumeration</td><td>NL</td><td></td></tr> <tr><td>enumeration</td><td>PL</td><td></td></tr> <tr><td>enumeration</td><td>PT</td><td></td></tr> <tr><td>enumeration</td><td>RO</td><td></td></tr> <tr><td>enumeration</td><td>SK</td><td></td></tr> <tr><td>enumeration</td><td>SI</td><td></td></tr> <tr><td>enumeration</td><td>ES</td><td></td></tr> <tr><td>enumeration</td><td>SE</td><td></td></tr> <tr><td>enumeration</td><td>XI</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AT		enumeration	BE		enumeration	BG		enumeration	CY		enumeration	CZ		enumeration	DK		enumeration	EE		enumeration	FI		enumeration	FR		enumeration	DE		enumeration	EL		enumeration	HR		enumeration	HU		enumeration	IE		enumeration	IT		enumeration	LV		enumeration	LT		enumeration	LU		enumeration	MT		enumeration	NL		enumeration	PL		enumeration	PT		enumeration	RO		enumeration	SK		enumeration	SI		enumeration	ES		enumeration	SE		enumeration	XI	
Kind	Value	Annotation																																																																																						
enumeration	AT																																																																																							
enumeration	BE																																																																																							
enumeration	BG																																																																																							
enumeration	CY																																																																																							
enumeration	CZ																																																																																							
enumeration	DK																																																																																							
enumeration	EE																																																																																							
enumeration	FI																																																																																							
enumeration	FR																																																																																							
enumeration	DE																																																																																							
enumeration	EL																																																																																							
enumeration	HR																																																																																							
enumeration	HU																																																																																							
enumeration	IE																																																																																							
enumeration	IT																																																																																							
enumeration	LV																																																																																							
enumeration	LT																																																																																							
enumeration	LU																																																																																							
enumeration	MT																																																																																							
enumeration	NL																																																																																							
enumeration	PL																																																																																							
enumeration	PT																																																																																							
enumeration	RO																																																																																							
enumeration	SK																																																																																							
enumeration	SI																																																																																							
enumeration	ES																																																																																							
enumeration	SE																																																																																							
enumeration	XI																																																																																							
annotation	<p>documentation  Code (prefix) of the EU VAT payer for the cases specified in article 97(10)(2) and (3) of the Act and in the case referred to in article 136(1)(3) of the Act</p>																																																																																							
source	<pre>&lt;xsd:element name="PrefiksPodatnika" type="tns:TKodyKrajowUE" fixed="PL" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code (prefix) of the EU VAT payer for the cases specified in article 97(10)(2) and (3) of the Act and in the case referred to in article 136(1)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>																																																																																							

#### element Faktura/Podmiot1/NrEORI

diagram	 <p>tns:NrEORI  EORI number of the taxpayer (seller)</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>

type	<a href="#"><u>tns:TZnakowy</u></a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation EORI number of the taxpayer (seller)
source	<pre>&lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;EORI number of the taxpayer (seller)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Podmiot1/Daneldentyfikacyjne

diagram	<pre> classDiagram     class tns:TPodmiot1 {         tns:NIP         tns:ImiePierwsze         tns:Nazwisko         tns:PernaNazwa         tns:NazwaHandlowa     }     class tns:Daneldentyfikacyjne {         &lt;&gt; NIP         &lt;&gt; ImiePierwsze         &lt;&gt; Nazwisko         &lt;&gt; PernaNazwa         &lt;&gt; NazwaHandlowa     }     tns:Daneldentyfikacyjne --&gt; tns:TPodmiot1 : &lt;&gt;     tns:TPodmiot1 &lt; -- Daneldentyfikacyjne   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><u>tns:TPodmiot1</u></a>
properties	content complex
children	<a href="#"><u>tns:NIP</u></a> <a href="#"><u>tns:ImiePierwsze</u></a> <a href="#"><u>tns:Nazwisko</u></a> <a href="#"><u>tns:PernaNazwa</u></a> <a href="#"><u>tns:NazwaHandlowa</u></a>
annotation	documentation Taxpayer identification data
source	<pre>&lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer identification data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

element **Faktura/Podmiot1/Adres**

diagram	<pre> classDiagram     class tnsTAdres {         tnsKodKraju         tnsMiejscowosc         tnsUlica         tnsNrDomu         tnsNrLokalu         tnsKodPocztowy         tnsGLN     }     tnsAdres --&gt; tnsTAdres     </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><u>tns:TAdres</u></a>
properties	content complex
children	<a href="#"><u>tns:KodKraju</u></a> <a href="#"><u>tns:Miejscowosc</u></a> <a href="#"><u>tns:Ulica</u></a> <a href="#"><u>tns:NrDomu</u></a> <a href="#"><u>tns:NrLokalu</u></a> <a href="#"><u>tns:KodPocztowy</u></a> <a href="#"><u>tns:GLN</u></a>
annotation	documentation Taxpayer's address
source	<pre> &lt;xsd:element name="Adres" type="tns:TAdres"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Taxpayer's address&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

### element Faktura/Podmiot1/AdresKoresp

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TAdres</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a> <a href="#">tns:GLN</a>
annotation	documentation Taxpayer's correspondence address
source	<pre>&lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer's correspondence address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Podmiot1/Email


diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">etd:TAdresEmail</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation

	minLength 3 maxLength 255 pattern (.+)@(.+)
annotation	documentation Taxpayer's e-mail address
source	<pre>&lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer's e-mail address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Podmiot1/Telefon

diagram	 0..3 Taxpayer's telephone number
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TNumerTelefonu</a>
properties	minOcc 0 maxOcc 3 content simple
facets	Kind Value Annotation minLength 1 maxLength 16
annotation	documentation Taxpayer's telephone number
source	<pre>&lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer's telephone number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Podmiot1/StatusInfoPodatnika

diagram	 0..1 Taxpayer status
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TStatusInfoPodatnika</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256 enumeration 1 documentation an invoice documenting the sale by a taxpayer in liquidation enumeration 2 documentation an invoice documenting a sale by a taxpayer that is under restructuring enumeration 3 documentation


	enumeration 4	an invoice documenting the sale by a taxpayer in bankruptcy documentation an invoice documenting the sale made by the company inheritance
annotation	documentation Taxpayer status	
source		<pre>&lt;xsd:element name="StatusInfoPodatnika" type="tns:TStatusInfoPodatnika" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer status&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Podmiot2

diagram	<p>Purchaser data</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	content complex
children	<a href="#">tns:PrefiksNabywcy</a> <a href="#">tns:NrEORI</a> <a href="#">tns:DaneIdentyfikacyjne</a> <a href="#">tns:Adres</a> <a href="#">tns:AdresKoresp</a> <a href="#">tns:Email</a> <a href="#">tns:Telefon</a> <a href="#">tns:NrKlienta</a>
annotation	documentation Purchaser data


source	<pre> &lt;xsd:element name="Podmiot2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Purchaser data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="PrefiksNabywcy" type="tns:TKodyKrajowUE" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Code (prefix) of the EU VAT buyer, referred to in article 106e(1)(24) of the Act and in the case referred to in article 136(1)(4) of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;EORI number of the buyer of the goods&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer identification data&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Adres" type="tns:TAdres" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer's address. Optional fields for the cases specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer's correspondence address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer's e-mail address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer's phone number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="NrKlienta" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Customer number for cases in which the buyer uses it in the contract or order&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--------	--

## element Faktura/Podmiot2/PrefiksNabywcy

diagram																																																																																								
	Code (prefix) of the EU VAT buyer, referred to in article 106e(1)(24) of the Act and in the case referred to in article 136(1)(4) of the Act																																																																																							
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>																																																																																							
type	<a href="#">tns:TKodyKrajowUE</a>																																																																																							
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	minOcc	0	maxOcc	1	content	simple																																																																																	
minOcc	0																																																																																							
maxOcc	1																																																																																							
content	simple																																																																																							
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr><td>enumeration</td><td>AT</td><td></td></tr> <tr><td>enumeration</td><td>BE</td><td></td></tr> <tr><td>enumeration</td><td>BG</td><td></td></tr> <tr><td>enumeration</td><td>CY</td><td></td></tr> <tr><td>enumeration</td><td>CZ</td><td></td></tr> <tr><td>enumeration</td><td>DK</td><td></td></tr> <tr><td>enumeration</td><td>EE</td><td></td></tr> <tr><td>enumeration</td><td>FI</td><td></td></tr> <tr><td>enumeration</td><td>FR</td><td></td></tr> <tr><td>enumeration</td><td>DE</td><td></td></tr> <tr><td>enumeration</td><td>EL</td><td></td></tr> <tr><td>enumeration</td><td>HR</td><td></td></tr> <tr><td>enumeration</td><td>HU</td><td></td></tr> <tr><td>enumeration</td><td>IE</td><td></td></tr> <tr><td>enumeration</td><td>IT</td><td></td></tr> <tr><td>enumeration</td><td>LV</td><td></td></tr> <tr><td>enumeration</td><td>LT</td><td></td></tr> <tr><td>enumeration</td><td>LU</td><td></td></tr> <tr><td>enumeration</td><td>MT</td><td></td></tr> <tr><td>enumeration</td><td>NL</td><td></td></tr> <tr><td>enumeration</td><td>PL</td><td></td></tr> <tr><td>enumeration</td><td>PT</td><td></td></tr> <tr><td>enumeration</td><td>RO</td><td></td></tr> <tr><td>enumeration</td><td>SK</td><td></td></tr> <tr><td>enumeration</td><td>SI</td><td></td></tr> <tr><td>enumeration</td><td>ES</td><td></td></tr> <tr><td>enumeration</td><td>SE</td><td></td></tr> <tr><td>enumeration</td><td>XI</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AT		enumeration	BE		enumeration	BG		enumeration	CY		enumeration	CZ		enumeration	DK		enumeration	EE		enumeration	FI		enumeration	FR		enumeration	DE		enumeration	EL		enumeration	HR		enumeration	HU		enumeration	IE		enumeration	IT		enumeration	LV		enumeration	LT		enumeration	LU		enumeration	MT		enumeration	NL		enumeration	PL		enumeration	PT		enumeration	RO		enumeration	SK		enumeration	SI		enumeration	ES		enumeration	SE		enumeration	XI	
Kind	Value	Annotation																																																																																						
enumeration	AT																																																																																							
enumeration	BE																																																																																							
enumeration	BG																																																																																							
enumeration	CY																																																																																							
enumeration	CZ																																																																																							
enumeration	DK																																																																																							
enumeration	EE																																																																																							
enumeration	FI																																																																																							
enumeration	FR																																																																																							
enumeration	DE																																																																																							
enumeration	EL																																																																																							
enumeration	HR																																																																																							
enumeration	HU																																																																																							
enumeration	IE																																																																																							
enumeration	IT																																																																																							
enumeration	LV																																																																																							
enumeration	LT																																																																																							
enumeration	LU																																																																																							
enumeration	MT																																																																																							
enumeration	NL																																																																																							
enumeration	PL																																																																																							
enumeration	PT																																																																																							
enumeration	RO																																																																																							
enumeration	SK																																																																																							
enumeration	SI																																																																																							
enumeration	ES																																																																																							
enumeration	SE																																																																																							
enumeration	XI																																																																																							
annotation	<p>documentation</p> <p>Code (prefix) of the EU VAT buyer, referred to in article 106e(1)(24) of the Act and in the case referred to in article 136(1)(4) of the Act</p>																																																																																							
source	<pre>&lt;xsd:element name="PrefiksNabywcy" type="tns:TKodyKrajowUE" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code (prefix) of the EU VAT buyer, referred to in article 106e(1)(24) of the Act and in the case referred to in article 136(1)(4) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;</pre>																																																																																							

	<code>&lt;/xsd:element&gt;</code>
--	-----------------------------------

element **Faktura/Podmiot2/NrEORI**

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation EORI number of the buyer of the goods									
source	<pre>&lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;EORI number of the buyer of the goods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

## element Faktura/Podmiot2/DaneIdentyfikacyjne

diagram	<pre> classDiagram     class tns_DaneIdentyfikacyjne {         &lt;&lt;Buyer identification data&gt;&gt;     }     class tns_TPodmiot {         &lt;&lt;tns:NIP&lt;&gt;&gt;         &lt;&lt;tns:NrID&lt;&gt;&gt;         &lt;&lt;tns:BrakID&lt;&gt;&gt;         &lt;&lt;Optional data for the cases referred to in article 106e(5)(3) of the Act&gt;&gt;         &lt;&lt;tns:ImiePierwsze&lt;&gt;&gt;         &lt;&lt;tns:Nazwisko&lt;&gt;&gt;         &lt;&lt;tns:PełnaNazwa&lt;&gt;&gt;         &lt;&lt;tns:NazwaHandlowa&lt;&gt;&gt;     }     tns_DaneIdentyfikacyjne &lt; -- tns_TPodmiot     </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TPodmiot</a>
properties	content complex
children	<a href="#">tns:NIP</a> <a href="#">tns:NrID</a> <a href="#">tns:BrakID</a> <a href="#">tns:ImiePierwsze</a> <a href="#">tns:Nazwisko</a> <a href="#">tns:PełnaNazwa</a> <a href="#">tns:NazwaHandlowa</a>
annotation	documentation Buyer identification data
source	<pre> &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Buyer identification data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

element Faktura/Podmiot2/Adres

diagram	<p><b>tns:Adres</b> Buyer's address. Optional fields for the cases specified in article 106e(5)(3) of the Act</p>						
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#"><u>tns:TAdres</u></a>						
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#"><u>tns:KodKraju</u></a> <a href="#"><u>tns:Miejscowosc</u></a> <a href="#"><u>tns:Ulica</u></a> <a href="#"><u>tns:NrDomu</u></a> <a href="#"><u>tns:NrLokalu</u></a> <a href="#"><u>tns:KodPocztowy</u></a> <a href="#"><u>tns:GLN</u></a>						
annotation	<p>documentation Buyer's address. Optional fields for the cases specified in article 106e(5)(3) of the Act</p>						
source	<pre> &lt;xsd:element name="Adres" type="tns:TAdres" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Buyer's address. Optional fields for the cases specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>						

### element Faktura/Podmiot2/AdresKoresp

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TAdres</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a> <a href="#">tns:GLN</a>
annotation	documentation Buyer's correspondence address
source	<pre>&lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Buyer's correspondence address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Podmiot2/Email

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">etd:TAdresEmail</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation

	minLength 3 maxLength 255 pattern (.+)@(.+)
annotation	documentation Buyer's e-mail address
source	<pre>&lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Buyer's e-mail address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Podmiot2/Telefon

diagram	 0..3 Buyer's phone number
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TNumerTelefonu</a>
properties	minOcc 0 maxOcc 3 content simple
facets	Kind Value Annotation minLength 1 maxLength 16
annotation	documentation Buyer's phone number
source	<pre>&lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Buyer's phone number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Podmiot2/NrKlienta

diagram	 Customer number for cases in which the buyer uses it in the contract or order
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Customer number for cases in which the buyer uses it in the contract or order
source	<pre>&lt;xsd:element name="NrKlienta" type="tns:TZnakowy" minOccurs="0"&gt;</pre>

	<pre>&lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Customer number for cases in which the buyer uses it in the contract or order&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--	---


**element Faktura/Podmiot3**

diagram					
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>				
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>unbounded</td></tr> </table>	minOcc	0	maxOcc	unbounded
minOcc	0				
maxOcc	unbounded				

	content complex
children	<a href="#"><u>tns:NrEORI</u></a> <a href="#"><u>tns:DaneDentyfikacyjne</u></a> <a href="#"><u>tns:Adres</u></a> <a href="#"><u>tns:AdresKoresp</u></a> <a href="#"><u>tns:Email</u></a> <a href="#"><u>tns:Telefon</u></a> <a href="#"><u>tns:Rola</u></a> <a href="#"><u>tns:RolaInna</u></a> <a href="#"><u>tns:OpisRoli</u></a> <a href="#"><u>tns:Udzial</u></a> <a href="#"><u>tns:NrKlienta</u></a>
annotation	documentation Data of the third party (ies) (other than supplier or purchaser in the Podmiot2 section), related to the invoice
source	<pre> &lt;xsd:element name="Podmiot3" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Data of the third party (ies) (other than supplier or purchaser in the Podmiot2 section), related to the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;EORI number of the buyer of the goods&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="DaneDentyfikacyjne" type="tns:TPodmiot"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Data identifying the third party&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Adres" type="tns:TAdres"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Third party address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Third party correspondence address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Third party email address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Third party telephone number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:choice&gt;         &lt;xsd:element name="Rola" type="tns:TRolaPodmiotu3"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;The role of the entity&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:sequence&gt;           &lt;xsd:element name="RolaInna" type="etd:TWybor1"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Other entity tag: 1 - Other entity&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;           &lt;xsd:element name="OpisRoli" type="tns:TZnakowy"&gt;             &lt;xsd:annotation&gt; </pre>

	<p>&lt;xsd:documentation&gt;Description of the role of the entity - in case of selecting the role as Other entity&lt;/xsd:documentation&gt;</p> <pre>         &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;/xsd:sequence&gt;     &lt;/xsd:choice&gt;     &lt;xsd:element name="Udzial" type="tns:TProcentowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Share - The percentage share of an additional buyer. The share of the buyer named in the Podmiot2 section is then the supplementing up to 100% of the sum of shares of additional buyers. If the field is left blank, it is assumed that the shares of the buyers appearing in the invoice are equal&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="NrKlienta" type="tns:TZnakowy" minOccurs="0"&gt;             &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;Customer number for cases in which the entity listed as a third party uses it in the contract or order&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;             &lt;/xsd:sequence&gt;         &lt;/xsd:complexType&gt;     &lt;/xsd:element&gt; </pre>
--	---

#### element Faktura/Podmiot3/NrEORI

diagram	 EORI number of the buyer of the goods									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation EORI number of the buyer of the goods									
source	<pre> &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;EORI number of the buyer of the goods&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

## element Faktura/Podmiot3/DaneIdentyfikacyjne

diagram	<pre> classDiagram     class tns:DaneIdentyfikacyjne {         &lt;&lt;Data identifying the third party&gt;&gt;     }     class tns:TPodmiot {         &lt;&lt;tns:NIP&lt;&lt;br/&gt;Tax identification number (NIP)&gt;&gt;         &lt;&lt;tns:NrID&lt;&lt;br/&gt;Tax identifier other than NIP&gt;&gt;         &lt;&lt;tns:BrakID&lt;&lt;br/&gt;The entity does not have a tax ID: 1- yes&gt;&gt;         &lt;&lt;tns:ImiePierwsze&lt;&lt;br/&gt;First name&gt;&gt;         &lt;&lt;tns:Nazwisko&lt;&lt;br/&gt;Surname&gt;&gt;         &lt;&lt;tns:PernaNazwa&lt;&lt;br/&gt;Full name&gt;&gt;         &lt;&lt;tns:NazwaHandlowa&lt;&lt;br/&gt;Trade name&gt;&gt;     }     tns:DaneIdentyfikacyjne &lt; -- tns:TPodmiot     tns:TPodmiot &lt; -- tns:NIP     tns:TPodmiot &lt; -- tns:NrID     tns:TPodmiot &lt; -- tns:BrakID     tns:TPodmiot --&gt; tns:ImiePierwsze     tns:TPodmiot --&gt; tns:Nazwisko     tns:TPodmiot --&gt; tns:PernaNazwa     tns:TPodmiot --&gt; tns:NazwaHandlowa   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TPodmiot</a>
properties	content complex
children	<a href="#">tns:NIP</a> <a href="#">tns:NrID</a> <a href="#">tns:BrakID</a> <a href="#">tns:ImiePierwsze</a> <a href="#">tns:Nazwisko</a> <a href="#">tns:PernaNazwa</a> <a href="#">tns:NazwaHandlowa</a>
annotation	documentation Data identifying the third party
source	<pre> &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Data identifying the third party&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;   </pre>

element **Faktura/Podmiot3/Adres**

diagram	<pre> classDiagram     class tns_TAdres {         tns_KodKraju         tns_Miejscowosc         tns_Ulica         tns_NrDomu         tns_NrLokalu         tns_KodPocztowy         tns_GLN     }     class tns_Adres {         &lt;&lt;Third party address&gt;&gt;     }     tns_Adres --&gt; tns_TAdres   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TAdres</a>
properties	content complex
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a> <a href="#">tns:GLN</a>
annotation	documentation Third party address
source	<pre> &lt;xsd:element name="Adres" type="tns:TAdres"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Third party address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;   </pre>

### element Faktura/Podmiot3/AdresKoresp


diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TAdres</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a> <a href="#">tns:GLN</a>
annotation	documentation Third party correspondence address
source	<pre>&lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Third party correspondence address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Podmiot3/Email


diagram	etd:TAdresEmail
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation

	minLength 3 maxLength 255 pattern (.+)@(.+)
annotation	documentation Third party email address
source	<pre>&lt;xsd:element name="Email" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt; &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Third party email address&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Podmiot3/Telefon

diagram	 0..3 Third party telephone number									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TNumerTelefonu</a>									
properties	minOcc 0 maxOcc 3 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>16</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	16	
Kind	Value	Annotation								
minLength	1									
maxLength	16									
annotation	documentation Third party telephone number									
source	<pre>&lt;xsd:element name="Telefon" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt; &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Third party telephone number&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Podmiot3/Rola

diagram	 The role of the entity																		
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																		
type	<a href="#">tns:TRolaPodmiotu3</a>																		
properties	content simple																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation Factor - when the invoice contains the data of the factor</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation Recipient - if the invoice contains data of internal units, branches, budgetary units separated within the buyer, which do not themselves constitute the buyer within the meaning of the Act</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	documentation Factor - when the invoice contains the data of the factor	enumeration	2	documentation Recipient - if the invoice contains data of internal units, branches, budgetary units separated within the buyer, which do not themselves constitute the buyer within the meaning of the Act	enumeration	3	documentation
Kind	Value	Annotation																	
minLength	1																		
maxLength	256																		
enumeration	1	documentation Factor - when the invoice contains the data of the factor																	
enumeration	2	documentation Recipient - if the invoice contains data of internal units, branches, budgetary units separated within the buyer, which do not themselves constitute the buyer within the meaning of the Act																	
enumeration	3	documentation																	

	<p>Primary entity - if the invoice contains the data of the entity that is the acquired or transformed entity in relation to the taxpayer, who provided the service or made the delivery. With the exception of the cases referred to in article 106j(2)(3) when the data is presented in the section Podmiot1K</p> <p>enumeration 4 documentation Additional buyer - if the invoice contains data of subsequent buyers (other than those listed in the section Podmiot2)</p> <p>enumeration 5 documentation Invoice issuer - if the invoice contains the data of the entity issuing the invoice on behalf of the taxpayer. It does not apply if the issuer of the invoice is the buyer</p> <p>enumeration 6 documentation Entity making the payment - if the invoice contains the data of the entity regulating the liability in place of the buyer</p> <p>enumeration 7 documentation Other entity - reserve role in cases of data of third parties appearing in the invoice in other cases than provided for</p>
annotation	documentation The role of the entity
source	<pre>&lt;xsd:element name="Rola" type="tns:TRolaPodmiotu3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The role of the entity&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Podmiot3/Rolalnna

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TWybor1</b>
properties	content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation Other entity tag: 1 - Other entity
source	<pre>&lt;xsd:element name="Rolalnna" type="etd:TWybor1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other entity tag: 1 - Other entity&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Podmiot3/OpisRoli


diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>tns:TZnakowy</b>
properties	content simple

	facets	Kind minLength 1 maxLength 256	Annotation
	annotation	documentation Description of the role of the entity - in case of selecting the role as Other entity	
	source	<xsd:element name="OpisRoli" type="tns:TZnakowy"> <xsd:annotation> <xsd:documentation>Description of the role of the entity - in case of selecting the role as Other entity</xsd:documentation> </xsd:annotation> </xsd:element>	

### element Faktura/Podmiot3/Udzial

	diagram		
		Share - The percentage share of an additional buyer. The share of the buyer named in the Podmiot2 section is then the supplementing up to 100% of the sum of shares of additional buyers. If the field is left blank, it is assumed that the shares of the buyers appearing in the invoice are equal	
	namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/	
	type	<a href="#">tns:TProcentowy</a>	
	properties	minOcc 0 maxOcc 1 content simple	
	facets	Kind minInclusive 0 maxInclusive 100 totalDigits 9 fractionDigits 6 whiteSpace collapse	
	annotation	documentation Share - The percentage share of an additional buyer. The share of the buyer named in the Podmiot2 section is then the supplementing up to 100% of the sum of shares of additional buyers. If the field is left blank, it is assumed that the shares of the buyers appearing in the invoice are equal	
	source	<xsd:element name="Udzial" type="tns:TProcentowy" minOccurs="0"> <xsd:annotation> <xsd:documentation>Share - The percentage share of an additional buyer. The share of the buyer named in the Podmiot2 section is then the supplementing up to 100% of the sum of shares of additional buyers. If the field is left blank, it is assumed that the shares of the buyers appearing in the invoice are equal</xsd:documentation> </xsd:annotation> </xsd:element>	

**element Faktura/Podmiot3/NrKlienta**

diagram	 <p>Customer number for cases in which the entity listed as a third party uses it in the contract or order</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#"><b>tns:TZnakowy</b></a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation Customer number for cases in which the entity listed as a third party uses it in the contract or order									
source	<pre>&lt;xsd:element name="NrKlienta" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Customer number for cases in which the entity listed as a third party uses it in the contract or order&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

## element Faktura/PodmiotUpowazniony

diagram	<pre> classDiagram     class tns_PodmiotUpowazniony {         tns_NrERI         tns_DaneIdentyfikacyjne         tns_Adres         tns_AdresKoresp         tns_EmailPU         tns_TelefonPU[0..3]         tns_RolaPU     }     tns_PodmiotUpowazniony &lt; --&gt; tns_DaneIdentyfikacyjne     tns_PodmiotUpowazniony &lt; --&gt; tns_Adres     tns_PodmiotUpowazniony &lt; --&gt; tns_AdresKoresp     tns_PodmiotUpowazniony &lt; --&gt; tns_EmailPU     tns_PodmiotUpowazniony &lt; --&gt; tns_TelefonPU     tns_PodmiotUpowazniony &lt; --&gt; tns_RolaPU   </pre>						
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
properties	<table border="1"> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#">tns:NrERI</a> <a href="#">tns:DaneIdentyfikacyjne</a> <a href="#">tns:Adres</a> <a href="#">tns:AdresKoresp</a> <a href="#">tns:EmailPU</a> <a href="#">tns:TelefonPU</a> <a href="#">tns:RolaPU</a>						
annotation	<p>documentation Data of the authorized entity related to the invoice</p>						
source	<pre> &lt;xsd:element name="PodmiotUpowazniony" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Data of the authorized entity related to the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="NrERI" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;EORI number of the authorized entity&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Data identifying the authorized entity&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Adres" type="tns:TAdres"&gt;         &lt;xsd:annotation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;   </pre>						

	<pre> &lt;xsd:documentation&gt;Address of the authorized entity&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;Correspondence address of the authorized entity&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="EmailPU" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;E-mail address of the authorized entity&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="TelefonPU" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;Telephone number of the authorized entity&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="RolaPU" type="tns:TRolaPodmiotuUpowaznionego"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;The role of the authorized entity&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

#### element Faktura/PodmiotUpowazniony/NrEORI

diagram	 tns:NrEORI EORI number of the authorized entity
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation EORI number of the authorized entity
source	<pre> &lt;xsd:element name="NrEORI" type="tns:TZnakowy" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;EORI number of the authorized entity&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## element Faktura/PodmiotUpowazniony/Daneldentyfikacyjne

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TPodmiot</a>
properties	content complex
children	<a href="#">tns:NIP</a> <a href="#">tns:NrID</a> <a href="#">tns:BrakID</a> <a href="#">tns:ImiePierwsze</a> <a href="#">tns:Nazwisko</a> <a href="#">tns:PernaNazwa</a> <a href="#">tns:NazwaHandlowa</a>
annotation	<p>documentation Data identifying the authorized entity</p>
source	<pre> &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Data identifying the authorized entity&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

### element Faktura/PodmiotUpowazniony/Adres

diagram	<pre> classDiagram     class tnsTAdres {         tnsKodKraju         tnsMiejscowosc         tnsUlica         tnsNrDomu         tnsNrLokalu         tnsKodPocztowy         tnsGLN     }     tnsAdres --&gt; tnsTAdres   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><u>tns:TAdres</u></a>
properties	content complex
children	<a href="#"><u>tns:KodKraju</u></a> <a href="#"><u>tns:Miejscowosc</u></a> <a href="#"><u>tns:Ulica</u></a> <a href="#"><u>tns:NrDomu</u></a> <a href="#"><u>tns:NrLokalu</u></a> <a href="#"><u>tns:KodPocztowy</u></a> <a href="#"><u>tns:GLN</u></a>
annotation	documentation Address of the authorized entity
source	<pre> &lt;xsd:element name="Adres" type="tns:TAdres"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Address of the authorized entity&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;   </pre>

**element Faktura/PodmiotUpowazniony/AdresKoresp**

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><u>tns:TAdres</u></a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#"><u>tns:KodKraju</u></a> <a href="#"><u>tns:Miejscowosc</u></a> <a href="#"><u>tns:Ulica</u></a> <a href="#"><u>tns:NrDomu</u></a> <a href="#"><u>tns:NrLokalu</u></a> <a href="#"><u>tns:KodPocztowy</u></a> <a href="#"><u>tns:GLN</u></a>
annotation	documentation Correspondence address of the authorized entity
source	<pre>&lt;xsd:element name="AdresKoresp" type="tns:TAdres" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Correspondence address of the authorized entity&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

**element Faktura/PodmiotUpowazniony/EmailPU**

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><u>etd:TAdresEmail</u></a>
properties	minOcc 0 maxOcc 1 content simple

	facets	Kind minLength maxLength pattern	Value 3 255 (.)+@(.)+	Annotation
	annotation	documentation E-mail address of the authorized entity		
	source	<xsd:element name="EmailPU" type="etd:TAdresEmail" minOccurs="0" maxOccurs="1"> <xsd:annotation> <xsd:documentation>E-mail address of the authorized entity</xsd:documentation> </xsd:annotation> </xsd:element>		

#### element Faktura/PodmiotUpowazniony/TelefonPU

	diagram	 0..3 Telephone number of the authorized entity
	namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
	type	<a href="#">tns:TNumerTelefonu</a>
	properties	minOcc 0 maxOcc 3 content simple
	facets	Kind Value minLength 1 maxLength 16
	annotation	documentation Telephone number of the authorized entity
	source	<xsd:element name="TelefonPU" type="tns:TNumerTelefonu" minOccurs="0" maxOccurs="3"> <xsd:annotation> <xsd:documentation>Telephone number of the authorized entity</xsd:documentation> </xsd:annotation> </xsd:element>

#### element Faktura/PodmiotUpowazniony/RolaPU

	diagram	 1 The role of the authorized entity
	namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
	type	<a href="#">tns:TRolaPodmiotuUpowaznionego</a>
	properties	content simple

	facets	Kind minLength maxLength enumeration enumeration	Value 1 256 1 2	Annotation Enforcement authority - in the case referred to in article 106c(1) of the VAT Act Court bailiff - in the case referred to in article 106c(2) of the VAT Act
				documentation Enforcement authority - in the case referred to in article 106c(1) of the VAT Act documentation Court bailiff - in the case referred to in article 106c(2) of the VAT Act

	enumeration 3	documentation Tax representative - if the invoice contains the data of the tax representative referred to in the provisions of article 18a - 18d of the VAT Act
annotation	documentation The role of the authorized entity	
source		<pre>&lt;xsd:element name="RolaPU" type="tns:TRolaPodmiotuUpowaznionego"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The role of the authorized entity&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## element Faktura/Fa

The diagram illustrates a phylogenetic tree with a vertical orientation, starting from a single root node at the top and branching downwards into numerous clades. Each node is a small rectangle containing a label, such as 'Candidatus' followed by a specific name. The tree is highly detailed, with many fine branches and sub-clades, especially in the lower half. The labels are mostly illegible due to the size of the font used for the entire tree.

namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	content complex
children	<p><a href="#"><b>tns:KodWaluty tns:P_1 tns:P_1M tns:P_2 tns:WZ tns:P_6 tns:OkresFa tns:P_13_1 tns:P_14_1 tns:P_14_1W tns:P_13_2 tns:P_14_2 tns:P_14_2W tns:P_13_3 tns:P_14_3 tns:P_14_3W tns:P_13_4 tns:P_14_4 tns:P_14_4W tns:P_13_5 tns:P_14_5 tns:P_13_6 tns:P_13_7 tns:P_15 tns:Adnotacje tns:RodzajFaktury tns:PrzyczynaKorekty tns:TypKorekty tns:DataWystFaKorygowanej tns:NrFaKorygowanej tns:NrKSeFFaKorygowanej tns:OkresFaKorygowanej tns:NrFaKorygowany tns:Podmiot1K tns:Podmiot2K tns:FP tns:TP tns:DodatkowyOpis tns:NrFaZaliczkowej tns:ZwrotAkcyzy tns:FaWiersze tns:Rozliczenie tns:Platnosc tns:WarunkiTransakcji tns:Zamowienie</b></a></p>
annotation	<p>documentation</p> <p>Based on article 106a-106q of the Act. Sales values and tax amounts shall be completed in the currency in which the invoice was issued, except for the fields where the tax amounts were converted in accordance with article 31a in connection with article 106e(11) of the Act. In the case of issuing a correcting invoice, all data are filled in as as adjusted. Data on tax bases, tax amounts and total amounts are filled in by difference</p>
source	<pre> &lt;xsd:element name="Fa"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Based on article 106a-106q of the Act. Sales values and tax amounts shall be completed in the currency in which the invoice was issued, except for the fields where the tax amounts were converted in accordance with article 31a in connection with article 106e(11) of the Act. In the case of issuing a correcting invoice, all data are filled in as as adjusted. Data on tax bases, tax amounts and total amounts are filled in by difference&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="KodWaluty" type="tns:currCode_Type"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The three-letter currency code (ISO-4217) in the cases referred to in article 31a of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_1" type="tns:TDataT"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Date of issue, subject to article 106na(1) of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_1M" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Place of issue of the invoice&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_2" type="tns:TZnakowy"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;A sequential number, based on one or more series, which uniquely identifies the invoice&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="WZ" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;WZ the stock movement document numbers (external release) related to the invoice&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:choice minOccurs="0"&gt;         &lt;xsd:element name="P_6" type="tns:TDataT"&gt;           &lt;xsd:annotation&gt; </pre>

<xsd:documentation>The date on which the supply of goods or services was made or completed or the date of receipt of the payment referred to in article 106b(1)(4), in so far as that date can be determined and differs from the date of issue of the invoice. The field must be completed when the date is common for all items of the invoice</xsd:documentation>

```

    </xsd:annotation>
  </xsd:element>
  <xsd:element name="OkresFa">
    <xsd:annotation>
      <xsd:documentation>The period covered by the invoice in the cases referred to in article 19a(3), first sentence and (4) and (5)(4) of the Act</xsd:documentation>
    </xsd:annotation>
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="P_6_Od" type="tns:TDataT">
          <xsd:annotation>
            <xsd:documentation>The starting date of the invoice period</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_6_Do" type="tns:TDataT">
          <xsd:annotation>
            <xsd:documentation>End date of the period to which the invoice relates - the date when the delivery of goods or the service was completed</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
  </xsd:choice>
  <xsd:sequence minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>Optional fields for the cases specified in article 106e(2) and (3) and (4)(1), as well as (4)(3) and (5)(1-3) of the Act</xsd:documentation>
    </xsd:annotation>
    <xsd:element name="P_13_1" type="tns:TKwotowy">
      <xsd:annotation>
        <xsd:documentation>The sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="P_14_1" type="tns:TKwotowy">
      <xsd:annotation>
        <xsd:documentation>The amount of tax on the sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="P_14_1W" type="tns:TKwotowy" minOccurs="0">
      <xsd:annotation>
        <xsd:documentation>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with the basic rate, converted in accordance with article 31a in connection with article 106e paragraph 11 of the Act - currently 23% or 22%. In the case of
      </xsd:annotation>
    </xsd:element>
  </xsd:sequence>

```

advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act

```

</xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:sequence minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Optional fields for the cases specified in article 106e(2) and (3) and (4)(1), as well as (4)(3) and (5)(1-3) of the Act</xsd:documentation>
  </xsd:annotation>
  <xsd:element name="P_13_2" type="tns:TKwotowy">
    <xsd:annotation>
      <xsd:documentation>The sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
    <xsd:element name="P_14_2" type="tns:TKwotowy">
      <xsd:annotation>
        <xsd:documentation>Tax amount on the sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
      </xsd:annotation>
      </xsd:element>
      <xsd:element name="P_14_2W" type="tns:TKwotowy" minOccurs="0">
        <xsd:annotation>
          <xsd:documentation>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
        </xsd:sequence>
        <xsd:sequence minOccurs="0">
          <xsd:annotation>
            <xsd:documentation>Optional fields for the cases specified in article 106e(2) and (3) and (4)(1), as well as (4)(3) and (5)(1-3) of the Act</xsd:documentation>
          </xsd:annotation>
          <xsd:element name="P_13_3" type="tns:TKwotowy">
            <xsd:annotation>
              <xsd:documentation>The sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</xsd:documentation>
            </xsd:annotation>
            </xsd:element>
            <xsd:element name="P_14_3" type="tns:TKwotowy">
              <xsd:annotation>
                <xsd:documentation>The amount of tax on the sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the tax amount calculated
```

according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the

```

Act</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
<xsd:element name="P_14_3W" type="tns:TKwotowy" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a second reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the
Act</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
</xsd:sequence>
<xsd:sequence minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Optional fields for the cases specified in article 106e(2), (3), (4)(3) and (5)(1-3) of the Act</xsd:documentation>
    </xsd:annotation>
    <xsd:element name="P_13_4" type="tns:TKwotowy">
        <xsd:annotation>
            <xsd:documentation>The sum of the net sales value with a third reduced rate in the currency in which the invoice was issued - reverse charge procedure, for which the taxpayer is the buyer, in accordance with article 17(1)(7) and (8) of the Act and for the tax rate in the case of a flat rate for passenger taxis. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the
Act</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
<xsd:element name="P_14_4" type="tns:TKwotowy">
    <xsd:annotation>
        <xsd:documentation>The amount "0" for the reverse-charge procedure for which the taxpayer is the customer according to article 17(1)(7) and (8) of the Act and the tax amount on the sum of the net sales value for the tax rate in the currency in which the invoice was issued in the case of a flat rate for passenger taxis. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the
Act</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
<xsd:element name="P_14_4W" type="tns:TKwotowy" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>If the invoice is issued in a foreign currency, the amount "0" for the reverse charge procedure, for which the taxpayer is the buyer, pursuant to article 17(1)(7) and (8) of the Act and the amount of tax on the sum of the net sales value in a foreign currency for a tax rate in the case of a flat rate for passenger taxis, converted in accordance with article 31a in connection with article 106e(11) of the Act. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the
Act</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
</xsd:sequence>
<xsd:sequence minOccurs="0">
```

	<pre> &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Optional fields for the cases specified in article 106e(2) and (3) and (4)(1), as well as (4)(3) and (5)(1-3) of the Act&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;xsd:element name="P_13_5" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The sum of the net sales value for the transaction of delivery of goods and provision of services outside the territory of the country. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_14_5" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of value added tax in the case of the special procedure referred to in section XII in chapter 6a of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;xsd:element name="P_13_6" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sum of net sales value with 0% rate. In the case of advance invoices, the net amount of the advance. Optional field for cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_13_7" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sum of the value of exempt sales. In the case of advance invoices, the net amount of the advance. Optional fields for the cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_15" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Total amount receivable or, in the case of advance invoices, the payment amount received. In the case of correcting invoices, the correction of the total amount receivable&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Adnotacje"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other invoice annotations&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:complexType&gt; &lt;/xsd:sequence&gt; &lt;xsd:element name="P_16" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of the supply of goods or services, the tax obligation arises in accordance with article 19a(5)(1) or article 21(1) of the Act - the words "Cash accounting", the value should be "1"; otherwise - value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--	--

	<pre> &lt;xsd:element name="P_17" type="etd:TWybor1_2"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the case of the invoices referred to in article 106d(1) of the Act - the word "Self-billing", enter the value "1"; otherwise - value "2" &lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_18" type="etd:TWybor1_2"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the case of the supply of goods or service for which the buyer of the goods or services is obliged to settle the value added tax or a tax of a similar nature - the words "Reverse charge" should be entered as "1", otherwise - the value "2" &lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_18A" type="etd:TWybor1_2"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the case of invoices in which the total amount receivable is the amount referred to in article 19(2) of the Act of 6 March 2018 - Entrepreneurs' Law, covering the supply of goods or services listed in Annex 15 to the Act for the taxpayer - the words "Split payment mechanism", enter the value "1", otherwise - value "2" &lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:sequence&gt;     &lt;xsd:element name="P_19" type="etd:TWybor1_2"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;In the case of the supply of goods or the provision of services exempt from tax pursuant to article 43(1), article 113(1) and (9) or regulations issued on the basis of article 82(3) of the Act or on the basis of other regulations, enter the value "1", otherwise - the value "2" &lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:choice minOccurs="0"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;The node is not populated when the field P_19 takes the value "2" &lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:element name="P_19A" type="tns:TZnakowy" default="false"&gt;             &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;If the field P_19 equals "1" - indicate the provision of the act or act issued on the basis of the act, on the basis of which the taxpayer applies the tax exemption &lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="P_19B" type="tns:TZnakowy" default="false"&gt;             &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;If field P_19 equals "1" - indicate the provision of Directive 2006/112/EC that exempts such supply of goods or services from tax &lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="P_19C" type="tns:TZnakowy" default="false"&gt;             &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;If field P_19 equals "1" - indicate another legal basis indicating that the supply of goods or services is exempt &lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;     &lt;/xsd:choice&gt; </pre>
--	---

```

        </xsd:choice>
    </xsd:sequence>
    <xsd:sequence>
        <xsd:element name="P_22" type="etd:TWybor1_2">
            <xsd:annotation>
                <xsd:documentation>When the subject of the intra-Community supply are new means of transport, enter the value "1", otherwise - the value "2" </xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:sequence minOccurs="0">
            <xsd:element name="P_22A" type="tns:TDataT">
                <xsd:annotation>
                    <xsd:documentation>If field P_22 equals "1" - enter the date of approval of the new means of transport for use </xsd:documentation>
                </xsd:annotation>
            </xsd:element>
            <xsd:element name="P_22BMK" type="tns:TZnakowy" minOccurs="0">
                <xsd:annotation>
                    <xsd:documentation>If the field P_22 equals "1" you can enter the brand of the new means of transport </xsd:documentation>
                </xsd:annotation>
            </xsd:element>
            <xsd:element name="P_22BMD" type="tns:TZnakowy" minOccurs="0">
                <xsd:annotation>
                    <xsd:documentation>If the field P_22 equals "1" you can enter the model of a new means of transport </xsd:documentation>
                </xsd:annotation>
            </xsd:element>
            <xsd:element name="P_22BK" type="tns:TZnakowy" minOccurs="0">
                <xsd:annotation>
                    <xsd:documentation>If the field P_22 equals "1" you can enter the color of a new means of transport </xsd:documentation>
                </xsd:annotation>
            </xsd:element>
            <xsd:element name="P_22BNR" type="tns:TZnakowy" minOccurs="0">
                <xsd:annotation>
                    <xsd:documentation>If the field P_22 equals "1", the registration number of the new means of transport can be entered </xsd:documentation>
                </xsd:annotation>
            </xsd:element>
            <xsd:element name="P_22BRP" type="tns:TZnakowy" minOccurs="0">
                <xsd:annotation>
                    <xsd:documentation>If field P_22 is equal to "1", the year of production of the new means of transport can be entered </xsd:documentation>
                </xsd:annotation>
            </xsd:element>
            <xsd:choice>
                <xsd:sequence>
                    <xsd:element name="P_22B" type="tns:TZnakowy">
                        <xsd:annotation>
                            <xsd:documentation>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - the mileage of the vehicle should be provided </xsd:documentation>
                        </xsd:annotation>
                    </xsd:element>
                <xsd:choice minOccurs="0">

```

```

<xsd:element name="P_22B1" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the VIN number</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_22B2" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the body number</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_22B3" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the chassis number</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_22B4" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the frame number</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:choice>
  <xsd:element name="P_22BT" type="tns:TZnakowy" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can specify the type of new means of transport</xsd:documentation>
    </xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:sequence>
  <xsd:element name="P_22C" type="tns:TZnakowy">
    <xsd:annotation>
      <xsd:documentation>If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the number of working hours of using the new means of transport should be specified</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="P_22C1" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the hull number of the new means of transport may be given</xsd:documentation>
  </xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:sequence>
  <xsd:element name="P_22D" type="tns:TZnakowy">
    <xsd:annotation>

```

**<xsd:documentation>**If field P\_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the number of working hours of using the new means of transport should be specified**</xsd:documentation>**
  
     **</xsd:annotation>**
  
     **</xsd:element>**
  
     **<xsd:element name="P\_22D1" type="tns:TZnakowy" minOccurs="0">**
  
         **<xsd:annotation>**
  
             **<xsd:documentation>**If field P\_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the serial number of the new means of transport may be given**</xsd:documentation>**
  
             **</xsd:annotation>**
  
             **</xsd:element>**
  
             **<xsd:sequence>**
  
                 **</xsd:choice>**
  
                 **</xsd:sequence>**
  
             **</xsd:sequence>**
  
         **<xsd:element name="P\_23" type="etd:TWybor1\_2">**
  
         **<xsd:annotation>**
  
             **<xsd:documentation>**In the case of invoices issued in the simplified procedure by the second taxpayer referred to in article 135(1)(4)(b) and (c) and (2), containing the annotation referred to in article 136(1)(1) and the statement referred to in article 136(1)(2) of the Act, the value "1" should be entered, otherwise - the value "2"**</xsd:documentation>**
  
         **</xsd:annotation>**
  
         **</xsd:element>**
  
         **<xsd:sequence>**
  
             **<xsd:element name="P\_PMarzy" type="etd:TWybor1\_2">**
  
             **<xsd:annotation>**
  
                 **<xsd:documentation>**In the event of the margin procedures referred to in article 119 or 120 of the Act, the value "1" should be entered, otherwise - the value "2"**</xsd:documentation>**
  
             **</xsd:annotation>**
  
             **</xsd:element>**
  
             **<xsd:choice minOccurs="0">**
  
                 **<xsd:element name="P\_PMarzy\_2" type="etd:TWybor1">**
  
                 **<xsd:annotation>**
  
                     **<xsd:documentation>**In the case of the supply of tourism services for which the tax base is a margin, in accordance with article 119(1) of the Act, and the invoice documenting the service includes the words "Margin scheme - Travel agents", the value should be "1"**</xsd:documentation>**
  
                 **</xsd:annotation>**
  
                 **</xsd:element>**
  
                 **<xsd:element name="P\_PMarzy\_3\_1" type="etd:TWybor1">**
  
                 **<xsd:annotation>**
  
                     **<xsd:documentation>**In the case of the supply of second-hand goods for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Second-hand goods", the value should be "1"**</xsd:documentation>**
  
                 **</xsd:annotation>**
  
                 **</xsd:element>**
  
                 **<xsd:element name="P\_PMarzy\_3\_2" type="etd:TWybor1">**
  
                 **<xsd:annotation>**
  
                     **<xsd:documentation>**In the case of delivery of works of art for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Works of art", the value should be "1"**</xsd:documentation>**
  
                 **</xsd:annotation>**

	<pre> &lt;/xsd:element&gt; &lt;xsd:element name="P_PMarzy_3_3" type="etd:TWybor1"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;In the case of the supply of collectors' items and antiques, for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Collector's items and antiques", the value should be "1"&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="RodzajFaktury" type="tns:TRodzajFaktury"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Type of invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:sequence minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Elements for cases, when the field of RodzajFaktury takes the values KOR, KOR_ZAL or KOR_ROZ&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;xsd:element name="PrzyczynaKorekty" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Reason for correction for correction invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="TypKorekty" type="tns:TTypKorekty" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Type of effect of the correction in the books&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:sequence maxOccurs="unbounded"&gt;     &lt;xsd:element name="DataWystFaKorygowanej" type="tns:TDataT"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Date of issue of the invoice to which the corrective invoice relates&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="NrFaKorygowanej" type="tns:TZnakowy"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Corrected invoice number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="NrKSeFFaKorygowanej" type="tns:TNumerKSeF"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Number identifying the corrected invoice in the National System of e-Invoices (KSeF)&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;     &lt;xsd:element name="OkresFaKorygowanej" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;For the correcting invoice referred to in article 106j(3) of the Act -&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt; </pre>
--	---

the period to which the discount or reduction is granted, if the taxpayer grants the discount or price reduction in relation to the supply of goods or services made or provided to one recipient in a given period

```

</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="NrFaKorygowany" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Correct corrected invoice number if the reason for the correction is an incorrect corrected invoice number. In such a case, this incorrect number should be indicated in the field NrFaKorygowanej</xsd:documentation>
  </xsd:annotation>
  </xsd:element>
<xsd:element name="Podmiot1K" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>In the event of correction of the seller's data, complete seller's data appearing in the corrected invoice should be provided. The field does not apply to the correction of an incorrect NIP number appearing in the original invoice. Then the invoice must be corrected to zero values</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="PrefiksPodatnika" type="tns:TKodyKrajowUE" minOccurs="0">
        <xsd:annotation>
          <xsd:documentation>Code (prefix) of the EU VAT payer for the cases specified in article 97 sec. 10 points 2 and 3 of the Act and in the case referred to in article 136 sec. 1 point 3 of the Act</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot1">
        <xsd:annotation>
          <xsd:documentation>Taxpayer identification data</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="Adres" type="tns:TAdres">
        <xsd:annotation>
          <xsd:documentation>Taxpayer's address</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="Podmiot2K" minOccurs="0" maxOccurs="unbounded">
  <xsd:annotation>
    <xsd:documentation>In the event of a correction of the data of the buyer acting as Podmiot2 or an additional buyer acting as Podmiot3, the complete data of this entity appearing in the corrected invoice should be provided. Wrong numbers identifying the buyer and the additional buyer are not subject to correction. In the case of correcting the remaining data of the buyer or additional buyer, the indicated identification number must be identical to the number in the Podmiot2 or Podmiot3 part of the correcting invoice</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="PrefiksNabywcy" type="tns:TKodyKrajowUE" minOccurs="0">
        <xsd:annotation>
          <xsd:documentation>Code (prefix) of the EU VAT buyer, referred to in article 106e paragraph 1 point 24 of the Act and in the case referred to in article 136 sec. 1 point 4 of the

```

	<pre> Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Buyer identification data&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Adres" type="tns:TAdres" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Buyer's address. Optional fields for the cases specified in article 106e paragraph 5 point 3 of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;xsd:element name="FP" type="etd:TWybor1" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The invoice referred to in article 109(3)(d) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="TP" type="etd:TWybor1" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Existing links between the buyer and the person delivering the goods or the service provider pursuant to § 10(4)(3), subject to the provisions of (4)(b) of the Regulation on the detailed scope of data contained in tax returns and records in the field of tax on goods and services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DodatkowyOpis" type="tns:TKluczWartosc" minOccurs="0" maxOccurs="12"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Reserve fields for showing additional information on the invoice, including those required by law, for which no other fields/elements are provided&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="NrFaZaliczkowej" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Mandatory field for the invoice issued after the goods or the service are delivered referred to in article 106f(3) and the last of the invoices referred to in article 106f(4) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="ZwrotAkcyzy" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Additional information necessary for farmers applying for a refund of excise duty included in the price of diesel fuel&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="FaWiersze" minOccurs="0"&gt;     &lt;xsd:annotation&gt; </pre>
--	---

**<xsd:documentation>**Detailed invoice items in the currency in which the invoice was issued - an optional node for an advance invoice, an invoice correcting an advance invoice, and corrective invoices for all deliveries of goods or services made or provided in a given period, referred to in article 106j(3) of the Act, for which you must provide data on the discount or reduction broken down into tax rates and procedures in section Fa. In the case of corrective invoices referred to in article 106j(3) of the Act, when the discount or price reduction relates to a part of the supply of goods or services made or provided in a given period, the names (types) of goods or services covered by the correction should be entered in the FaWiersz section. In the case of the invoices referred to in article 106f(3) of the Act, the full value of the order or contract should be presented. In the case of invoices correcting invoice items (including correcting invoices, invoices referred to in article 106f(3) of the Act, if the correction concerns the contract value), the differences resulting from the correction of individual items or the reversal of individual corrected items and the correct values of the corrected items as separate lines. In the case of corrective invoices, the invoices referred to in article 106f(3) of the Act, if the correction does not relate to the value of the contract and at the same time changes the tax base or the tax base, enter an entry canceling a given row according to the state before the correction and an entry restoring the value of the order in order to confirm that its value has not been changed**</xsd:documentation>**

```

</xsd:annotation>
<xsd:complexType>
  <xsd:sequence>
    <xsd:element name="LiczbaWierszyFaktury" type="tns:TNaturalny">
      <xsd:annotation>
        <xsd:documentation>Number of invoice lines</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:choice>
      <xsd:element name="WartoscWierszyFaktury1" type="tns:TKwotowy">
        <xsd:annotation>
          <xsd:documentation>The total value of the P_11 column</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="WartoscWierszyFaktury2" type="tns:TKwotowy">
        <xsd:annotation>
          <xsd:documentation>The total value of the P_11A column</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:choice>
    <xsd:element name="FaWiersz" maxOccurs="unbounded">
      <xsd:annotation>
        <xsd:documentation>Detailed invoice items in the currency in which the invoice was issued</xsd:documentation>
      </xsd:annotation>
      <xsd:complexType>
        <xsd:sequence>
          <xsd:element name="NrWierszaFa" type="tns:TNaturalny">
            <xsd:annotation>
              <xsd:documentation>Sequential line (row) number of the invoice</xsd:documentation>
            </xsd:annotation>
          </xsd:element>
          <xsd:element name="UU_ID" minOccurs="0">
            <xsd:annotation>
              <xsd:documentation>The universal unique line (row) number of the invoice</xsd:documentation>
            </xsd:annotation>
          </xsd:element>
        </xsd:sequence>
      </xsd:complexType>
    </xsd:element>
  </xsd:sequence>

```

```

<xsd:restriction base="tns:TZnakowy">
    <xsd:maxLength value="50"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="P_6A" type="tns:TDataT" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>The date of the delivery or completion of the delivery of goods or service or the date of receipt of the payment referred to in article 106b(1)(4) of the Act, if such date is specified and differs from the invoice issue date. The field must be completed when there are different dates for each line of the invoice</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="P_7" type="tns:TZnakowy" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Name (type) of good or service. Optional field only for the case specified in article 106j(3)(2) of the Act (correction invoice)</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="GTIN" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Global Trade Item Number</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:restriction base="tns:TZnakowy">
    <xsd:maxLength value="20"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="PKWiU" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Symbol of the Polish Classification of Products and Services</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:simpleType>
    <xsd:restriction base="tns:TZnakowy">
        <xsd:maxLength value="50"/>
    </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="CN" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Combined Nomenclature symbol</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:simpleType>
    <xsd:restriction base="tns:TZnakowy">
        <xsd:maxLength value="50"/>
    </xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="PKOB" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Symbol of the Polish Classification of Construction Objects</xsd:documentation>
    </xsd:annotation>
</xsd:element>

```

	<pre> &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:maxLength value="50"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DodatkoweInfo" type="tns:TZnakowy50" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8A" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Measure of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8B" type="tns:Tllosci" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Quantity (number) of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9A" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Unit price of a good or service without the tax amount (net unit price). Optional field for cases specified in article 106e(2) and (3) and (5)(3) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9B" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The price together with the tax amount (gross unit price), in the case of applying article 106e(7) and (8) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_10" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Amounts of any price rebates or reductions, including in the form of an early payment rebate, unless included in the net unit price. Optional field for cases specified in article 106e(2) and (3) and (5)(1) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Value of the goods supplied or services rendered, covered by the transaction, excluding the tax amount (net sales value). Optional field for cases specified in article 106e (2) and (3) and (5)(3) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11A" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Gross sales value, in the case of application of article</pre>
--	--

106e(7) and (8) of the Act

```

</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="P_12" type="tns:TStawkaPodatku" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Tax rate. Optional field for cases specified in article
106e(2), (3), (4)(3) and (5)(3) of the Act</xsd:documentation>
    </xsd:annotation>
    </xsd:element>
    <xsd:element name="P_12_XII" type="tns:TProcentowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Value added tax rate in the case referred to in section
XII in chapter 6a of the Act</xsd:documentation>
        </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_12_Procedura" type="tns:TProceduraFa"
minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Indication of the procedure for the invoice
line</xsd:documentation>
            </xsd:annotation>
            </xsd:element>
            <xsd:element name="KwotaAkcyzy" type="tns:TKwotowy" minOccurs="0">
                <xsd:annotation>
                    <xsd:documentation>The amount of excise duty included in the price of the
goods</xsd:documentation>
                </xsd:annotation>
                </xsd:element>
                <xsd:element name="GTU" type="tns:TGTU" minOccurs="0">
                    <xsd:annotation>
                        <xsd:documentation>Code for the supply of goods and
services</xsd:documentation>
                    </xsd:annotation>
                    </xsd:element>
                    <xsd:element name="Procedura" type="tns:TOznaczenieProcedure"
minOccurs="0">
                        <xsd:annotation>
                            <xsd:documentation>Indications of the procedure</xsd:documentation>
                        </xsd:annotation>
                        </xsd:element>
                        <xsd:element name="KursWaluty" type="tns:TIlosci" minOccurs="0">
                            <xsd:annotation>
                                <xsd:documentation>The exchange rate used to calculate the tax amount in
the cases referred to in article 31a of the Act</xsd:documentation>
                            </xsd:annotation>
                            </xsd:element>
                            </xsd:sequence>
                            </xsd:complexType>
                        </xsd:element>
                        </xsd:sequence>
                        </xsd:complexType>
                    </xsd:element>
                    <xsd:element name="Rozliczenie" minOccurs="0">
                        <xsd:annotation>
                            <xsd:documentation>Additional invoice settlements</xsd:documentation>
                        </xsd:annotation>
                    </xsd:element>
                </xsd:annotation>
            </xsd:element>
        </xsd:annotation>
    </xsd:element>

```

```

<xsd:complexType>
  <xsd:sequence>
    <xsd:element name="Obciazenia" minOccurs="0" maxOccurs="unbounded">
      <xsd:annotation>
        <xsd:documentation>Charges</xsd:documentation>
      </xsd:annotation>
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="Kwota" type="tns:TKwotowy">
          <xsd:annotation>
            <xsd:documentation>The amount is added to the amount indicated in the
field P_15</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
        <xsd:element name="Powod" type="tns:TZnakowy">
          <xsd:annotation>
            <xsd:documentation>Reason for the charge</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  <xsd:element name="SumaObcazen" type="tns:TKwotowy" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>The total sum of charges</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="Odliczenia" minOccurs="0" maxOccurs="unbounded">
    <xsd:annotation>
      <xsd:documentation>Deductions</xsd:documentation>
    </xsd:annotation>
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="Kwota" type="tns:TKwotowy">
          <xsd:annotation>
            <xsd:documentation>The amount deducted from the amount shown in the
field P_15</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
        <xsd:element name="Powod" type="tns:TZnakowy">
          <xsd:annotation>
            <xsd:documentation>Reason for the deduction</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  <xsd:element name="SumaOdliczen" type="tns:TKwotowy" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>The total sum of deductions</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:choice minOccurs="0">
    <xsd:element name="DoZaplaty" type="tns:TKwotowy">
      <xsd:annotation>
        <xsd:documentation>The amount due to be paid is equal to the field P_15

```

increased by the field SumaObciazen and decreased by the field  
 SumaOdliczen

```

<xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="DoRozliczenia" type="tns:TKwotowy">
  <xsd:annotation>
    <xsd:documentation>Overpaid amount to be settled /
    returned</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
</xsd:choice>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="Platnosc" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Terms of payment</xsd:documentation>
  </xsd:annotation>
</xsd:complexType>
<xsd:sequence>
  <xsd:choice minOccurs="0">
    <xsd:sequence>
      <xsd:element name="Zaplacono" type="etd:TWybor1">
        <xsd:annotation>
          <xsd:documentation>Marker informing that the amount due resulting from the
          invoice has been paid: 1 - has been paid</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="DataZaplaty" type="tns:TData">
        <xsd:annotation>
          <xsd:documentation>Payment date, if payment has been made by the time the
          invoice is issued</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
    <xsd:sequence>
      <xsd:element name="ZapłataCzesciowa" type="etd:TWybor1">
        <xsd:annotation>
          <xsd:documentation>Marker informing that the due amount resulting from the
          invoice has been paid in part: 1 - has been paid in part</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:sequence maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation>The possibility of more than one partial payment may
          occur only in the case of payments made after the delivery of goods or services, and before the
          invoice is issued</xsd:documentation>
        </xsd:annotation>
        <xsd:element name="KwotaZaplatyCzesciowej" type="tns:TKwotowy">
          <xsd:annotation>
            <xsd:documentation>Partial payment amount</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
        <xsd:element name="DataZaplatyCzesciowej" type="tns:TData">
          <xsd:annotation>
            <xsd:documentation>Date of the partial payment, if the partial payment has
            
```

been made for the invoice

```

</xsd:documentation>
</xsd:annotation>
</xsd:element>
</xsd:sequence>
</xsd:sequence>
</xsd:choice>
<xsd:sequence minOccurs="0" maxOccurs="unbounded">
<xsd:element name="TerminPlatnosci" type="tns:TData">
<xsd:annotation>
<xsd:documentation>Payment deadline</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="TerminPlatnosciOpis" type="tns:TZnakowy" minOccurs="0">
<xsd:annotation>
<xsd:documentation>Description of the payment deadline</xsd:documentation>
</xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:choice minOccurs="0">
<xsd:element name="FormaPlatnosci" type="tns:TFormaPlatnosci">
<xsd:annotation>
<xsd:documentation>Payment method</xsd:documentation>
</xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:element name="PlatnosciInna">
<xsd:annotation>
<xsd:documentation>Other form of payment tag: 1 - other form of
payment</xsd:documentation>
</xsd:annotation>
<xsd:simpleType>
<xsd:restriction base="etd:TWybor1">
<xsd:enumeration value="1"/>
</xsd:restriction>
</xsd:simpleType>
</xsd:element>
<xsd:element name="OpisPlatnosci" type="tns:TZnakowy">
<xsd:annotation>
<xsd:documentation>Clarifying another form of payment</xsd:documentation>
</xsd:annotation>
</xsd:element>
</xsd:sequence>
</xsd:choice>
<xsd:element name="RachunekBankowy" type="tns:TRachunekBankowy"
minOccurs="0" maxOccurs="unbounded">
<xsd:annotation>
<xsd:documentation>Bank account number</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="RachunekBankowyFaktora" type="tns:TRachunekBankowy"
minOccurs="0" maxOccurs="unbounded">
<xsd:annotation>
<xsd:documentation>Factor's bank account</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="Skonto" minOccurs="0">
```

```

<xsd:annotation>
  <xsd:documentation>Discount</xsd:documentation>
</xsd:annotation>
<xsd:complexType>
  <xsd:sequence>
    <xsd:element name="WarunkiSkonta" type="tns:TZnakowy">
      <xsd:annotation>
        <xsd:documentation>Conditions that the buyer should meet to take
advantage of the discount</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:element name="WysokoscSkonta" type="tns:TZnakowy">
      <xsd:annotation>
        <xsd:documentation>Discount amount</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
  </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="WarunkiTransakcji" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Transaction terms, if any</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element name="DataZamowienia" type="tns:TData" minOccurs="0">
        <xsd:annotation>
          <xsd:documentation>Date of the order or contract</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:sequence minOccurs="0">
        <xsd:element name="NrUmowy" type="tns:TZnakowy" minOccurs="0">
          <xsd:annotation>
            <xsd:documentation>Contract number</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
        <xsd:element name="NrZamowienia" type="tns:TZnakowy" minOccurs="0"
maxOccurs="unbounded">
          <xsd:annotation>
            <xsd:documentation>Order number</xsd:documentation>
          </xsd:annotation>
        </xsd:element>
      </xsd:sequence>
      <xsd:element name="NrPartiiTowaru" type="tns:TZnakowy" minOccurs="0"
maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation>Lot numbers</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="WarunkiDostawy" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
          <xsd:documentation>Terms of delivery of goods - if there is an agreement between
the parties to the transaction that specifies the terms of delivery, the so-called

```

Incoterms

```

<xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:sequence minOccurs="0">
    <xsd:element name="KursUmowny" type="tns:Tllosci">
        <xsd:annotation>
            <xsd:documentation>Contractual exchange rate - in cases when the invoice contains information about the exchange rate at which the amounts indicated in the invoice in PLN were converted. It does not apply to the cases referred to in article 31a of the VAT Act</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
</xsd:sequence>
<xsd:element name="WalutaUmowna" type="tns:currCode_Type">
    <xsd:annotation>
        <xsd:documentation>Contractual currency - a three-letter currency code (ISO-4217) in cases where the invoice contains information about the exchange rate at which the invoice amounts were converted in PLN. It does not apply to the cases referred to in article 31a of the VAT Act</xsd:documentation>
    </xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:element name="Transport" minOccurs="0" maxOccurs="unbounded">
    <xsd:complexType>
        <xsd:sequence>
            <xsd:choice>
                <xsd:element name="RodzajTransportu" type="tns:TRodzajTransportu">
                    <xsd:annotation>
                        <xsd:documentation>Type of transport used in the case of a completed delivery of goods</xsd:documentation>
                    </xsd:annotation>
                </xsd:element>
                <xsd:sequence>
                    <xsd:element name="TransportInny">
                        <xsd:annotation>
                            <xsd:documentation>Other type of transport tag: 1 - other type of transport</xsd:documentation>
                        </xsd:annotation>
                    </xsd:element>
                </xsd:sequence>
                <xsd:simpleType>
                    <xsd:restriction base="etd:TWybor1">
                        <xsd:enumeration value="1">
                            <xsd:annotation>
                                <xsd:documentation>Other type of transport</xsd:documentation>
                            </xsd:annotation>
                        </xsd:enumeration>
                    </xsd:restriction>
                </xsd:simpleType>
            </xsd:choice>
        </xsd:sequence>
        <xsd:element name="OpisInnegoTransportu" type="tns:TZnakowy50">
            <xsd:annotation>
                <xsd:documentation>Description of the other mode of transport</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:sequence>
            <xsd:choice>
                <xsd:element name="Przewoznik" minOccurs="0">

```

	<pre> &lt;xsd:complexType&gt;   &lt;xsd:sequence&gt;     &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Carrier identification details&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="AdresPrzewoznika" type="tns:TAdres"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Carrier's address&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;   &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="NrZleceniaTransportu" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Transport order number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:sequence&gt;   &lt;xsd:choice&gt;     &lt;xsd:element name="OpisLadunku" type="tns:TLadunek"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Type of cargo&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="LadunekInny"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Other cargo marker: 1 - other cargo&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;     &lt;xsd:restriction base="etd:TWybor1"&gt;       &lt;xsd:enumeration value="1"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Other cargo&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:choice&gt; &lt;/xsd:sequence&gt; &lt;xsd:element name="OpisInnegoLadunku" type="tns:TZnakowy50"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Description of the other cargo&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:choice&gt; &lt;xsd:element name="JednostkaOpakowania" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Packaging unit&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>
--	---

	<pre>                 &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;             &lt;/xsd:sequence&gt;             &lt;xsd:sequence&gt;                 &lt;xsd:element name="DataGodzRozpTransportu" type="etd:TDataCzas" minOccurs="0"&gt;                     &lt;xsd:annotation&gt;                         &lt;xsd:documentation&gt;Date and time of the start of transport&lt;/xsd:documentation&gt;                     &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;                 &lt;xsd:element name="DataGodzZakTransportu" type="etd:TDataCzas" minOccurs="0"&gt;                     &lt;xsd:annotation&gt;                         &lt;xsd:documentation&gt;Date and time of completion of transport&lt;/xsd:documentation&gt;                     &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;                 &lt;xsd:element name="WysylkaZ" type="tns:TAdres"&gt;                     &lt;xsd:annotation&gt;                         &lt;xsd:documentation&gt;Shipping address&lt;/xsd:documentation&gt;                     &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;                 &lt;xsd:element name="WysylkaPrzez" type="tns:TAdres" minOccurs="0" maxOccurs="unbounded"&gt;                     &lt;xsd:annotation&gt;                         &lt;xsd:documentation&gt;Intermediate shipping address&lt;/xsd:documentation&gt;                     &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;                 &lt;xsd:element name="WysylkaDo" type="tns:TAdres"&gt;                     &lt;xsd:annotation&gt;                         &lt;xsd:documentation&gt;Address of the destination to which the transport was ordered&lt;/xsd:documentation&gt;                     &lt;/xsd:annotation&gt;                 &lt;/xsd:element&gt;                 &lt;/xsd:sequence&gt;             &lt;/xsd:sequence&gt;         &lt;/xsd:complexType&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="PodmiotPosredniczacy" type="etd:TWybor1" minOccurs="0"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;The value "1" means the delivery made by the entity referred to in article 22(2)(d) of the VAT Act. The field applies to a situation in which the entity participates in a chain transaction other than the simplified tripartite procedure referred to in article 135(1)(4) of the VAT Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="Zamowienie" minOccurs="0"&gt;         &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;The order or contract referred to in article 106f(1)(4) of the Act (for advance invoices) in the currency in which the advance invoice was issued. In the case of an invoice correcting the advance invoice, the differences resulting from the correction of individual items of the order or contract or the reversal of individual corrected items of the order or contract </pre>
--	--

and the correct values of the corrected items should be presented as separate lines if the correction concerns the value of the order. In the case of correcting invoices, advance invoices, if the correction does not apply to the value of the order and at the same time changes the amount of the tax base or tax, you should enter an entry canceling a given line according to the state before the correction and an entry restoring the value of the order to confirm that its value has not changed

```

</xsd:documentation>
</xsd:annotation>
<xsd:complexType>
<xsd:sequence>
    <xsd:element name="LiczbaWierszyZamowienia" type="tns:TNaturalny">
        <xsd:annotation>
            <xsd:documentation>The number of lines for the order or
contract</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="WartoscZamowienia" type="tns:TKwotowy">
        <xsd:annotation>
            <xsd:documentation>Value of the order or contract, including the tax
amount</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="ZamowienieWiersz" maxOccurs="unbounded">
        <xsd:annotation>
            <xsd:documentation>Detailed items of the order or contract in the currency in
which the advance invoice was issued</xsd:documentation>
        </xsd:annotation>
        <xsd:complexType>
            <xsd:sequence>
                <xsd:element name="NrWierszaZam" type="tns:TNaturalny">
                    <xsd:annotation>
                        <xsd:documentation>Sequential order or contract line
number</xsd:documentation>
                    </xsd:annotation>
                </xsd:element>
                <xsd:element name="UU_IDZ" minOccurs="0">
                    <xsd:annotation>
                        <xsd:documentation>The universal unique number for the order or contract
line</xsd:documentation>
                    </xsd:annotation>
                    <xsd:simpleType>
                        <xsd:restriction base="tns:TZnakowy">
                            <xsd:maxLength value="50"/>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
                <xsd:element name="P_7Z" type="tns:TZnakowy" minOccurs="0">
                    <xsd:annotation>
                        <xsd:documentation>Name (type) of good or service</xsd:documentation>
                    </xsd:annotation>
                </xsd:element>
                <xsd:element name="GTINZ" minOccurs="0">
                    <xsd:annotation>
                        <xsd:documentation>Global Trade Item Number</xsd:documentation>
                    </xsd:annotation>
                    <xsd:simpleType>
                        <xsd:restriction base="tns:TZnakowy">


```

	<pre> &lt;xsd:maxLength value="20"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKWiUZ" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;Symbol of the Polish Classification of Products and Services&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;xsd:simpleType&gt; &lt;xsd:restriction base="tns:TZnakowy"&gt; &lt;xsd:maxLength value="50"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="CNZ" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;Combined Nomenclature symbol&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;xsd:simpleType&gt; &lt;xsd:restriction base="tns:TZnakowy"&gt; &lt;xsd:maxLength value="50"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKOBZ" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;Code of the Polish Classification of Construction Objects&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;xsd:simpleType&gt; &lt;xsd:restriction base="tns:TZnakowy"&gt; &lt;xsd:maxLength value="50"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DodatkoweInfoZ" type="tns:TZnakowy50" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8AZ" type="tns:TZnakowy" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;Measure of ordered goods or scope of service&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8BZ" type="tns:Tllosci" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;The quantity of the ordered goods or the scope of the service&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9AZ" type="tns:TKwotowy" minOccurs="0"&gt; </pre>
--	--

	<pre> &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Net unit price&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11NettoZ" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Value of the ordered goods or services without the tax amount&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11VatZ" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The amount of tax on the ordered goods or services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z" type="tns:TStawkaPodatku" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Tax rate&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z_XII" type="tns:TProcentowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Value added tax rate in the case referred to in section XII in chapter 6a of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z_Procedura" type="tns:TProceduraZamowienie" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Procedure indication for the order line&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="GTUZ" type="tns:TGTU" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Code for the supply of goods and services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="ProceduraZ" type="tns:TOznaczenieProceduryZ" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Indication of the procedure for the order line&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KwotaAkcyzyZ" type="tns:TKwotowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The amount of excise tax included in the price of the goods&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KursWalutyZ" type="tns:Tilosci" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>
--	--

	<p>the cases referred to in article 31a of the VAT Act. For advance invoices, a rate that is identical for all goods and services should be provided</p> <pre>&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>
--	---

#### element Faktura/Fa/KodWaluty

diagram	 <p>The three-letter currency code (ISO-4217) in the cases referred to in article 31a of the Act</p>																																																																								
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/08052/">http://ksef.mf.gov.pl/wzor/2021/08/08052/</a>																																																																								
type	<a href="#">tns:currCode Type</a>																																																																								
properties	content simple																																																																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AED</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AFN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ALL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AMD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ANG</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AOA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ARS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AUD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AWG</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AZN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BAM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BBD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BDT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BGN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BHD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BIF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BMD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BND</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BOB</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BOV</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BRL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BSD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BTN</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AED		enumeration	AFN		enumeration	ALL		enumeration	AMD		enumeration	ANG		enumeration	AOA		enumeration	ARS		enumeration	AUD		enumeration	AWG		enumeration	AZN		enumeration	BAM		enumeration	BBD		enumeration	BDT		enumeration	BGN		enumeration	BHD		enumeration	BIF		enumeration	BMD		enumeration	BND		enumeration	BOB		enumeration	BOV		enumeration	BRL		enumeration	BSD		enumeration	BTN	
Kind	Value	Annotation																																																																							
enumeration	AED																																																																								
enumeration	AFN																																																																								
enumeration	ALL																																																																								
enumeration	AMD																																																																								
enumeration	ANG																																																																								
enumeration	AOA																																																																								
enumeration	ARS																																																																								
enumeration	AUD																																																																								
enumeration	AWG																																																																								
enumeration	AZN																																																																								
enumeration	BAM																																																																								
enumeration	BBD																																																																								
enumeration	BDT																																																																								
enumeration	BGN																																																																								
enumeration	BHD																																																																								
enumeration	BIF																																																																								
enumeration	BMD																																																																								
enumeration	BND																																																																								
enumeration	BOB																																																																								
enumeration	BOV																																																																								
enumeration	BRL																																																																								
enumeration	BSD																																																																								
enumeration	BTN																																																																								

	enumeration	BWP
	enumeration	BYN
	enumeration	BYR
	enumeration	BZD
	enumeration	CAD
	enumeration	CDF
	enumeration	CHE
	enumeration	CHF
	enumeration	CHW
	enumeration	CLF
	enumeration	CLP
	enumeration	CNY
	enumeration	COP
	enumeration	COU
	enumeration	CRC
	enumeration	CUC
	enumeration	CUP
	enumeration	CVE
	enumeration	CZK
	enumeration	DJF
	enumeration	DKK
	enumeration	DOP
	enumeration	DZD
	enumeration	EEK
	enumeration	EGP
	enumeration	ERN
	enumeration	ETB
	enumeration	EUR
	enumeration	FJD
	enumeration	FKP
	enumeration	GBP
	enumeration	GEL
	enumeration	GHS
	enumeration	GIP
	enumeration	GMD
	enumeration	GNF
	enumeration	GTQ
	enumeration	GWP
	enumeration	GYD
	enumeration	HKD
	enumeration	HNL
	enumeration	HRK
	enumeration	HTG
	enumeration	HUF
	enumeration	IDR
	enumeration	ILS

	enumeration	INR
	enumeration	IQD
	enumeration	IRR
	enumeration	ISK
	enumeration	JMD
	enumeration	JOD
	enumeration	JPY
	enumeration	KES
	enumeration	KGS
	enumeration	KHR
	enumeration	KMF
	enumeration	KPW
	enumeration	KRW
	enumeration	KWD
	enumeration	KYD
	enumeration	KZT
	enumeration	LAK
	enumeration	LBP
	enumeration	LKR
	enumeration	LRD
	enumeration	LSL
	enumeration	LTL
	enumeration	LVL
	enumeration	LYD
	enumeration	MAD
	enumeration	MDL
	enumeration	MGA
	enumeration	MKD
	enumeration	MMK
	enumeration	MNT
	enumeration	MOP
	enumeration	MRO
	enumeration	MRU
	enumeration	MTL
	enumeration	MUR
	enumeration	MVR
	enumeration	MWK
	enumeration	MXN
	enumeration	MXV
	enumeration	MYR
	enumeration	MZN
	enumeration	NAD
	enumeration	NGN
	enumeration	NIO
	enumeration	NOK
	enumeration	NPR

	enumeration	NZD
	enumeration	OMR
	enumeration	PAB
	enumeration	PEN
	enumeration	PGK
	enumeration	PHP
	enumeration	PKR
	enumeration	PLN
	enumeration	PYG
	enumeration	QAR
	enumeration	RON
	enumeration	RSD
	enumeration	RUB
	enumeration	RWF
	enumeration	SAR
	enumeration	SBD
	enumeration	SCR
	enumeration	SDG
	enumeration	SEK
	enumeration	SGD
	enumeration	SHP
	enumeration	SLL
	enumeration	SOS
	enumeration	SRD
	enumeration	SSP
	enumeration	STD
	enumeration	STN
	enumeration	SVC
	enumeration	SYP
	enumeration	SZL
	enumeration	THB
	enumeration	TJS
	enumeration	TMT
	enumeration	TND
	enumeration	TOP
	enumeration	TRY
	enumeration	TTD
	enumeration	TWD
	enumeration	TZS
	enumeration	UAH
	enumeration	UGX
	enumeration	USD
	enumeration	USN
	enumeration	USS
	enumeration	UYI
	enumeration	UYU

	enumeration UYW enumeration UZS enumeration VEF enumeration VES enumeration VND enumeration VUV enumeration WST enumeration XAF enumeration XAG enumeration XAU enumeration XBA enumeration XBB enumeration XBC enumeration XBD enumeration XCD enumeration XDR enumeration XFU enumeration XOF enumeration XPD enumeration XPF enumeration XPT enumeration XSU enumeration XUA enumeration XXX enumeration YER enumeration ZAR enumeration ZMW enumeration ZWL
annotation	documentation The three-letter currency code (ISO-4217) in the cases referred to in article 31a of the Act
source	<pre>&lt;xsd:element name="KodWaluty" type="tns:currCode_Type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The three-letter currency code (ISO-4217) in the cases referred to in article 31a of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/P\_1

diagram	 Date of issue, subject to article 106na(1) of the Act
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TDataT</a>
properties	content simple
facets	Kind Value Annotation

	minInclusive 2006-01-01 maxInclusive 2050-01-01 pattern ((\d{4})-(\d{2})-(\d{2}))
annotation	documentation Date of issue, subject to article 106na(1) of the Act
source	<pre>&lt;xsd:element name="P_1" type="tns:TDataT"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Date of issue, subject to article 106na(1) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/P\_1M


diagram	<b>tns:P_1M</b> Place of issue of the invoice									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation Place of issue of the invoice									
source	<pre>&lt;xsd:element name="P_1M" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Place of issue of the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/P\_2


diagram	<b>tns:P_2</b> A sequential number, based on one or more series, which uniquely identifies the invoice									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation A sequential number, based on one or more series, which uniquely identifies the invoice									
source	<pre>&lt;xsd:element name="P_2" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;</pre>									

	<p><b>&lt;xsd:documentation&gt;</b>A sequential number, based on one or more series, which uniquely identifies the invoice<b>&lt;/xsd:documentation&gt;</b></p> <p><b>&lt;/xsd:annotation&gt;</b></p> <p><b>&lt;/xsd:element&gt;</b></p>
--	--

### element Faktura/Fa/WZ

diagram	 <p>WZ the stock movement document numbers (external release) related to the invoice</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#"><u>tns:TZnakowy</u></a>									
properties	minOcc 0 maxOcc unbounded content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation</p> <p>WZ the stock movement document numbers (external release) related to the invoice</p>									
source	<pre> &lt;xsd:element name="WZ" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;WZ the stock movement document numbers (external release) related to the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

### element Faktura/Fa/P\_6


diagram	 <p>The date on which the supply of goods or services was made or completed or the date of receipt of the payment referred to in article 106b(1)(4), in so far as that date can be determined and differs from the date of issue of the invoice. The field must be completed when the date is common for all items of the invoice</p>												
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>												
type	<a href="#"><u>tns:TDataT</u></a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>2006-01-01</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>2050-01-01</td> <td></td> </tr> <tr> <td>pattern</td> <td>((\d{4})-(\d{2})-(\d{2}))</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2006-01-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation											
minInclusive	2006-01-01												
maxInclusive	2050-01-01												
pattern	((\d{4})-(\d{2})-(\d{2}))												

annotation	documentation The date on which the supply of goods or services was made or completed or the date of receipt of the payment referred to in article 106b(1)(4), in so far as that date can be determined and differs from the date of issue of the invoice. The field must be completed when the date is common for all items of the invoice
source	<pre>&lt;xsd:element name="P_6" type="tns:TDataT"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The date on which the supply of goods or services was made or completed or the date of receipt of the payment referred to in article 106b(1)(4), in so far as that date can be determined and differs from the date of issue of the invoice. The field must be completed when the date is common for all items of the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/OkresFa

diagram	<pre> classDiagram     class tns:OkresFa     class tns:P_6_Od     class tns:P_6_Do      tns:OkresFa --&gt; tns:P_6_Od :      tns:OkresFa --&gt; tns:P_6_Do :    </pre> <p>The diagram illustrates the structure of the element. It shows three components: <code>tns:OkresFa</code>, <code>tns:P_6_Od</code>, and <code>tns:P_6_Do</code>. <code>tns:OkresFa</code> is connected to both <code>tns:P_6_Od</code> and <code>tns:P_6_Do</code> via association lines.</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	content complex
children	<a href="#">tns:P_6_Od</a> <a href="#">tns:P_6_Do</a>
annotation	documentation The period covered by the invoice in the cases referred to in article 19a(3), first sentence and (4) and (5)(4) of the Act
source	<pre>&lt;xsd:element name="OkresFa"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The period covered by the invoice in the cases referred to in article 19a(3), first sentence and (4) and (5)(4) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="P_6_Od" type="tns:TDataT"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The starting date of the invoice period&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_6_Do" type="tns:TDataT"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;End date of the period to which the invoice relates - the date when the delivery of goods or the service was completed&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/OkresFa/P\_6\_Od

diagram	 The starting date of the invoice period												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TDataT</a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>2006-01-01</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>2050-01-01</td> <td></td> </tr> <tr> <td>pattern</td> <td>((\d{4})-(\d{2})-(\d{2}))</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2006-01-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation											
minInclusive	2006-01-01												
maxInclusive	2050-01-01												
pattern	((\d{4})-(\d{2})-(\d{2}))												
annotation	documentation The starting date of the invoice period												
source	<pre>&lt;xsd:element name="P_6_Od" type="tns:TDataT"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The starting date of the invoice period&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>												

### element Faktura/Fa/OkresFa/P\_6\_Do

diagram	 End date of the period to which the invoice relates - the date when the delivery of goods or the service was completed												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TDataT</a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>2006-01-01</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>2050-01-01</td> <td></td> </tr> <tr> <td>pattern</td> <td>((\d{4})-(\d{2})-(\d{2}))</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2006-01-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation											
minInclusive	2006-01-01												
maxInclusive	2050-01-01												
pattern	((\d{4})-(\d{2})-(\d{2}))												
annotation	documentation End date of the period to which the invoice relates - the date when the delivery of goods or the service was completed												
source	<pre>&lt;xsd:element name="P_6_Do" type="tns:TDataT"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;End date of the period to which the invoice relates - the date when the delivery of goods or the service was completed&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>												

### element Faktura/Fa/P\_13\_1

diagram	 <b>tns:P_13_1</b> <p>The sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre>&lt;xsd:element name="P_13_1" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/P\_14\_1


diagram	 <b>tns:P_14_1</b> <p>The amount of tax on the sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The amount of tax on the sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance</p>									

	invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act
source	<pre>&lt;xsd:element name="P_14_1" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of tax on the sum of the net sales value with the basic rate - currently 23% or 22%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/P\_14\_1W

diagram	 <p>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with the basic rate, converted in accordance with article 31a in connection with article 106e paragraph 11 of the Act - currently 23% or 22%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with the basic rate, converted in accordance with article 31a in connection with article 106e paragraph 11 of the Act - currently 23% or 22%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre>&lt;xsd:element name="P_14_1W" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with the basic rate, converted in accordance with article 31a in connection with article 106e paragraph 11 of the Act - currently 23% or 22%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

## element Faktura/Fa/P\_13\_2


diagram	 <p>The sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre> &lt;xsd:element name="P_13_2" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

## element Faktura/Fa/P\_14\_2

diagram	 <p>Tax amount on the sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>Tax amount on the sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of</p>									

	correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act
source	<pre>&lt;xsd:element name="P_14_2" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax amount on the sum of the net sales value with the first reduced rate - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


#### element Faktura/Fa/P\_14\_2W

diagram	 <p>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre>&lt;xsd:element name="P_14_2W" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 8% or 7%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/P\_13\_3


diagram	 <b>tns:P_13_3</b> The sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre> &lt;xsd:element name="P_13_3" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

### element Faktura/Fa/P\_14\_3

diagram	 <b>tns:P_14_3</b> The amount of tax on the sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The amount of tax on the sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of</p>									

	correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act
source	<pre>&lt;xsd:element name="P_14_3" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of tax on the sum of the net sales value with the second reduced rate - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/P\_14\_3W

diagram	 <p>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a second reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a second reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre>&lt;xsd:element name="P_14_3W" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the invoice is issued in a foreign currency, the tax amount from the sum of the net sales value with a second reduced rate, converted in accordance with article 31a in connection with article 106e(11) of the Act - currently 5%. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									


## element Faktura/Fa/P\_13\_4

diagram	 <b>tns:P_13_4</b> <p>The sum of the net sales value with a third reduced rate in the currency in which the invoice was issued - reverse charge procedure, for which the taxpayer is the buyer, in accordance with article 17(1)(7) and (8) of the Act and for the tax rate in the case of a flat rate for passenger taxis. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b><a href="#">tns:TKwotowy</a></b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The sum of the net sales value with a third reduced rate in the currency in which the invoice was issued - reverse charge procedure, for which the taxpayer is the buyer, in accordance with article 17(1)(7) and (8) of the Act and for the tax rate in the case of a flat rate for passenger taxis. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre> &lt;xsd:element name="P_13_4" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The sum of the net sales value with a third reduced rate in the currency in which the invoice was issued - reverse charge procedure, for which the taxpayer is the buyer, in accordance with article 17(1)(7) and (8) of the Act and for the tax rate in the case of a flat rate for passenger taxis. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

## element Faktura/Fa/P\_14\_4

diagram	 <b>tns:P_14_4</b> <p>The amount "0" for the reverse-charge procedure for which the taxpayer is the customer according to article 17(1)(7) and (8) of the Act and the tax amount on the sum of the net sales value for the tax rate in the currency in which the invoice was issued in the case of a flat rate for passenger taxis. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>tns:TKwotowy</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The amount "0" for the reverse-charge procedure for which the taxpayer is the customer according to article 17(1)(7) and (8) of the Act and the tax amount on the sum of the net sales value for the tax rate in the currency in which the invoice was issued in the case of a flat rate for passenger taxis. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre> &lt;xsd:element name="P_14_4" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount "0" for the reverse-charge procedure for which the taxpayer is the customer according to article 17(1)(7) and (8) of the Act and the tax amount on the sum of the net sales value for the tax rate in the currency in which the invoice was issued in the case of a flat rate for passenger taxis. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									


## element Faktura/Fa/P\_14\_4W

diagram	 <p>If the invoice is issued in a foreign currency, the amount "0" for the reverse charge procedure, for which the taxpayer is the buyer, pursuant to article 17(1)(7) and (8) of the Act and the amount of tax on the sum of the net sales value in a foreign currency for a tax rate in the case of a flat rate for passenger taxis, converted in accordance with article 31a in connection with article 106e(11) of the Act. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#"><b>tns:TKwotowy</b></a>									
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td><td>18</td><td></td></tr> <tr> <td>fractionDigits</td><td>2</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>If the invoice is issued in a foreign currency, the amount "0" for the reverse charge procedure, for which the taxpayer is the buyer, pursuant to article 17(1)(7) and (8) of the Act and the amount of tax on the sum of the net sales value in a foreign currency for a tax rate in the case of a flat rate for passenger taxis, converted in accordance with article 31a in connection with article 106e(11) of the Act. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre> &lt;xsd:element name="P_14_4W" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the invoice is issued in a foreign currency, the amount "0" for the reverse charge procedure, for which the taxpayer is the buyer, pursuant to article 17(1)(7) and (8) of the Act and the amount of tax on the sum of the net sales value in a foreign currency for a tax rate in the case of a flat rate for passenger taxis, converted in accordance with article 31a in connection with article 106e(11) of the Act. In the case of advance invoices, the tax amount calculated according to the formula referred to in article 106f(1)(3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

### element Faktura/Fa/P\_13\_5


diagram	 <p>The sum of the net sales value for the transaction of delivery of goods and provision of services outside the territory of the country. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The sum of the net sales value for the transaction of delivery of goods and provision of services outside the territory of the country. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre>&lt;xsd:element name="P_13_5" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The sum of the net sales value for the transaction of delivery of goods and provision of services outside the territory of the country. In the case of advance invoices, the net amount of the advance. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/P\_14\_5


diagram	 <p>The amount of value added tax in the case of the special procedure referred to in section XII in chapter 6a of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	<table> <thead> <tr> <th>minOcc</th> <th>0</th> </tr> </thead> <tbody> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The amount of value added tax in the case of the special procedure referred to in section XII in chapter 6a of the Act. In</p>									

	the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act
source	<pre>&lt;xsd:element name="P_14_5" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of value added tax in the case of the special procedure referred to in section XII in chapter 6a of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/P\_13\_6

diagram	 <p>Sum of net sales value with 0% rate. In the case of advance invoices, the net amount of the advance. Optional field for cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>Sum of net sales value with 0% rate. In the case of advance invoices, the net amount of the advance. Optional field for cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act</p>									
source	<pre>&lt;xsd:element name="P_13_6" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sum of net sales value with 0% rate. In the case of advance invoices, the net amount of the advance. Optional field for cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/P\_13\_7

diagram	 <b>tns:P_13_7</b>  Sum of the value of exempt sales. In the case of advance invoices, the net amount of the advance. Optional fields for the cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<a href="#"><b>tns:TKwotowy</b></a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 18 fractionDigits 2
annotation	documentation Sum of the value of exempt sales. In the case of advance invoices, the net amount of the advance. Optional fields for the cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act
source	<pre>&lt;xsd:element name="P_13_7" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sum of the value of exempt sales. In the case of advance invoices, the net amount of the advance. Optional fields for the cases specified in article 106e(2) and (3), as well as (4)(3) and (5)(1-3) of the Act. In the case of correcting invoices, the amount of the difference referred to in article 106j(2)(5) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/P\_15

diagram	 <b>tns:P_15</b>  Total amount receivable or, in the case of advance invoices, the payment amount received. In the case of correcting invoices, the correction of the total amount receivable
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<a href="#"><b>tns:TKwotowy</b></a>
properties	content simple
facets	Kind Value Annotation totalDigits 18 fractionDigits 2
annotation	documentation Total amount receivable or, in the case of advance invoices, the payment amount received. In the case of correcting invoices, the correction of the total amount receivable

source	<pre>&lt;xsd:element name="P_15" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Total amount receivable or, in the case of advance invoices, the payment amount received. In the case of correcting invoices, the correction of the total amount receivable&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--------	---

## element **Faktura/Fa/Adnotacje**

diagram

This diagram illustrates a statechart process flow, likely representing a business rule or workflow. The process starts at state **P\_16** and follows a sequence of states: **P\_17**, **P\_18**, **P\_19**, **P\_20**, **P\_21**, **P\_22**, **P\_23**, and **P\_24**. The flow involves several regions and transitions, with specific guard conditions and actions defined for each state transition.

- Initial State:** **P\_16**
- Transitions:**
  - From **P\_16** to **P\_17**: "On the case of the supply of goods is greater than zero, and the quantity given is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_17** to **P\_18**: "On the case of the supply of goods is greater than zero, and the quantity given is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_18** to **P\_19**: "On the case of the supply of goods is greater than zero, and the quantity given is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_19** to **P\_20**: "On the case of the quantity of goods in the box is greater than zero, and the quantity of goods in the box is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_20** to **P\_21**: "On the case of the quantity of goods in the box is greater than zero, and the quantity of goods in the box is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_21** to **P\_22**: "When the supply of goods is greater than zero, and the quantity given is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_22** to **P\_23**: "When the supply of goods is greater than zero, and the quantity given is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_23** to **P\_24**: "When the supply of goods is greater than zero, and the quantity given is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_24** to **P\_Merry**: "On the case of the quantity of goods in the box is greater than zero, and the quantity of goods in the box is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".
  - From **P\_24** to **P\_Merry\_2**: "On the case of the quantity of goods in the box is greater than zero, and the quantity of goods in the box is less than or equal to the quantity of goods in stock, and the quantity of goods in stock is less than or equal to the quantity of goods in the box, the value '0' should be given; otherwise, the value '1'".

namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	content complex
children	<a href="#"><b>tns:P_16 tns:P_17 tns:P_18 tns:P_18A tns:P_19 tns:P_19A tns:P_19B tns:P_19C tns:P_22 tns:P_22A tns:P_22BMK tns:P_22BMD tns:P_22BK tns:P_22BNR tns:P_22BRP tns:P_22B tns:P_22B1 tns:P_22B2 tns:P_22B3 tns:P_22B4 tns:P_22BT tns:P_22C tns:P_22C1 tns:P_22D tns:P_22D1 tns:P_23 tns:P_PMarzy tns:P_PMarzy_2 tns:P_PMarzy_3_1 tns:P_PMarzy_3_2 tns:P_PMarzy_3_3</b></a>
annotation	documentation Other invoice annotations
source	<pre> &lt;xsd:element name="Adnotacje"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other invoice annotations&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="P_16" type="etd:TWybor1_2"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;In the case of the supply of goods or services, the tax obligation arises in accordance with article 19a(5)(1) or article 21(1) of the Act - the words "Cash accounting", the value should be "1"; otherwise - value "2" &lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_17" type="etd:TWybor1_2"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;In the case of the invoices referred to in article 106d(1) of the Act - the word "Self-billing", enter the value "1"; otherwise - value "2" &lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_18" type="etd:TWybor1_2"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;In the case of the supply of goods or service for which the buyer of the goods or services is obliged to settle the value added tax or a tax of a similar nature - the words "Reverse charge" should be entered as "1", otherwise - the value "2" &lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_18A" type="etd:TWybor1_2"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;In the case of invoices in which the total amount receivable is the amount referred to in article 19(2) of the Act of 6 March 2018 - Entrepreneurs' Law, covering the supply of goods or services listed in Annex 15 to the Act for the taxpayer - the words "Split payment mechanism", enter the value "1", otherwise - value "2" &lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="P_19" type="etd:TWybor1_2"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;In the case of the supply of goods or the provision of services exempt from tax pursuant to article 43(1), article 113(1) and (9) or regulations issued on the basis of article 82(3) of the Act or on the basis of other regulations, enter the value "1", otherwise - the value "2" &lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:choice minOccurs="0"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;The node is not populated when the field P_19 takes the value "2" &lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:choice&gt;       &lt;/xsd:sequence&gt;     &lt;/xsd:complexType&gt;   &lt;/xsd:element&gt; </pre>

```

</xsd:annotation>
<xsd:element name="P_19A" type="tns:TZnakowy" default="false">
  <xsd:annotation>
    <xsd:documentation>If the field P_19 equals "1" - indicate the provision of the act or
act issued on the basis of the act, on the basis of which the taxpayer applies the tax
exemption</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_19B" type="tns:TZnakowy" default="false">
  <xsd:annotation>
    <xsd:documentation>If field P_19 equals "1" - indicate the provision of Directive
2006/112/EC that exempts such supply of goods or services from tax</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_19C" type="tns:TZnakowy" default="false">
  <xsd:annotation>
    <xsd:documentation>If field P_19 equals "1" - indicate another legal basis indicating
that the supply of goods or services is exempt</xsd:documentation>
  </xsd:annotation>
</xsd:element>
</xsd:choice>
</xsd:sequence>
<xsd:sequence>
  <xsd:element name="P_22" type="etd:TWybor1_2">
    <xsd:annotation>
      <xsd:documentation>When the subject of the intra-Community supply are new means
of transport, enter the value "1", otherwise - the value "2"</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:sequence minOccurs="0">
  <xsd:element name="P_22A" type="tns:TDataT">
    <xsd:annotation>
      <xsd:documentation>If field P_22 equals "1" - enter the date of approval of the new
means of transport for use</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="P_22BMK" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If the field P_22 equals "1" you can enter the brand of the new
means of transport</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_22BMD" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If the field P_22 equals "1" you can enter the model of a new
means of transport</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_22BK" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>If the field P_22 equals "1" you can enter the color of a new
means of transport</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_22BNR" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>

```

<xsd:documentation>If the field P\_22 equals "1", the registration number of the new means of transport can be entered</xsd:documentation>

</xsd:annotation>

</xsd:element>

<xsd:element name="P\_22BRP" type="tns:TZnakowy" minOccurs="0">

<xsd:annotation>

<xsd:documentation>If field P\_22 is equal to "1", the year of production of the new means of transport can be entered</xsd:documentation>

</xsd:annotation>

</xsd:element>

<xsd:choice>

<xsd:sequence>

<xsd:element name="P\_22B" type="tns:TZnakowy">

<xsd:annotation>

<xsd:documentation>If field P\_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - the mileage of the vehicle should be provided</xsd:documentation>

</xsd:annotation>

</xsd:element>

<xsd:choice minOccurs="0">

<xsd:element name="P\_22B1" type="tns:TZnakowy" minOccurs="0">

<xsd:annotation>

<xsd:documentation>If field P\_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the VIN number</xsd:documentation>

</xsd:annotation>

</xsd:element>

<xsd:element name="P\_22B2" type="tns:TZnakowy" minOccurs="0">

<xsd:annotation>

<xsd:documentation>If field P\_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the body number</xsd:documentation>

</xsd:annotation>

</xsd:element>

<xsd:element name="P\_22B3" type="tns:TZnakowy" minOccurs="0">

<xsd:annotation>

<xsd:documentation>If field P\_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of Act - you can enter the chassis number</xsd:documentation>

</xsd:annotation>

</xsd:element>

<xsd:element name="P\_22B4" type="tns:TZnakowy" minOccurs="0">

<xsd:annotation>

<xsd:documentation>If field P\_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the frame number</xsd:documentation>

</xsd:annotation>

</xsd:element>

<xsd:choice>

<xsd:element name="P\_22BT" type="tns:TZnakowy" minOccurs="0">

<xsd:annotation>

<xsd:documentation>If field P\_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can specify the type of new means of transport</xsd:documentation>

</xsd:annotation>

</xsd:element>


```

</xsd:sequence>
<xsd:sequence>
  <xsd:element name="P_22C" type="tns:TZnakowy">
    <xsd:annotation>
      <xsd:documentation>If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the number of working hours of using the new means of transport should be specified</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="P_22C1" type="tns:TZnakowy" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the hull number of the new means of transport may be given</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
</xsd:sequence>
<xsd:sequence>
  <xsd:element name="P_22D" type="tns:TZnakowy">
    <xsd:annotation>
      <xsd:documentation>If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the number of working hours of using the new means of transport should be specified</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="P_22D1" type="tns:TZnakowy" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the serial number of the new means of transport may be given</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
</xsd:sequence>
<xsd:choice>
  <xsd:sequence>
    <xsd:element name="P_23" type="etd:TWybor1_2">
      <xsd:annotation>
        <xsd:documentation>In the case of invoices issued in the simplified procedure by the second taxpayer referred to in article 135(1)(4)(b) and (c) and (2), containing the annotation referred to in article 136(1)(1) and the statement referred to in article 136(1)(2) of the Act, the value "1" should be entered, otherwise - the value "2"</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
  </xsd:sequence>
  <xsd:sequence>
    <xsd:element name="P_PMarzy" type="etd:TWybor1_2">
      <xsd:annotation>
        <xsd:documentation>In the event of the margin procedures referred to in article 119 or 120 of the Act, the value "1" should be entered, otherwise - the value "2"</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
  </xsd:sequence>
  <xsd:choice minOccurs="0">
    <xsd:element name="P_PMarzy_2" type="etd:TWybor1">
      <xsd:annotation>
        <xsd:documentation>In the case of the supply of tourism services for which the tax base is a margin, in accordance with article 119(1) of the Act, and the invoice documenting the

```

	<p>service includes the words "Margin scheme - Travel agents", the value should be "1"</p> <pre>&lt;xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_PMarzy_3_1" type="etd:TWybor1"&gt;     &lt;xsd:annotation&gt;</pre> <p>In the case of the supply of second-hand goods for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Second-hand goods", the value should be "1"</p> <pre>&lt;xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_PMarzy_3_2" type="etd:TWybor1"&gt;     &lt;xsd:annotation&gt;</pre> <p>In the case of delivery of works of art for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Works of art", the value should be "1"</p> <pre>&lt;xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_PMarzy_3_3" type="etd:TWybor1"&gt;     &lt;xsd:annotation&gt;</pre> <p>In the case of the supply of collectors' items and antiques, for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Collector's items and antiques", the value should be "1"</p> <pre>&lt;xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:choice&gt; &lt;/xsd:sequence&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>
--	--

#### element Faktura/Fa/Adnotacje/P\_16

diagram	 <p>In the case of the supply of goods or services, the tax obligation arises in accordance with article 19a(5)(1) or article 21(1) of the Act - the words "Cash accounting", the value should be "1"; otherwise - value "2"</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>etd:TWybor1_2</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2	
Kind	Value	Annotation								
enumeration	1									
enumeration	2									
annotation	<p>documentation</p> <p>In the case of the supply of goods or services, the tax obligation arises in accordance with article 19a(5)(1) or article 21(1) of the Act - the words "Cash accounting", the value should be "1"; otherwise - value "2"</p>									

source	<pre>&lt;xsd:element name="P_16" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of the supply of goods or services, the tax obligation arises in accordance with article 19a(5)(1) or article 21(1) of the Act - the words "Cash accounting", the value should be "1"; otherwise - value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--------	---

#### element Faktura/Fa/Adnotacje/P\_17


diagram	<p>In the case of the invoices referred to in article 106d(1) of the Act - the word "Self-billing", enter the value "1"; otherwise - value "2"</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>etd:TWybor1_2</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2	
Kind	Value	Annotation								
enumeration	1									
enumeration	2									
annotation	<p>documentation</p> <p>In the case of the invoices referred to in article 106d(1) of the Act - the word "Self-billing", enter the value "1"; otherwise - value "2"</p>									
source	<pre>&lt;xsd:element name="P_17" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of the invoices referred to in article 106d(1) of the Act - the word "Self-billing", enter the value "1"; otherwise - value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/Adnotacje/P\_18

diagram	<p>In the case of the supply of goods or service for which the buyer of the goods or services is obliged to settle the value added tax or a tax of a similar nature - the words "Reverse charge" should be entered as "1", otherwise - the value "2"</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>etd:TWybor1_2</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2	
Kind	Value	Annotation								
enumeration	1									
enumeration	2									

annotation	documentation In the case of the supply of goods or service for which the buyer of the goods or services is obliged to settle the value added tax or a tax of a similar nature - the words "Reverse charge" should be entered as "1", otherwise - the value "2"
source	<pre>&lt;xsd:element name="P_18" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of the supply of goods or service for which the buyer of the goods or services is obliged to settle the value added tax or a tax of a similar nature - the words "Reverse charge" should be entered as "1", otherwise - the value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Adnotacje/P\_18A

diagram	 <p>In the case of invoices in which the total amount receivable is the amount referred to in article 19(2) of the Act of 6 March 2018 - Entrepreneurs' Law, covering the supply of goods or services listed in Annex 15 to the Act for the taxpayer - the words "Split payment mechanism", enter the value "1", otherwise - value "2"</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>etd:TWybor1_2</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2	
Kind	Value	Annotation								
enumeration	1									
enumeration	2									
annotation	documentation In the case of invoices in which the total amount receivable is the amount referred to in article 19(2) of the Act of 6 March 2018 - Entrepreneurs' Law, covering the supply of goods or services listed in Annex 15 to the Act for the taxpayer - the words "Split payment mechanism", enter the value "1", otherwise - value "2"									
source	<pre>&lt;xsd:element name="P_18A" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of invoices in which the total amount receivable is the amount referred to in article 19(2) of the Act of 6 March 2018 - Entrepreneurs' Law, covering the supply of goods or services listed in Annex 15 to the Act for the taxpayer - the words "Split payment mechanism", enter the value "1", otherwise - value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/Adnotacje/P\_19

diagram	 <b>tns:P_19</b> In the case of the supply of goods or the provision of services exempt from tax pursuant to article 43(1), article 113(1) and (9) or regulations issued on the basis of article 82(3) of the Act or on the basis of other regulations, enter the value "1", otherwise - the value "2"									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<b>etd:TWybor1_2</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2	
Kind	Value	Annotation								
enumeration	1									
enumeration	2									
annotation	<p>documentation</p> <p>In the case of the supply of goods or the provision of services exempt from tax pursuant to article 43(1), article 113(1) and (9) or regulations issued on the basis of article 82(3) of the Act or on the basis of other regulations, enter the value "1", otherwise - the value "2"</p>									
source	<pre>&lt;xsd:element name="P_19" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of the supply of goods or the provision of services exempt from tax pursuant to article 43(1), article 113(1) and (9) or regulations issued on the basis of article 82(3) of the Act or on the basis of other regulations, enter the value "1", otherwise - the value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/Adnotacje/P\_19A

diagram	 <b>tns:P_19A</b> If the field P_19 equals "1" - indicate the provision of the act or act issued on the basis of the act, on the basis of which the taxpayer applies the tax exemption									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<b>tns:TZnakowy</b>									
properties	content simple default false									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation</p> <p>If the field P_19 equals "1" - indicate the provision of the act or act issued on the basis of the act, on the basis of which the taxpayer applies the tax exemption</p>									
source	<pre>&lt;xsd:element name="P_19A" type="tns:TZnakowy" default="false"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the field P_19 equals "1" - indicate the provision of the act or act issued</pre>									

	on the basis of the act, on the basis of which the taxpayer applies the tax exemption
	<pre>&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Adnotacje/P\_19B

diagram	 <b>tns:P_19B</b> If field P_19 equals "1" - indicate the provision of Directive 2006/112/EC that exempts such supply of goods or services from tax									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple default false									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation If field P_19 equals "1" - indicate the provision of Directive 2006/112/EC that exempts such supply of goods or services from tax									
source	<pre>&lt;xsd:element name="P_19B" type="tns:TZnakowy" default="false"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_19 equals "1" - indicate the provision of Directive 2006/112/EC that exempts such supply of goods or services from tax&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/Adnotacje/P\_19C

diagram	 <b>tns:P_19C</b> If field P_19 equals "1" - indicate another legal basis indicating that the supply of goods or services is exempt									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple default false									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation If field P_19 equals "1" - indicate another legal basis indicating that the supply of goods or services is exempt									
source	<pre>&lt;xsd:element name="P_19C" type="tns:TZnakowy" default="false"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_19 equals "1" - indicate another legal basis indicating that the supply of goods or services is exempt&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

	<code>&lt;/xsd:element&gt;</code>
--	-----------------------------------


#### element Faktura/Fa/Adnotacje/P\_22

diagram	 <b>tns:P_22</b> When the subject of the intra-Community supply are new means of transport, enter the value "1", otherwise - the value "2"									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<b>etd:TWybor1_2</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2	
Kind	Value	Annotation								
enumeration	1									
enumeration	2									
annotation	<p>documentation</p> <p>When the subject of the intra-Community supply are new means of transport, enter the value "1", otherwise - the value "2"</p>									
source	<pre>&lt;xsd:element name="P_22" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;When the subject of the intra-Community supply are new means of transport, enter the value "1", otherwise - the value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									


#### element Faktura/Fa/Adnotacje/P\_22A

diagram	 <b>tns:P_22A</b> If field P_22 equals "1" - enter the date of approval of the new means of transport for use												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<b>tns:TDataT</b>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>2006-01-01</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>2050-01-01</td> <td></td> </tr> <tr> <td>pattern</td> <td>((\d{4})-(\d{2})-(\d{2}))</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2006-01-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation											
minInclusive	2006-01-01												
maxInclusive	2050-01-01												
pattern	((\d{4})-(\d{2})-(\d{2}))												
annotation	<p>documentation</p> <p>If field P_22 equals "1" - enter the date of approval of the new means of transport for use</p>												
source	<pre>&lt;xsd:element name="P_22A" type="tns:TDataT"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 equals "1" - enter the date of approval of the new means of transport for use&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>												

### element Faktura/Fa/Adnotacje/P\_22BMK

diagram	 <b>tns:P_22BMK</b> If the field P_22 equals "1" you can enter the brand of the new means of transport
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation If the field P_22 equals "1" you can enter the brand of the new means of transport
source	<pre>&lt;xsd:element name="P_22BMK" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the field P_22 equals "1" you can enter the brand of the new means of transport&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Adnotacje/P\_22BMD

diagram	 <b>tns:P_22BMD</b> If the field P_22 equals "1" you can enter the model of a new means of transport
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation If the field P_22 equals "1" you can enter the model of a new means of transport
source	<pre>&lt;xsd:element name="P_22BMD" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the field P_22 equals "1" you can enter the model of a new means of transport&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


### element Faktura/Fa/Adnotacje/P\_22BK

diagram	<p><code>tns:P_22BK</code></p> <p>If the field P_22 equals "1" you can enter the color of a new means of transport</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation If the field P_22 equals "1" you can enter the color of a new means of transport									
source	<pre>&lt;xsd:element name="P_22BK" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the field P_22 equals "1" you can enter the color of a new means of transport&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									


### element Faktura/Fa/Adnotacje/P\_22BNR

diagram	<p><code>tns:P_22BNR</code></p> <p>If the field P_22 equals "1", the registration number of the new means of transport can be entered</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation If the field P_22 equals "1", the registration number of the new means of transport can be entered									
source	<pre>&lt;xsd:element name="P_22BNR" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the field P_22 equals "1", the registration number of the new means of transport can be entered&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									


### element Faktura/Fa/Adnotacje/P\_22BRP

diagram	 <p>If field P_22 is equal to "1", the year of production of the new means of transport can be entered</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation If field P_22 is equal to "1", the year of production of the new means of transport can be entered
source	<pre>&lt;xsd:element name="P_22BRP" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 is equal to "1", the year of production of the new means of transport can be entered&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


### element Faktura/Fa/Adnotacje/P\_22B

diagram	 <p>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - the mileage of the vehicle should be provided</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - the mileage of the vehicle should be provided
source	<pre>&lt;xsd:element name="P_22B" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - the mileage of the vehicle should be provided&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


### element Faktura/Fa/Adnotacje/P\_22B1

diagram	 <b>tns:P_22B1</b> If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the VIN number
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>tns:TZnakowy</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the VIN number
source	<pre>&lt;xsd:element name="P_22B1" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the VIN number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


### element Faktura/Fa/Adnotacje/P\_22B2

diagram	 <b>tns:P_22B2</b> If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the body number
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>tns:TZnakowy</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the body number
source	<pre>&lt;xsd:element name="P_22B2" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the body number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Adnotacje/P\_22B3

diagram	 <b>tns:P_22B3</b> If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of Act - you can enter the chassis number									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>tns:TZnakowy</b>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of Act - you can enter the chassis number									
source	<pre>&lt;xsd:element name="P_22B3" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of Act - you can enter the chassis number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/Adnotacje/P\_22B4

diagram	 <b>tns:P_22B4</b> If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the frame number									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>tns:TZnakowy</b>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the frame number									
source	<pre>&lt;xsd:element name="P_22B4" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can enter the frame number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/Adnotacje/P\_22BT


diagram	<p>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can specify the type of new means of transport</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation</p> <p>If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can specify the type of new means of transport</p>									
source	<pre>&lt;xsd:element name="P_22BT" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns land vehicles, referred to in article 2(10)(a) of the Act - you can specify the type of new means of transport&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/Adnotacje/P\_22C


diagram	<p>If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the number of working hours of using the new means of transport should be specified</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation</p> <p>If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the number of working hours of using the new means of transport should be specified</p>									
source	<pre>&lt;xsd:element name="P_22C" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the number of working hours of using the new means of transport should be specified&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

	<code>&lt;/xsd:element&gt;</code>
--	-----------------------------------

#### element Faktura/Fa/Adnotacje/P\_22C1


diagram	 <p>If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the hull number of the new means of transport may be given</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the hull number of the new means of transport may be given
source	<pre>&lt;xsd:element name="P_22C1" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If the field P_22 equals "1" and the delivery concerns the vessels referred to in article 2(10)(b) of the Act, the hull number of the new means of transport may be given&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Adnotacje/P\_22D

diagram	 <p>If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the number of working hours of using the new means of transport should be specified</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<a href="#">tns:TZnakowy</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the number of working hours of using the new means of transport should be specified
source	<pre>&lt;xsd:element name="P_22D" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;</pre>

	<p><b>&lt;xsd:documentation&gt;</b>If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the number of working hours of using the new means of transport should be specified<b>&lt;/xsd:documentation&gt;</b></p> <p><b>&lt;/xsd:annotation&gt;</b></p> <p><b>&lt;/xsd:element&gt;</b></p>
--	--

#### element Faktura/Fa/Adnotacje/P\_22D1

diagram	 <p>If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the serial number of the new means of transport may be given</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation</p> <p>If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the serial number of the new means of transport may be given</p>									
source	<pre>&lt;xsd:element name="P_22D1" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;If field P_22 equals "1" and the delivery concerns the aircraft referred to in article 2(10)(c) of the Act, the serial number of the new means of transport may be given&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/Adnotacje/P\_23

diagram	 <p>In the case of invoices issued in the simplified procedure by the second taxpayer referred to in article 135(1)(4)(b) and (c) and (2), containing the annotation referred to in article 136(1)(1) and the statement referred to in article 136(1)(2) of the Act, the value "1" should be entered, otherwise - the value "2"</p>			
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>			
type	<a href="#">etd:TWybor1_2</a>			
properties	content simple			
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> </table>	Kind	Value	Annotation
Kind	Value	Annotation		

	enumeration 1 enumeration 2
annotation	documentation In the case of invoices issued in the simplified procedure by the second taxpayer referred to in article 135(1)(4)(b) and (c) and (2), containing the annotation referred to in article 136(1)(1) and the statement referred to in article 136(1)(2) of the Act, the value "1" should be entered, otherwise - the value "2"
source	<pre>&lt;xsd:element name="P_23" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of invoices issued in the simplified procedure by the second taxpayer referred to in article 135(1)(4)(b) and (c) and (2), containing the annotation referred to in article 136(1)(1) and the statement referred to in article 136(1)(2) of the Act, the value "1" should be entered, otherwise - the value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Adnotacje/P\_PMarzy

diagram	<b>tns:P_PMarzy</b> <p>In the event of the margin procedures referred to in article 119 or 120 of the Act, the value "1" should be entered, otherwise - the value "2"</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>etd:TWybor1_2</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2	
Kind	Value	Annotation								
enumeration	1									
enumeration	2									
annotation	documentation In the event of the margin procedures referred to in article 119 or 120 of the Act, the value "1" should be entered, otherwise - the value "2"									
source	<pre>&lt;xsd:element name="P_PMarzy" type="etd:TWybor1_2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the event of the margin procedures referred to in article 119 or 120 of the Act, the value "1" should be entered, otherwise - the value "2"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/Adnotacje/P\_PMarzy\_2

diagram	<b>tns:P_PMarzy_2</b> <p>In the case of the supply of tourism services for which the tax base is a margin, in accordance with article 119(1) of the Act, and the invoice documenting the service includes the words "Margin scheme - Travel agents", the value should be "1"</p>
---------	--

namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>etd:TWybor1</b>
properties	content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation In the case of the supply of tourism services for which the tax base is a margin, in accordance with article 119(1) of the Act, and the invoice documenting the service includes the words "Margin scheme - Travel agents", the value should be "1"
source	<pre>&lt;xsd:element name="P_PMarzy_2" type="etd:TWybor1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of the supply of tourism services for which the tax base is a margin, in accordance with article 119(1) of the Act, and the invoice documenting the service includes the words "Margin scheme - Travel agents", the value should be "1"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Adnotacje/P\_PMarzy\_3\_1

diagram	 <p>In the case of the supply of second-hand goods for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Second-hand goods", the value should be "1"</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>etd:TWybor1</b>
properties	content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation In the case of the supply of second-hand goods for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Second-hand goods", the value should be "1"
source	<pre>&lt;xsd:element name="P_PMarzy_3_1" type="etd:TWybor1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of the supply of second-hand goods for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Second-hand goods", the value should be "1"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Adnotacje/P\_PMarzy\_3\_2


diagram	<pre><code>tns:P_PMarzy_3_2</code></pre> <p>In the case of delivery of works of art for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Works of art", the value should be "1"</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>etd:TWybor1</b>
properties	content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation In the case of delivery of works of art for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Works of art", the value should be "1"
source	<pre><code>&lt;xsd:element name="P_PMarzy_3_2" type="etd:TWybor1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of delivery of works of art for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Works of art", the value should be "1"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</code></pre>

### element Faktura/Fa/Adnotacje/P\_PMarzy\_3\_3


diagram	<pre><code>tns:P_PMarzy_3_3</code></pre> <p>In the case of the supply of collectors' items and antiques, for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Collector's items and antiques", the value should be "1"</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>etd:TWybor1</b>
properties	content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation In the case of the supply of collectors' items and antiques, for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Collector's items and antiques", the value should be "1"
source	<pre><code>&lt;xsd:element name="P_PMarzy_3_3" type="etd:TWybor1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the case of the supply of collectors' items and antiques, for which the tax base is a margin, in accordance with article 120 of the Act, and the invoice documenting the delivery contains the words "Margin scheme - Collector's items and antiques", the value should be "1"&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</code></pre>

	delivery contains the words "Margin scheme - Collector's items and antiques", the value should be <pre>"1"&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--	--

### element Faktura/Fa/RodzajFaktury


diagram	 Type of invoice																																								
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																								
type	<a href="#">tns:TRodzajFaktury</a>																																								
properties	content simple																																								
facets	<table> <thead> <tr> <th></th> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td></td> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td></td> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td></td> <td>enumeration</td> <td>VAT</td> <td>documentation The basic invoice</td> </tr> <tr> <td></td> <td>enumeration</td> <td>KOR</td> <td>documentation Correction invoice</td> </tr> <tr> <td></td> <td>enumeration</td> <td>ZAL</td> <td>documentation The invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act</td> </tr> <tr> <td></td> <td>enumeration</td> <td>ROZ</td> <td>documentation The invoice issued in connection with article 106f(3) of the Act</td> </tr> <tr> <td></td> <td>enumeration</td> <td>UPR</td> <td>documentation The invoice referred to in article 106e(5)(3) of the Act</td> </tr> <tr> <td></td> <td>enumeration</td> <td>KOR_ZAL</td> <td>documentation The invoice correcting the invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act</td> </tr> <tr> <td></td> <td>enumeration</td> <td>KOR_ROZ</td> <td>documentation Invoice correcting the invoice issued in connection with article 106f(3) of the Act</td> </tr> </tbody> </table>		Kind	Value	Annotation		minLength	1			maxLength	256			enumeration	VAT	documentation The basic invoice		enumeration	KOR	documentation Correction invoice		enumeration	ZAL	documentation The invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act		enumeration	ROZ	documentation The invoice issued in connection with article 106f(3) of the Act		enumeration	UPR	documentation The invoice referred to in article 106e(5)(3) of the Act		enumeration	KOR_ZAL	documentation The invoice correcting the invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act		enumeration	KOR_ROZ	documentation Invoice correcting the invoice issued in connection with article 106f(3) of the Act
	Kind	Value	Annotation																																						
	minLength	1																																							
	maxLength	256																																							
	enumeration	VAT	documentation The basic invoice																																						
	enumeration	KOR	documentation Correction invoice																																						
	enumeration	ZAL	documentation The invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act																																						
	enumeration	ROZ	documentation The invoice issued in connection with article 106f(3) of the Act																																						
	enumeration	UPR	documentation The invoice referred to in article 106e(5)(3) of the Act																																						
	enumeration	KOR_ZAL	documentation The invoice correcting the invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act																																						
	enumeration	KOR_ROZ	documentation Invoice correcting the invoice issued in connection with article 106f(3) of the Act																																						
annotation	documentation Type of invoice																																								
source	<pre>&lt;xsd:element name="RodzajFaktury" type="tns:TRodzajFaktury"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Type of invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>																																								

### element Faktura/Fa/PrzyczynaKorekty

diagram	 Reason for correction for correction invoice
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1

	maxLength 256
annotation	documentation Reason for correction for correction invoice
source	<pre>&lt;xsd:element name="PrzyczynaKorekty" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Reason for correction for correction invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/TypKorekty

diagram	 <p><b>tns:TypKorekty</b></p> <p>Type of effect of the correction in the books</p>																		
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																		
type	<a href="#">tns:TTypKorekty</a>																		
properties	minOcc 0 maxOcc 1 content simple																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation Correction effective on the date of the original invoice</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation Correction effective on the date of issuing the correcting invoice</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation Correction resulting in a different date, including when the dates are different for different items of the correcting invoice</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	documentation Correction effective on the date of the original invoice	enumeration	2	documentation Correction effective on the date of issuing the correcting invoice	enumeration	3	documentation Correction resulting in a different date, including when the dates are different for different items of the correcting invoice
Kind	Value	Annotation																	
minLength	1																		
maxLength	256																		
enumeration	1	documentation Correction effective on the date of the original invoice																	
enumeration	2	documentation Correction effective on the date of issuing the correcting invoice																	
enumeration	3	documentation Correction resulting in a different date, including when the dates are different for different items of the correcting invoice																	
annotation	documentation Type of effect of the correction in the books																		
source	<pre>&lt;xsd:element name="TypKorekty" type="tns:TTypKorekty" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Type of effect of the correction in the books&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>																		

#### element Faktura/Fa/DataWystFaKorygowanej

diagram	 <p><b>tns:DataWystFaKorygowanej</b></p> <p>Date of issue of the invoice to which the corrective invoice relates</p>												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TDataT</a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>2006-01-01</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>2050-01-01</td> <td></td> </tr> <tr> <td>pattern</td> <td>((\d{4})-(\d{2})-(\d{2}))</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2006-01-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation											
minInclusive	2006-01-01												
maxInclusive	2050-01-01												
pattern	((\d{4})-(\d{2})-(\d{2}))												

annotation	documentation Date of issue of the invoice to which the corrective invoice relates
source	<pre>&lt;xsd:element name="DataWystFaKorygowanej" type="tns:TDataT"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Date of issue of the invoice to which the corrective invoice relates&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/NrFaKorygowanej


diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation Corrected invoice number									
source	<pre>&lt;xsd:element name="NrFaKorygowanej" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Corrected invoice number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/NrKSeFFaKorygowanej


diagram							
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#">tns:TNumerKSeF</a>						
properties	content simple						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>patt</td> <td>([1-9]((d[1-9]) ([1-9]\d))\d{7}) M\d{9} [A-Z]{3}\d{7})-(20[2-9][0-9]) 2[1-9][0-9]{2} [3-9][0-9]{3})(0[1-9] 1[1-2])(0[1-9]  1[2-9] 3[0-1])-([0-9A-F]{6})-([0-9A-F]{6})-([0-9A-F]{2})</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	patt	([1-9]((d[1-9]) ([1-9]\d))\d{7}) M\d{9} [A-Z]{3}\d{7})-(20[2-9][0-9]) 2[1-9][0-9]{2} [3-9][0-9]{3})(0[1-9] 1[1-2])(0[1-9]  1[2-9] 3[0-1])-([0-9A-F]{6})-([0-9A-F]{6})-([0-9A-F]{2})	
Kind	Value	Annotation					
patt	([1-9]((d[1-9]) ([1-9]\d))\d{7}) M\d{9} [A-Z]{3}\d{7})-(20[2-9][0-9]) 2[1-9][0-9]{2} [3-9][0-9]{3})(0[1-9] 1[1-2])(0[1-9]  1[2-9] 3[0-1])-([0-9A-F]{6})-([0-9A-F]{6})-([0-9A-F]{2})						
annotation	documentation Number identifying the corrected invoice in the National System of e-Invoices (KSeF)						
source	<pre>&lt;xsd:element name="NrKSeFFaKorygowanej" type="tns:TNumerKSeF"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Number identifying the corrected invoice in the National System of e-Invoices (KSeF)&lt;/xsd:documentation&gt;</pre>						

	<pre>&lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--	---

#### element Faktura/Fa/OkresFaKorygowanej

diagram	 <p>For the correcting invoice referred to in article 106j(3) of the Act - the period to which the discount or reduction is granted, if the taxpayer grants the discount or price reduction in relation to the supply of goods or services made or provided to one recipient in a given period</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#"><u>tns:TZnakowy</u></a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation</p> <p>For the correcting invoice referred to in article 106j(3) of the Act - the period to which the discount or reduction is granted, if the taxpayer grants the discount or price reduction in relation to the supply of goods or services made or provided to one recipient in a given period</p>									
source	<pre>&lt;xsd:element name="OkresFaKorygowanej" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;For the correcting invoice referred to in article 106j(3) of the Act - the period to which the discount or reduction is granted, if the taxpayer grants the discount or price reduction in relation to the supply of goods or services made or provided to one recipient in a given period&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/NrFaKorygowany

diagram	 <p>Correct corrected invoice number if the reason for the correction is an incorrect corrected invoice number. In such a case, this incorrect number should be indicated in the field NrFaKorygowanej</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#"><u>tns:TZnakowy</u></a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									

annotation	documentation Correct corrected invoice number if the reason for the correction is an incorrect corrected invoice number. In such a case, this incorrect number should be indicated in the field NrFaKorygowanej
source	<pre>&lt;xsd:element name="NrFaKorygowany" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Correct corrected invoice number if the reason for the correction is an incorrect corrected invoice number. In such a case, this incorrect number should be indicated in the field NrFaKorygowanej&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Podmiot1K

diagram	<p>In the event of correction of the seller's data, complete seller's data appearing in the corrected invoice should be provided. The field does not apply to the correction of an incorrect NIP number appearing in the original invoice. Then the invoice must be corrected to zero values</p>						
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>						
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>complex</td> </tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#">tns:PrefiksPodatnika</a> <a href="#">tns:DaneIdentyfikacyjne</a> <a href="#">tns:Adres</a>						
annotation	<p>documentation</p> <p>In the event of correction of the seller's data, complete seller's data appearing in the corrected invoice should be provided. The field does not apply to the correction of an incorrect NIP number appearing in the original invoice. Then the invoice must be corrected to zero values</p>						
source	<pre>&lt;xsd:element name="Podmiot1K" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the event of correction of the seller's data, complete seller's data appearing in the corrected invoice should be provided. The field does not apply to the correction of an incorrect NIP number appearing in the original invoice. Then the invoice must be corrected to zero values&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="PrefiksPodatnika" type="tns:TKodyKrajowUE" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Code (prefix) of the EU VAT payer for the cases specified in article 97 sec. 10 points 2 and 3 of the Act and in the case referred to in article 136 sec. 1 point 3 of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot1"&gt;</pre>						

	<pre> &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Taxpayer identification data&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Adres" type="tns:TAdres"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer's address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

element **Faktura/Fa/Podmiot1K/PrefiksPodatnika**

diagram	 <p>Code (prefix) of the EU VAT payer for the cases specified in article 97 sec. 10 points 2 and 3 of the Act and in the case referred to in article 136 sec. 1 point 3 of the Act</p>																																																																					
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>																																																																					
type	<a href="#"><u>tns:TKodyKrajowUE</u></a>																																																																					
properties	minOcc 0 maxOcc 1 content simple																																																																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BG</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CY</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CZ</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FI</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HU</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LV</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LU</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PT</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AT		enumeration	BE		enumeration	BG		enumeration	CY		enumeration	CZ		enumeration	DK		enumeration	EE		enumeration	FI		enumeration	FR		enumeration	DE		enumeration	EL		enumeration	HR		enumeration	HU		enumeration	IE		enumeration	IT		enumeration	LV		enumeration	LT		enumeration	LU		enumeration	MT		enumeration	NL		enumeration	PL		enumeration	PT	
Kind	Value	Annotation																																																																				
enumeration	AT																																																																					
enumeration	BE																																																																					
enumeration	BG																																																																					
enumeration	CY																																																																					
enumeration	CZ																																																																					
enumeration	DK																																																																					
enumeration	EE																																																																					
enumeration	FI																																																																					
enumeration	FR																																																																					
enumeration	DE																																																																					
enumeration	EL																																																																					
enumeration	HR																																																																					
enumeration	HU																																																																					
enumeration	IE																																																																					
enumeration	IT																																																																					
enumeration	LV																																																																					
enumeration	LT																																																																					
enumeration	LU																																																																					
enumeration	MT																																																																					
enumeration	NL																																																																					
enumeration	PL																																																																					
enumeration	PT																																																																					

	<p>enumeration RO</p> <p>enumeration SK</p> <p>enumeration SI</p> <p>enumeration ES</p> <p>enumeration SE</p> <p>enumeration XI</p>
annotation	<p>documentation</p> <p>Code (prefix) of the EU VAT payer for the cases specified in article 97 sec. 10 points 2 and 3 of the Act and in the case referred to in article 136 sec. 1 point 3 of the Act</p>
source	<pre>&lt;xsd:element name="PrefiksPodatnika" type="tns:TKodyKrajowUE" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code (prefix) of the EU VAT payer for the cases specified in article 97 sec. 10 points 2 and 3 of the Act and in the case referred to in article 136 sec. 1 point 3 of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Podmiot1K/DaneIdentyfikacyjne

diagram	<pre> classDiagram     class TPodmiot1 {         &lt;&lt;tns:DaneIdentyfikacyjne&gt;&gt; --&gt; &lt;&lt;tns:NIP&gt;&gt;         &lt;&lt;tns:DaneIdentyfikacyjne&gt;&gt; --&gt; &lt;&lt;tns:Nazwisko&gt;&gt;         &lt;&lt;tns:Nazwisko&gt;&gt; --&gt; &lt;&lt;tns:ImiePierwsze&gt;&gt;         &lt;&lt;tns:Nazwisko&gt;&gt; --&gt; &lt;&lt;tns:PelnaNazwa&gt;&gt;         &lt;&lt;tns:Nazwisko&gt;&gt; --&gt; &lt;&lt;tns:NazwaHandlowa&gt;&gt;     }   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TPodmiot1</a>
properties	content complex
children	<a href="#">tns:NIP</a> <a href="#">tns:ImiePierwsze</a> <a href="#">tns:Nazwisko</a> <a href="#">tns:PelnaNazwa</a> <a href="#">tns:NazwaHandlowa</a>
annotation	<p>documentation</p> <p>Taxpayer identification data</p>
source	<pre>&lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer identification data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

element **Faktura/Fa/Podmiot1K/Adres**

diagram	<pre> classDiagram     class tnsTAdres {         tnsKodKraju         tnsMiejscowosc         tnsUlica         tnsNrDomu         tnsNrLokalu         tnsKodPocztowy         tnsGLN     }     tnsAdres --&gt; tnsTAdres     </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><u>tns:TAdres</u></a>
properties	content complex
children	<a href="#"><u>tns:KodKraju</u></a> <a href="#"><u>tns:Miejscowosc</u></a> <a href="#"><u>tns:Ulica</u></a> <a href="#"><u>tns:NrDomu</u></a> <a href="#"><u>tns:NrLokalu</u></a> <a href="#"><u>tns:KodPocztowy</u></a> <a href="#"><u>tns:GLN</u></a>
annotation	documentation Taxpayer's address
source	<pre> &lt;xsd:element name="Adres" type="tns:TAdres"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Taxpayer's address&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

## element Faktura/Fa/Podmiot2K

diagram	<p>In the event of a correction of the data of the buyer acting as Podmiot2 or an additional buyer acting as Podmiot3, the complete data of this entity appearing in the corrected invoice should be provided. Wrong numbers identifying the buyer and the additional buyer are not subject to correction. In the case of correcting the remaining data of the buyer or additional buyer, the indicated identification number must be identical to the number in the Podmiot2 or Podmiot3 part of the correcting invoice</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">tns:PrefiksNabywcy</a> <a href="#">tns:Daneldentyfikacyjne</a> <a href="#">tns:Adres</a>
annotation	<p>documentation</p> <p>In the event of a correction of the data of the buyer acting as Podmiot2 or an additional buyer acting as Podmiot3, the complete data of this entity appearing in the corrected invoice should be provided. Wrong numbers identifying the buyer and the additional buyer are not subject to correction. In the case of correcting the remaining data of the buyer or additional buyer, the indicated identification number must be identical to the number in the Podmiot2 or Podmiot3 part of the correcting invoice</p>
source	<pre> &lt;xsd:element name="Podmiot2K" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;In the event of a correction of the data of the buyer acting as Podmiot2 or an additional buyer acting as Podmiot3, the complete data of this entity appearing in the corrected invoice should be provided. Wrong numbers identifying the buyer and the additional buyer are not subject to correction. In the case of correcting the remaining data of the buyer or additional buyer, the indicated identification number must be identical to the number in the Podmiot2 or Podmiot3 part of the correcting invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="PrefiksNabywcy" type="tns:TKodyKrajowUE" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Code (prefix) of the EU VAT buyer, referred to in article 106e paragraph 1 point 24 of the Act and in the case referred to in article 136 sec. 1 point 4 of the Act&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Buyer identification data&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

	<pre> &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Adres" type="tns:TAdres" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Buyer's address. Optional fields for the cases specified in article 106e paragraph 5 point 3 of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

#### element Faktura/Fa/Podmiot2K/PrefiksNabywcy

diagram	 <p>Code (prefix) of the EU VAT buyer, referred to in article 106e paragraph 1 point 24 of the Act and in the case referred to in article 136 sec. 1 point 4 of the Act</p>																																																																								
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>																																																																								
type	<a href="#"><u>tns:TKodyKrajowUE</u></a>																																																																								
properties	minOcc 0 maxOcc 1 content simple																																																																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BG</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CY</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CZ</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FI</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HU</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LV</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LU</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>RO</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AT		enumeration	BE		enumeration	BG		enumeration	CY		enumeration	CZ		enumeration	DK		enumeration	EE		enumeration	FI		enumeration	FR		enumeration	DE		enumeration	EL		enumeration	HR		enumeration	HU		enumeration	IE		enumeration	IT		enumeration	LV		enumeration	LT		enumeration	LU		enumeration	MT		enumeration	NL		enumeration	PL		enumeration	PT		enumeration	RO	
Kind	Value	Annotation																																																																							
enumeration	AT																																																																								
enumeration	BE																																																																								
enumeration	BG																																																																								
enumeration	CY																																																																								
enumeration	CZ																																																																								
enumeration	DK																																																																								
enumeration	EE																																																																								
enumeration	FI																																																																								
enumeration	FR																																																																								
enumeration	DE																																																																								
enumeration	EL																																																																								
enumeration	HR																																																																								
enumeration	HU																																																																								
enumeration	IE																																																																								
enumeration	IT																																																																								
enumeration	LV																																																																								
enumeration	LT																																																																								
enumeration	LU																																																																								
enumeration	MT																																																																								
enumeration	NL																																																																								
enumeration	PL																																																																								
enumeration	PT																																																																								
enumeration	RO																																																																								

	<p>enumeration SK</p> <p>enumeration SI</p> <p>enumeration ES</p> <p>enumeration SE</p> <p>enumeration XI</p>
annotation	<p>documentation</p> <p>Code (prefix) of the EU VAT buyer, referred to in article 106e paragraph 1 point 24 of the Act and in the case referred to in article 136 sec. 1 point 4 of the Act</p>
source	<pre>&lt;xsd:element name="PrefiksNabywcy" type="tns:TKodyKrajowUE" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code (prefix) of the EU VAT buyer, referred to in article 106e paragraph 1 point 24 of the Act and in the case referred to in article 136 sec. 1 point 4 of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Podmiot2K/DaneIdentyfikacyjne


diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TPodmiot</a>
properties	content complex
children	<a href="#">tns:NIP</a> <a href="#">tns:NrID</a> <a href="#">tns:BrakID</a> <a href="#">tns:ImiePierwsze</a> <a href="#">tns:Nazwisko</a> <a href="#">tns:PernaNazwa</a> <a href="#">tns:NazwaHandlowa</a>

annotation	documentation Buyer identification data
source	<pre>&lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Buyer identification data&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


### element Faktura/Fa/Podmiot2K/Adres

diagram	<pre> classDiagram     class tnsTAdres {         tnsKodKraju         tnsMiejscowosc         tnsUlica         tnsNrDomu         tnsNrLokalu         tnsKodPocztowy         tnsGLN     }     class tnsAdres {         &lt;&lt;Buyer's address. Optional fields for the cases specified in article 106e paragraph 5 point 3 of the Act&gt;&gt;     }     tnsAdres --&gt; tnsTAdres   </pre>						
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#"><u>tns:TAdres</u></a>						
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>complex</td> </tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#"><u>tns:KodKraju</u></a> <a href="#"><u>tns:Miejscowosc</u></a> <a href="#"><u>tns:Ulica</u></a> <a href="#"><u>tns:NrDomu</u></a> <a href="#"><u>tns:NrLokalu</u></a> <a href="#"><u>tns:KodPocztowy</u></a> <a href="#"><u>tns:GLN</u></a>						
annotation	documentation Buyer's address. Optional fields for the cases specified in article 106e paragraph 5 point 3 of the Act						
source	<pre>&lt;xsd:element name="Adres" type="tns:TAdres" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Buyer's address. Optional fields for the cases specified in article 106e     paragraph 5 point 3 of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>						

### element Faktura/Fa/FP

diagram	 The invoice referred to in article 109(3)(d) of the Act
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TWybor1</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation The invoice referred to in article 109(3)(d) of the Act
source	<pre>&lt;xsd:element name="FP" type="etd:TWybor1" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The invoice referred to in article 109(3)(d) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/TP

diagram	 Existing links between the buyer and the person delivering the goods or the service provider pursuant to § 10(4)(3), subject to the provisions of (4)(b) of the Regulation on the detailed scope of data contained in tax returns and records in the field of tax on goods and services
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TWybor1</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation Existing links between the buyer and the person delivering the goods or the service provider pursuant to § 10(4)(3), subject to the provisions of (4)(b) of the Regulation on the detailed scope of data contained in tax returns and records in the field of tax on goods and services
source	<pre>&lt;xsd:element name="TP" type="etd:TWybor1" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Existing links between the buyer and the person delivering the goods or the service provider pursuant to § 10(4)(3), subject to the provisions of (4)(b) of the Regulation on the detailed scope of data contained in tax returns and records in the field of tax on goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## element Faktura/Fa/DodatkowyOpis

diagram	<p>tns:DodatkowyOpis 0..12 Reserve fields for showing additional information on the invoice, including those required by law, for which no other fields/elements are provided</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TKluczWartosc</a>
properties	minOcc 0 maxOcc 12 content complex
children	<a href="#">tns:Klucz</a> <a href="#">tns:Wartosc</a>
annotation	<p>documentation</p> <p>Reserve fields for showing additional information on the invoice, including those required by law, for which no other fields/elements are provided</p>
source	<pre>&lt;xsd:element name="DodatkowyOpis" type="tns:TKluczWartosc" minOccurs="0" maxOccurs="12"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Reserve fields for showing additional information on the invoice, including those required by law, for which no other fields/elements are provided&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## element Faktura/Fa/NrFaZaliczkowej

diagram	<p>tns:NrFaZaliczkowej 0..∞ Mandatory field for the invoice issued after the goods or the service are delivered referred to in article 106f(3) and the last of the invoices referred to in article 106f(4) of the Act</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc unbounded content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	<p>documentation</p> <p>Mandatory field for the invoice issued after the goods or the service are delivered referred to in article 106f(3) and the last</p>

	of the invoices referred to in article 106f(4) of the Act
source	<pre>&lt;xsd:element name="NrFaZaliczkowej" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Mandatory field for the invoice issued after the goods or the service are delivered referred to in article 106f(3) and the last of the invoices referred to in article 106f(4) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/ZwrotAkcyzy

diagram	 <p>tns:ZwrotAkcyzy Additional information necessary for farmers applying for a refund of excise duty included in the price of diesel fuel</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#"><u>tns:TKwotowy</u></a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation Additional information necessary for farmers applying for a refund of excise duty included in the price of diesel fuel</p>									
source	<pre>&lt;xsd:element name="ZwrotAkcyzy" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Additional information necessary for farmers applying for a refund of excise duty included in the price of diesel fuel&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

## element Faktura/Fa/FaWiersze

diagram	<p>Detailed invoice items in the currency in which the invoice was issued - an optional node for an advance invoice, an invoice correcting an advance invoice, and corrective invoices for all deliveries of goods or services made or provided in a given period, referred to in article 106j(3) of the Act, for which you must provide data on the discount or reduction broken down into tax rates and procedures in section Fa. In the case of corrective invoices referred to in article 106j(3) of the Act, when the discount or price reduction relates to a part of the supply of goods or services made or provided in a given period, the names (types) of goods or services covered by the correction should be entered in the FaWiersz section. In the case of the invoices referred to in article 106f(3) of the Act, the full value of the order or contract should be presented. In the case of invoices correcting invoice items (including correcting invoices, invoices referred to in article 106f(3) of the Act, if the correction concerns the contract value), the differences resulting from the correction of individual items or the reversal of individual corrected items and the correct values of the corrected items as separate lines. In the case of corrective invoices, the invoices referred to in article 106f(3) of the Act, if the correction does not relate to the value of the contract and at the same time changes the tax base or the tax base, enter an entry canceling a given row according to the state before the correction and an entry restoring the value of the order in order to confirm that its value has not been changed</p>						
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>						
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						

	<u><a href="#">tns:LiczbaWierszyFaktury</a></u> <u><a href="#">tns:WartoscWierszyFaktury1</a></u> <u><a href="#">tns:WartoscWierszyFaktury2</a></u> <u><a href="#">tns:FaWiersz</a></u>
annotation	<p>documentation</p> <p>Detailed invoice items in the currency in which the invoice was issued - an optional node for an advance invoice, an invoice correcting an advance invoice, and corrective invoices for all deliveries of goods or services made or provided in a given period, referred to in article 106j(3) of the Act, for which you must provide data on the discount or reduction broken down into tax rates and procedures in section Fa. In the case of corrective invoices referred to in article 106j(3) of the Act, when the discount or price reduction relates to a part of the supply of goods or services made or provided in a given period, the names (types) of goods or services covered by the correction should be entered in the FaWiersz section. In the case of the invoices referred to in article 106f(3) of the Act, the full value of the order or contract should be presented. In the case of invoices correcting invoice items (including correcting invoices, invoices referred to in article 106f(3) of the Act, if the correction concerns the contract value), the differences resulting from the correction of individual items or the reversal of individual corrected items and the correct values of the corrected items as separate lines. In the case of corrective invoices, the invoices referred to in article 106f(3) of the Act, if the correction does not relate to the value of the contract and at the same time changes the tax base or the tax base, enter an entry canceling a given row according to the state before the correction and an entry restoring the value of the order in order to confirm that its value has not been changed</p>
source	<pre> &lt;xsd:element name="FaWiersze" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Detailed invoice items in the currency in which the invoice was issued - an optional node for an advance invoice, an invoice correcting an advance invoice, and corrective invoices for all deliveries of goods or services made or provided in a given period, referred to in article 106j(3) of the Act, for which you must provide data on the discount or reduction broken down into tax rates and procedures in section Fa. In the case of corrective invoices referred to in article 106j(3) of the Act, when the discount or price reduction relates to a part of the supply of goods or services made or provided in a given period, the names (types) of goods or services covered by the correction should be entered in the FaWiersz section. In the case of the invoices referred to in article 106f(3) of the Act, the full value of the order or contract should be presented. In the case of invoices correcting invoice items (including correcting invoices, invoices referred to in article 106f(3) of the Act, if the correction concerns the contract value), the differences resulting from the correction of individual items or the reversal of individual corrected items and the correct values of the corrected items as separate lines. In the case of corrective invoices, the invoices referred to in article 106f(3) of the Act, if the correction does not relate to the value of the contract and at the same time changes the tax base or the tax base, enter an entry canceling a given row according to the state before the correction and an entry restoring the value of the order in order to confirm that its value has not been changed&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:complexType&gt; &lt;xsd:sequence&gt;   &lt;xsd:element name="LiczbaWierszyFaktury" type="tns:TNaturalny"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Number of invoice lines&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:element&gt;   &lt;xsd:choice&gt;     &lt;xsd:element name="WartoscWierszyFaktury1" type="tns:TKwotowy"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The total value of the P_11 column&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="WartoscWierszyFaktury2" type="tns:TKwotowy"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The total value of the P_11A column&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;   &lt;/xsd:choice&gt;   &lt;xsd:element name="FaWiersz" maxOccurs="unbounded"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Detailed invoice items in the currency in which the invoice was </pre>

	<p>issued&lt;/xsd:documentation&gt;</p> <p>&lt;/xsd:annotation&gt;</p> <p>&lt;xsd:complexType&gt;</p> <p>&lt;xsd:sequence&gt;</p> <p>&lt;xsd:element name="NrWierszaFa" type="tns:TNaturalny"&gt;</p> <p>&lt;xsd:annotation&gt;</p> <p>&lt;xsd:documentation&gt;Sequential line (row) number of the invoice&lt;/xsd:documentation&gt;</p> <p>&lt;/xsd:annotation&gt;</p> <p>&lt;/xsd:element&gt;</p> <p>&lt;xsd:element name="UU_ID" minOccurs="0"&gt;</p> <p>&lt;xsd:annotation&gt;</p> <p>&lt;xsd:documentation&gt;The universal unique line (row) number of the invoice&lt;/xsd:documentation&gt;</p> <p>&lt;/xsd:annotation&gt;</p> <p>&lt;xsd:simpleType&gt;</p> <p>&lt;xsd:restriction base="tns:TZnakowy"&gt;</p> <p>&lt;xsd:maxLength value="50"/&gt;</p> <p>&lt;/xsd:restriction&gt;</p> <p>&lt;/xsd:simpleType&gt;</p> <p>&lt;/xsd:element&gt;</p> <p>&lt;xsd:element name="P_6A" type="tns:TDataT" minOccurs="0"&gt;</p> <p>&lt;xsd:annotation&gt;</p> <p>&lt;xsd:documentation&gt;The date of the delivery or completion of the delivery of goods or service or the date of receipt of the payment referred to in article 106b(1)(4) of the Act, if such date is specified and differs from the invoice issue date. The field must be completed when there are different dates for each line of the invoice&lt;/xsd:documentation&gt;</p> <p>&lt;/xsd:annotation&gt;</p> <p>&lt;/xsd:element&gt;</p> <p>&lt;xsd:element name="P_7" type="tns:TZnakowy" minOccurs="0"&gt;</p> <p>&lt;xsd:annotation&gt;</p> <p>&lt;xsd:documentation&gt;Name (type) of good or service. Optional field only for the case specified in article 106j(3)(2) of the Act (correction invoice)&lt;/xsd:documentation&gt;</p> <p>&lt;/xsd:annotation&gt;</p> <p>&lt;/xsd:element&gt;</p> <p>&lt;xsd:element name="GTIN" minOccurs="0"&gt;</p> <p>&lt;xsd:annotation&gt;</p> <p>&lt;xsd:documentation&gt;Global Trade Item Number&lt;/xsd:documentation&gt;</p> <p>&lt;/xsd:annotation&gt;</p> <p>&lt;xsd:simpleType&gt;</p> <p>&lt;xsd:restriction base="tns:TZnakowy"&gt;</p> <p>&lt;xsd:maxLength value="20"/&gt;</p> <p>&lt;/xsd:restriction&gt;</p> <p>&lt;/xsd:simpleType&gt;</p> <p>&lt;/xsd:element&gt;</p> <p>&lt;xsd:element name="PKWiU" minOccurs="0"&gt;</p> <p>&lt;xsd:annotation&gt;</p> <p>&lt;xsd:documentation&gt;Symbol of the Polish Classification of Products and Services&lt;/xsd:documentation&gt;</p> <p>&lt;/xsd:annotation&gt;</p> <p>&lt;xsd:simpleType&gt;</p> <p>&lt;xsd:restriction base="tns:TZnakowy"&gt;</p> <p>&lt;xsd:maxLength value="50"/&gt;</p> <p>&lt;/xsd:restriction&gt;</p> <p>&lt;/xsd:simpleType&gt;</p> <p>&lt;/xsd:element&gt;</p>
--	---

	<pre> &lt;xsd:element name="CN" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Combined Nomenclature symbol&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKOB" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Symbol of the Polish Classification of Construction Objects&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DodatkoweInfo" type="tns:TZnakowy50" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8A" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Measure of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8B" type="tns:Tllosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Quantity (number) of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9A" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Unit price of a good or service without the tax amount (net unit price). Optional field for cases specified in article 106e(2) and (3) and (5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9B" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The price together with the tax amount (gross unit price), in the case of applying article 106e(7) and (8) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_10" type="tns:TKwotowy" minOccurs="0"&gt; </pre>
--	--

	<pre> &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Amounts of any price rebates or reductions, including in the form of an early payment rebate, unless included in the net unit price. Optional field for cases specified in article 106e(2) and (3) and (5)(1) of the Act&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value of the goods supplied or services rendered, covered by the transaction, excluding the tax amount (net sales value). Optional field for cases specified in article 106e (2) and (3) and (5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11A" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Gross sales value, in the case of application of article 106e(7) and (8) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12" type="tns:TStawkaPodatku" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax rate. Optional field for cases specified in article 106e(2), (3), (4)(3) and (5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12_XII" type="tns:TProcentowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value added tax rate in the case referred to in section XII in chapter 6a of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12_Procedura" type="tns:TProceduraFa" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indication of the procedure for the invoice line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KwotaAkcyzy" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of excise duty included in the price of the goods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="GTU" type="tns:TGTU" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code for the supply of goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Procedura" type="tns:TOznaczenieProcedury" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indications of the procedure&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KursWaluty" type="tns:TIlosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt; </pre>
--	---

	<pre> &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the Act&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	--

#### element Faktura/Fa/FaWiersze/LiczbaWierszyFaktury

diagram	<p><b>tns:LiczbaWierszyFaktury</b> Number of invoice lines</p>												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TNaturalny</a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minExclusive</td> <td>0</td> <td></td> </tr> <tr> <td>totalDigits</td> <td>14</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>collapse</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minExclusive	0		totalDigits	14		whiteSpace	collapse	
Kind	Value	Annotation											
minExclusive	0												
totalDigits	14												
whiteSpace	collapse												
annotation	<p>documentation Number of invoice lines</p>												
source	<pre> &lt;xsd:element name="LiczbaWierszyFaktury" type="tns:TNaturalny"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Number of invoice lines&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>												

#### element Faktura/Fa/FaWiersze/WartoscWierszyFaktury1

diagram	<p><b>tns:WartoscWierszyFaktury1</b> The total value of the P_11 column</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation The total value of the P_11 column</p>									
source	<pre> &lt;xsd:element name="WartoscWierszyFaktury1" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The total value of the P_11 column&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

element **Faktura/Fa/FaWiersze/WartoscWierszyFaktury2**

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The total value of the P_11A column</p>									
source	<pre>&lt;xsd:element name="WartoscWierszyFaktury2" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The total value of the P_11A column&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

## element Faktura/Fa/FaWiersze/FaWiersz

diagram	
---------	--

namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#"><b>tns:NrWierszaFa</b></a> <a href="#"><b>tns:UU_ID</b></a> <a href="#"><b>tns:P_6A</b></a> <a href="#"><b>tns:P_7</b></a> <a href="#"><b>tns:GTIN</b></a> <a href="#"><b>tns:PKWiU</b></a> <a href="#"><b>tns:CN</b></a> <a href="#"><b>tns:PKOB</b></a> <a href="#"><b>tns:DodatkowelInfo</b></a> <a href="#"><b>tns:P_8A</b></a> <a href="#"><b>tns:P_8B</b></a> <a href="#"><b>tns:P_9A</b></a> <a href="#"><b>tns:P_9B</b></a> <a href="#"><b>tns:P_10</b></a> <a href="#"><b>tns:P_11</b></a> <a href="#"><b>tns:P_11A</b></a> <a href="#"><b>tns:P_12</b></a> <a href="#"><b>tns:P_12_XII</b></a> <a href="#"><b>tns:P_12_Procedura</b></a> <a href="#"><b>tns:KwotaAkcyzy</b></a> <a href="#"><b>tns:GTU</b></a> <a href="#"><b>tns:Procedura</b></a> <a href="#"><b>tns:KursWaluty</b></a>
annotation	documentation Detailed invoice items in the currency in which the invoice was issued
source	<pre> &lt;xsd:element name="FaWiersz" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Detailed invoice items in the currency in which the invoice was issued&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="NrWierszaFa" type="tns:TNaturalny"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Sequential line (row) number of the invoice&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="UU_ID" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The universal unique line (row) number of the invoice&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:simpleType&gt;           &lt;xsd:restriction base="tns:TZnakowy"&gt;             &lt;xsd:maxLength value="50"/&gt;           &lt;/xsd:restriction&gt;         &lt;/xsd:simpleType&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_6A" type="tns:TDataT" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The date of the delivery or completion of the delivery of goods or service or the date of receipt of the payment referred to in article 106b(1)(4) of the Act, if such date is specified and differs from the invoice issue date. The field must be completed when there are different dates for each line of the invoice&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_7" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Name (type) of good or service. Optional field only for the case specified in article 106j(3)(2) of the Act (correction invoice)&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="GTIN" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Global Trade Item Number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:simpleType&gt;           &lt;xsd:restriction base="tns:TZnakowy"&gt;             &lt;xsd:maxLength value="20"/&gt;           &lt;/xsd:restriction&gt;         &lt;/xsd:simpleType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>

	<pre> &lt;xsd:element name="PKWiU" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Symbol of the Polish Classification of Products and Services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="CN" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Combined Nomenclature symbol&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKOB" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Symbol of the Polish Classification of Construction Objects&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DodatkoweInfo" type="tns:TZnakowy50" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8A" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Measure of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8B" type="tns:Tllosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Quantity (number) of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9A" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Unit price of a good or service without the tax amount (net unit </pre>
--	---

price). Optional field for cases specified in article 106e(2) and (3) and (5)(3) of the Act

```

<xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_9B" type="tns:TKwotowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>The price together with the tax amount (gross unit price), in the case of applying article 106e(7) and (8) of the Act</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_10" type="tns:TKwotowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Amounts of any price rebates or reductions, including in the form of an early payment rebate, unless included in the net unit price. Optional field for cases specified in article 106e(2) and (3) and (5)(1) of the Act</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_11" type="tns:TKwotowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Value of the goods supplied or services rendered, covered by the transaction, excluding the tax amount (net sales value). Optional field for cases specified in article 106e (2) and (3) and (5)(3) of the Act</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_11A" type="tns:TKwotowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Gross sales value, in the case of application of article 106e(7) and (8) of the Act</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_12" type="tns:TStawkaPodatku" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Tax rate. Optional field for cases specified in article 106e(2), (3), (4)(3) and (5)(3) of the Act</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_12_XII" type="tns:TProcentowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Value added tax rate in the case referred to in section XII in chapter 6a of the Act</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="P_12_Procedura" type="tns:TProceduraFa" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Indication of the procedure for the invoice line</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="KwotaAkcyzy" type="tns:TKwotowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>The amount of excise duty included in the price of the goods</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="GTU" type="tns:TGTU" minOccurs="0">
  <xsd:annotation>
```

	<pre> &lt;xsd:documentation&gt;Code for the supply of goods and services&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="Procedura" type="tns:TOznaczenieProcedury" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;Indications of the procedure&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KursWaluty" type="tns:Tllosci" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the Act&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>
--	--

#### element Faktura/Fa/FaWiersze/FaWiersz/NrWierszaFa


diagram													
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TNaturalny</a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minExclusive</td> <td>0</td> <td></td> </tr> <tr> <td>totalDigits</td> <td>14</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>collapse</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minExclusive	0		totalDigits	14		whiteSpace	collapse	
Kind	Value	Annotation											
minExclusive	0												
totalDigits	14												
whiteSpace	collapse												
annotation	documentation Sequential line (row) number of the invoice												
source	<pre> &lt;xsd:element name="NrWierszaFa" type="tns:TNaturalny"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;Sequential line (row) number of the invoice&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>												

#### element Faktura/Fa/FaWiersze/FaWiersz/UU\_ID


diagram							
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	restriction of <a href="#">tns:TZnakowy</a>						
properties	<table> <tbody> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple
minOcc	0						
maxOcc	1						
content	simple						

	facets	Kind minLength 1 maxLength 50	Annotation
annotation		documentation The universal unique line (row) number of the invoice	
source		<pre>&lt;xsd:element name="UU_ID" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The universal unique line (row) number of the     invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>	


#### element Faktura/Fa/FaWiersze/FaWiersz/P\_6A

	diagram	 <b>tns:P_6A</b>  The date of the delivery or completion of the delivery of goods or service or the date of receipt of the payment referred to in article 106b(1)(4) of the Act, if such date is specified and differs from the invoice issue date. The field must be completed when there are different dates for each line of the invoice												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/													
type	<u><a href="#">tns:TDataT</a></u>													
properties	<table> <tr> <td>minOcc</td> <td>0</td> <td>Annotation</td> </tr> <tr> <td>maxOcc</td> <td>1</td> <td></td> </tr> <tr> <td>content</td> <td>simple</td> <td></td> </tr> </table>		minOcc	0	Annotation	maxOcc	1		content	simple				
minOcc	0	Annotation												
maxOcc	1													
content	simple													
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minInclusive</td> <td>2006-01-01</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>2050-01-01</td> <td></td> </tr> <tr> <td>pattern</td> <td>((\d{4})-(\d{2})-(\d{2}))</td> <td></td> </tr> </table>		Kind	Value	Annotation	minInclusive	2006-01-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation												
minInclusive	2006-01-01													
maxInclusive	2050-01-01													
pattern	((\d{4})-(\d{2})-(\d{2}))													
annotation	documentation The date of the delivery or completion of the delivery of goods or service or the date of receipt of the payment referred to in article 106b(1)(4) of the Act, if such date is specified and differs from the invoice issue date. The field must be completed when there are different dates for each line of the invoice													
source	<pre>&lt;xsd:element name="P_6A" type="tns:TDataT" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The date of the delivery or completion of the delivery of goods or service     or the date of receipt of the payment referred to in article 106b(1)(4) of the Act, if such date is     specified and differs from the invoice issue date. The field must be completed when there are     different dates for each line of the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>													


### element Faktura/Fa/FaWiersze/FaWiersz/P\_7

diagram	 Name (type) of good or service. Optional field only for the case specified in article 106j(3)(2) of the Act (correction invoice)
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Name (type) of good or service. Optional field only for the case specified in article 106j(3)(2) of the Act (correction invoice)
source	<pre>&lt;xsd:element name="P_7" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Name (type) of good or service. Optional field only for the case specified in article 106j(3)(2) of the Act (correction invoice)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


### element Faktura/Fa/FaWiersze/FaWiersz/GTIN

diagram	 Global Trade Item Number
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 20
annotation	documentation Global Trade Item Number
source	<pre>&lt;xsd:element name="GTIN" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Global Trade Item Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="20"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/FaWiersze/FaWiersz/PKWiU

diagram	 Symbol of the Polish Classification of Products and Services									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	restriction of <a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>50</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
annotation	documentation Symbol of the Polish Classification of Products and Services									
source	<pre>&lt;xsd:element name="PKWiU" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Symbol of the Polish Classification of Products and Services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/FaWiersze/FaWiersz/CN

diagram	 Combined Nomenclature symbol									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	restriction of <a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>50</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
annotation	documentation Combined Nomenclature symbol									
source	<pre>&lt;xsd:element name="CN" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Combined Nomenclature symbol&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>									

	<code>&lt;/xsd:element&gt;</code>
--	-----------------------------------

#### element Faktura/Fa/FaWiersze/FaWiersz/PKOB


diagram	 <p>Symbol of the Polish Classification of Construction Objects</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	restriction of <a href="#">tns:TZnakowy</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
annotation	documentation Symbol of the Polish Classification of Construction Objects									
source	<pre>&lt;xsd:element name="PKOB" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Symbol of the Polish Classification of Construction Objects&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/FaWiersze/FaWiersz/DodatkoweInfo


diagram	 <p>A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy50</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
annotation	documentation A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice									
source	<pre>&lt;xsd:element name="DodatkoweInfo" type="tns:TZnakowy50" minOccurs="0"&gt;</pre>									

	<pre>&lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--	--

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_8A


diagram	 <p>Measure of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Measure of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act
source	<pre>&lt;xsd:element name="P_8A" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Measure of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_8B


diagram	 <p>Quantity (number) of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:Tilosci</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 22 fractionDigits 6

annotation	documentation Quantity (number) of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act
source	<pre>&lt;xsd:element name="P_8B" type="tns:Tllosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Quantity (number) of the goods supplied or the extent of the services rendered. Optional field for the case specified in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_9A

diagram	 <p>Unit price of a good or service without the tax amount (net unit price). Optional field for cases specified in article 106e(2) and (3) and (5)(3) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	documentation Unit price of a good or service without the tax amount (net unit price). Optional field for cases specified in article 106e(2) and (3) and (5)(3) of the Act									
source	<pre>&lt;xsd:element name="P_9A" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Unit price of a good or service without the tax amount (net unit price). Optional field for cases specified in article 106e(2) and (3) and (5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_9B

diagram	 <p>The price together with the tax amount (gross unit price), in the case of applying article 106e(7) and (8) of the Act</p>						
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>						
type	<a href="#">tns:TKwotowy</a>						
properties	minOcc 0 maxOcc 1 content simple						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18	
Kind	Value	Annotation					
totalDigits	18						

	fractionDigits 2
annotation	documentation The price together with the tax amount (gross unit price), in the case of applying article 106e(7) and (8) of the Act
source	<pre>&lt;xsd:element name="P_9B" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The price together with the tax amount (gross unit price), in the case of applying article 106e(7) and (8) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_10

diagram	<p><b>tns:P_10</b></p> <p>Amounts of any price rebates or reductions, including in the form of an early payment rebate, unless included in the net unit price. Optional field for cases specified in article 106e(2) and (3) and (5)(1) of the Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#">tns:TKwotowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	documentation Amounts of any price rebates or reductions, including in the form of an early payment rebate, unless included in the net unit price. Optional field for cases specified in article 106e(2) and (3) and (5)(1) of the Act									
source	<pre>&lt;xsd:element name="P_10" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Amounts of any price rebates or reductions, including in the form of an early payment rebate, unless included in the net unit price. Optional field for cases specified in article 106e(2) and (3) and (5)(1) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_11

diagram	<p><b>tns:P_11</b></p> <p>Value of the goods supplied or services rendered, covered by the transaction, excluding the tax amount (net sales value). Optional field for cases specified in article 106e (2) and (3) and (5)(3) of the Act</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>

type	<a href="#"><b>tns:TKwotowy</b></a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>Value of the goods supplied or services rendered, covered by the transaction, excluding the tax amount (net sales value). Optional field for cases specified in article 106e (2) and (3) and (5)(3) of the Act</p>									
source	<pre>&lt;xsd:element name="P_11" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value of the goods supplied or services rendered, covered by the transaction, excluding the tax amount (net sales value). Optional field for cases specified in article 106e (2) and (3) and (5)(3) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_11A

diagram	 <b>tns:P_11A</b> Gross sales value, in the case of application of article 106e(7) and (8) of the Act									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#"><b>tns:TKwotowy</b></a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>Gross sales value, in the case of application of article 106e(7) and (8) of the Act</p>									
source	<pre>&lt;xsd:element name="P_11A" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Gross sales value, in the case of application of article 106e(7) and (8) of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_12

diagram	 <b>tns:P_12</b> Tax rate. Optional field for cases specified in article 106e(2), (3), (4)(3) and (5)(3) of the Act
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<a href="#"><b>tns:TStawkaPodatku</b></a>


properties	minOcc 0 maxOcc 1 content simple	
facets	Kind Value Annotation minLength 1 maxLength 256 enumeration 23 enumeration 22 enumeration 8 enumeration 7 enumeration 5 enumeration 4 enumeration 3 enumeration 0 enumeration zw documentation enumeration oo documentation enumeration reverse charge enumeration np documentation non-taxable - transactions of supply of goods and services outside the territory of the country	
annotation	documentation Tax rate. Optional field for cases specified in article 106e(2), (3), (4)(3) and (5)(3) of the Act	
source	<xsd:element name="P_12" type="tns:TStawkaPodatku" minOccurs="0"> <xsd:annotation> <xsd:documentation>Tax rate. Optional field for cases specified in article 106e(2), (3), (4)(3) and (5)(3) of the Act</xsd:documentation> </xsd:annotation> </xsd:element>	

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_12\_XII


diagram	 Value added tax rate in the case referred to in section XII in chapter 6a of the Act
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TProcentowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minInclusive 0 maxInclusive 100 totalDigits 9 fractionDigits 6 whiteSpace collapse
annotation	documentation Value added tax rate in the case referred to in section XII in chapter 6a of the Act
source	<xsd:element name="P_12_XII" type="tns:TProcentowy" minOccurs="0"> <xsd:annotation> <xsd:documentation>Value added tax rate in the case referred to in section XII in chapter 6a of the Act</xsd:documentation>

	<pre>&lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--	---

#### element Faktura/Fa/FaWiersze/FaWiersz/P\_12\_Procedura

diagram	 <p>tns:P_12_Procedura Indication of the procedure for the invoice line</p>																														
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																														
type	<a href="#">tns:TProceduraFa</a>																														
properties	minOcc 0 maxOcc 1 content simple																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation 0% rate applied for domestic sales</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation 0% rate - intra-community delivery of goods</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation 0% rate - export of goods</td> </tr> <tr> <td>enumeration</td> <td>4</td> <td>documentation Supply of goods and services taxed outside the territory of the country</td> </tr> <tr> <td>enumeration</td> <td>5</td> <td>documentation Provision of services under article 100(1)(4) of the Act</td> </tr> <tr> <td>enumeration</td> <td>6</td> <td>documentation Goods / service listed in Annex 15</td> </tr> <tr> <td>enumeration</td> <td>7</td> <td>documentation Other domestic sales</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	documentation 0% rate applied for domestic sales	enumeration	2	documentation 0% rate - intra-community delivery of goods	enumeration	3	documentation 0% rate - export of goods	enumeration	4	documentation Supply of goods and services taxed outside the territory of the country	enumeration	5	documentation Provision of services under article 100(1)(4) of the Act	enumeration	6	documentation Goods / service listed in Annex 15	enumeration	7	documentation Other domestic sales
Kind	Value	Annotation																													
minLength	1																														
maxLength	256																														
enumeration	1	documentation 0% rate applied for domestic sales																													
enumeration	2	documentation 0% rate - intra-community delivery of goods																													
enumeration	3	documentation 0% rate - export of goods																													
enumeration	4	documentation Supply of goods and services taxed outside the territory of the country																													
enumeration	5	documentation Provision of services under article 100(1)(4) of the Act																													
enumeration	6	documentation Goods / service listed in Annex 15																													
enumeration	7	documentation Other domestic sales																													
annotation	documentation Indication of the procedure for the invoice line																														
source	<pre>&lt;xsd:element name="P_12_Procedura" type="tns:TProceduraFa" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indication of the procedure for the invoice line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>																														

#### element Faktura/Fa/FaWiersze/FaWiersz/KwotaAkcyzy

diagram	 <p>tns:KwotaAkcyzy The amount of excise duty included in the price of the goods</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									


annotation	documentation The amount of excise duty included in the price of the goods
source	<pre>&lt;xsd:element name="KwotaAkcyzy" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of excise duty included in the price of the     goods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/FaWiersze/FaWiersz/GTU


diagram	<p><b>tns:GTU</b> Code for the supply of goods and services</p>																																																
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>																																																
type	<a href="#">tns:GTU</a>																																																
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple																																										
minOcc	0																																																
maxOcc	1																																																
content	simple																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>GTU_01</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_02</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_03</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_04</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(d) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_05</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(e) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_06</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(f) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_07</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(g) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_08</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(h) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_09</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(i) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_10</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(j) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_11</td> <td>documentation Provision of services referred to in § 10(3)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_12</td> <td>documentation Provision of services referred to in § 10(3)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_13</td> <td>documentation Provision of services referred to in § 10(3)(2)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	GTU_01	documentation Delivery of the goods referred to in § 10(3)(1)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_02	documentation Delivery of the goods referred to in § 10(3)(1)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_03	documentation Delivery of the goods referred to in § 10(3)(1)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_04	documentation Delivery of the goods referred to in § 10(3)(1)(d) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_05	documentation Delivery of the goods referred to in § 10(3)(1)(e) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_06	documentation Delivery of the goods referred to in § 10(3)(1)(f) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_07	documentation Delivery of the goods referred to in § 10(3)(1)(g) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_08	documentation Delivery of the goods referred to in § 10(3)(1)(h) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_09	documentation Delivery of the goods referred to in § 10(3)(1)(i) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_10	documentation Delivery of the goods referred to in § 10(3)(1)(j) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_11	documentation Provision of services referred to in § 10(3)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_12	documentation Provision of services referred to in § 10(3)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_13	documentation Provision of services referred to in § 10(3)(2)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
Kind	Value	Annotation																																															
minLength	1																																																
maxLength	256																																																
enumeration	GTU_01	documentation Delivery of the goods referred to in § 10(3)(1)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_02	documentation Delivery of the goods referred to in § 10(3)(1)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_03	documentation Delivery of the goods referred to in § 10(3)(1)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_04	documentation Delivery of the goods referred to in § 10(3)(1)(d) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_05	documentation Delivery of the goods referred to in § 10(3)(1)(e) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_06	documentation Delivery of the goods referred to in § 10(3)(1)(f) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_07	documentation Delivery of the goods referred to in § 10(3)(1)(g) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_08	documentation Delivery of the goods referred to in § 10(3)(1)(h) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_09	documentation Delivery of the goods referred to in § 10(3)(1)(i) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_10	documentation Delivery of the goods referred to in § 10(3)(1)(j) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_11	documentation Provision of services referred to in § 10(3)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_12	documentation Provision of services referred to in § 10(3)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_13	documentation Provision of services referred to in § 10(3)(2)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															

annotation	documentation Code for the supply of goods and services
source	<pre>&lt;xsd:element name="GTU" type="tns:TGTU" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code for the supply of goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/FaWiersze/FaWiersz/Procedura

diagram																																		
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																	
type	<a href="#">tns:TOznaczenieProcedury</a>																																	
properties	minOcc 0 maxOcc 1 content simple																																	
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>WSTO_EE</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>IED</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>TT_D</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>I_42</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(8) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>I_63</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(9) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>B_SPV</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>B_SPV_DOSTAWA</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>B_MPV_PROWIZJA</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	WSTO_EE	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	IED	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	TT_D	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	I_42	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(8) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	I_63	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(9) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	B_SPV	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	B_SPV_DOSTAWA	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	B_MPV_PROWIZJA	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>
Kind	Value	Annotation																																
minLength	1																																	
maxLength	256																																	
enumeration	WSTO_EE	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																																
enumeration	IED	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																																
enumeration	TT_D	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																																
enumeration	I_42	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(8) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																																
enumeration	I_63	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(9) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																																
enumeration	B_SPV	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																																
enumeration	B_SPV_DOSTAWA	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																																
enumeration	B_MPV_PROWIZJA	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																																
annotation	documentation Indications of the procedure																																	
source	<pre>&lt;xsd:element name="Procedura" type="tns:TOznaczenieProcedury" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indications of the procedure&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>																																	

element **Faktura/Fa/FaWiersze/FaWiersz/KursWaluty**

diagram										
	The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the Act									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:Tllosci</a>									
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td><td>22</td><td></td></tr> <tr> <td>fractionDigits</td><td>6</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	22		fractionDigits	6	
Kind	Value	Annotation								
totalDigits	22									
fractionDigits	6									
annotation	<p>documentation</p> <p>The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the Act</p>									
source	<pre>&lt;xsd:element name="KursWaluty" type="tns:Tllosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

## element Faktura/Fa/Rozliczenie

diagram	<pre> classDiagram     class Rozliczenie {         &lt;&lt;Additional invoice settlements&gt;&gt;     }     class Obciazenia {         &lt;&lt;Charges&gt;&gt;     }     class Odliczenia {         &lt;&lt;Deductions&gt;&gt;     }     class DoZaplaty {         &lt;&lt;The amount due to be paid is equal to the field P_15 increased by the field SumaObciazen and decreased by the field SumaOdliczen&gt;&gt;     }     class DoRozliczenia {         &lt;&lt;Overpaid amount to be settled / returned&gt;&gt;     }      Rozliczenie "0..1" *-- "0..infinity" Obciazenia :      Rozliczenie "0..1" *-- "0..infinity" Odliczenia :      Rozliczenie "0..1" --&gt; "0..1" DoZaplaty :      DoZaplaty "0..1" --&gt; "0..1" DoRozliczenia :   </pre>						
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
properties	<table border="1"> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#">tns:Obciazenia</a> <a href="#">tns:SumaObciazen</a> <a href="#">tns:Odliczenia</a> <a href="#">tns:SumaOdliczen</a> <a href="#">tns:DoZaplaty</a> <a href="#">tns:DoRozliczenia</a>						
annotation	<p>documentation Additional invoice settlements</p>						
source	<pre> &lt;xsd:element name="Rozliczenie" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Additional invoice settlements&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Obciazenia" minOccurs="0" maxOccurs="unbounded"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Charges&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:complexType&gt;           &lt;xsd:sequence&gt;             &lt;xsd:element name="Kwota" type="tns:TKwotowy"&gt;               &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;The amount is added to the amount indicated in the field P_15&lt;/xsd:documentation&gt;               &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;             &lt;xsd:element name="Powod" type="tns:TZnakowy"&gt;               &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;Reason for the charge&lt;/xsd:documentation&gt;               &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;           &lt;/xsd:sequence&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>						

```

        </xsd:annotation>
    </xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SumaObciazen" type="tns:TKwotowy" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>The total sum of charges</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="Odliczenia" minOccurs="0" maxOccurs="unbounded">
    <xsd:annotation>
        <xsd:documentation>Deductions</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:complexType>
    <xsd:sequence>
        <xsd:element name="Kwota" type="tns:TKwotowy">
            <xsd:annotation>
                <xsd:documentation>The amount deducted from the amount shown in the field
P_15</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="Powod" type="tns:TZnakowy">
            <xsd:annotation>
                <xsd:documentation>Reason for the deduction</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
    </xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="SumaOdliczen" type="tns:TKwotowy" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>The total sum of deductions</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:choice minOccurs="0">
    <xsd:element name="DoZaplaty" type="tns:TKwotowy">
        <xsd:annotation>
            <xsd:documentation>The amount due to be paid is equal to the field P_15 increased
by the field SumaObciazen and decreased by the field SumaOdliczen</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:element name="DoRozliczenia" type="tns:TKwotowy">
        <xsd:annotation>
            <xsd:documentation>Overpaid amount to be settled / returned</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
</xsd:choice>
</xsd:sequence>
</xsd:complexType>
</xsd:element>

```

### element Faktura/Fa/Rozliczenie/Obciazenia

diagram	<pre> classDiagram     class tns:Obcienia     class tns:Kwota     class tns:Powod      tns:Obcienia "0..∞" --&gt; tns:Kwota :      tns:Obcienia --&gt; tns:Powod :      tns:Kwota &lt;&lt; The amount is added to the amount indicated in the field P_15 &gt;&gt;     tns:Powod &lt;&lt; Reason for the charge &gt;&gt;   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">tns:Kwota</a> <a href="#">tns:Powod</a>
annotation	documentation Charges
source	<pre> &lt;xsd:element name="Obcienia" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Charges&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Kwota" type="tns:TKwotowy"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The amount is added to the amount indicated in the field P_15&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Powod" type="tns:TZnakowy"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Reason for the charge&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;   </pre>

### element Faktura/Fa/Rozliczenie/Obcienia/Kwota


diagram	<pre> classDiagram     class tns:Kwota     tns:Kwota &lt;&lt; The amount is added to the amount indicated in the field P_15 &gt;&gt;   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TKwotowy</a>
properties	content simple
facets	Kind Value Annotation totalDigits 18 fractionDigits 2
annotation	documentation The amount is added to the amount indicated in the field P_15

source	<pre>&lt;xsd:element name="Kwota" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount is added to the amount indicated in the field P_15&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--------	--

#### element Faktura/Fa/Rozliczenie/Obciazenia/Powod

diagram	 Reason for the charge									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation Reason for the charge</p>									
source	<pre>&lt;xsd:element name="Powod" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Reason for the charge&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/Rozliczenie/SumaObciazen

diagram	 The total sum of charges									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	<table> <thead> <tr> <th>minOcc</th> <th>0</th> </tr> </thead> <tbody> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation The total sum of charges</p>									
source	<pre>&lt;xsd:element name="SumaObciazen" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The total sum of charges&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/Rozliczenie/Odliczenia

diagram	<pre> classDiagram     class tns:Odliczenia {         &lt;&lt;0..&gt;&gt;     }     class tns:Kwota {         &lt;&lt;The amount deducted from the amount shown in the field P_15&gt;&gt;     }     class tns:Powod {         &lt;&lt;Reason for the deduction&gt;&gt;     }      tns:Odliczenia "0..&gt;" -- "*" tns:Kwota     tns:Odliczenia "0..&gt;" -- "*" tns:Powod   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">tns:Kwota</a> <a href="#">tns:Powod</a>
annotation	<p>documentation</p> <p>Deductions</p>
source	<pre> &lt;xsd:element name="Odliczenia" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Deductions&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Kwota" type="tns:TKwotowy"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The amount deducted from the amount shown in the field P_15&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="Powod" type="tns:TZnakowy"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Reason for the deduction&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;   </pre>

### element Faktura/Fa/Rozliczenie/Odliczenia/Kwota


diagram	<pre> classDiagram     class tns:Kwota {         &lt;&lt;The amount deducted from the amount shown in the field P_15&gt;&gt;     }   </pre>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The amount deducted from the amount shown in the field P_15</p>									

source	<pre>&lt;xsd:element name="Kwota" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount deducted from the amount shown in the field P_15&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--------	--

#### element Faktura/Fa/Rozliczenie/Odliczenia/Powod

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation Reason for the deduction</p>									
source	<pre>&lt;xsd:element name="Powod" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Reason for the deduction&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element Faktura/Fa/Rozliczenie/SumaOdliczen

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	<table> <thead> <tr> <th>minOcc</th> <th>0</th> </tr> </thead> <tbody> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation The total sum of deductions</p>									
source	<pre>&lt;xsd:element name="SumaOdliczen" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The total sum of deductions&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/Rozliczenie/DoZaplaty

diagram	<p><b>tns:DoZaplaty</b></p> <p>The amount due to be paid is equal to the field P_15 increased by the field SumaObciazen and decreased by the field SumaOdliczen</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>The amount due to be paid is equal to the field P_15 increased by the field SumaObciazen and decreased by the field SumaOdliczen</p>									
source	<pre>&lt;xsd:element name="DoZaplaty" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount due to be paid is equal to the field P_15 increased by the field SumaObciazen and decreased by the field SumaOdliczen&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/Rozliczenie/DoRozliczenia

diagram	<p><b>tns:DoRozliczenia</b></p> <p>Overpaid amount to be settled / returned</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TKwotowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	2									
annotation	<p>documentation</p> <p>Overpaid amount to be settled / returned</p>									
source	<pre>&lt;xsd:element name="DoRozliczenia" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Overpaid amount to be settled / returned&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

## element Faktura/Fa/Platnosc

diagram							
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>						
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#">tns:Zaplacono</a> <a href="#">tns:DataZaplaty</a> <a href="#">tns:ZapłataCzesciowa</a> <a href="#">tns:KwotaZaplatyCzesciowej</a> <a href="#">tns:DataZaplatyCzesciowej</a>						

	<u><a href="#">tns:TerminPlatnosci</a></u> <u><a href="#">tns:TerminPlatnosciOpis</a></u> <u><a href="#">tns:FormaPlatnosci</a></u> <u><a href="#">tns:PlatnosciInna</a></u> <u><a href="#">tns:OpisPlatnosci</a></u> <u><a href="#">tns:RachunekBankowy</a></u> <u><a href="#">tns:RachunekBankowyFaktora</a></u> <u><a href="#">tns:Skonto</a></u>
annotation	documentation Terms of payment
source	<pre> &lt;xsd:element name="Platnosc" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Terms of payment&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:choice minOccurs="0"&gt;         &lt;xsd:sequence&gt;           &lt;xsd:element name="Zaplacono" type="etd:TWybor1"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Marker informing that the amount due resulting from the invoice has been paid: 1 - has been paid&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;           &lt;xsd:element name="DataZaplaty" type="tns:TData"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Payment date, if payment has been made by the time the invoice is issued&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;         &lt;/xsd:sequence&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="ZapłataCzesciowa" type="etd:TWybor1"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Marker informing that the due amount resulting from the invoice has been paid in part: 1 - has been paid in part&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:sequence maxOccurs="unbounded"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;The possibility of more than one partial payment may occur only in the case of payments made after the delivery of goods or services, and before the invoice is issued&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;           &lt;xsd:element name="KwotaZaplatyCzesciowej" type="tns:TKwotowy"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Partial payment amount&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;           &lt;xsd:element name="DataZaplatyCzesciowej" type="tns:TData"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;Date of the partial payment, if the partial payment has been made for the invoice&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;         &lt;/xsd:sequence&gt;       &lt;/xsd:sequence&gt;     &lt;/xsd:choice&gt;     &lt;xsd:sequence minOccurs="0" maxOccurs="unbounded"&gt;       &lt;xsd:element name="TerminPlatnosci" type="tns:TData"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Payment deadline&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

```

        </xsd:annotation>
    </xsd:element>
    <xsd:element name="TerminPlatnosciOpis" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Description of the payment deadline</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
</xsd:sequence>
<xsd:choice minOccurs="0">
    <xsd:element name="FormaPlatnosci" type="tns:TFormaPlatnosci">
        <xsd:annotation>
            <xsd:documentation>Payment method</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
</xsd:choice>
<xsd:sequence>
    <xsd:element name="PlatnosciInna">
        <xsd:annotation>
            <xsd:documentation>Other form of payment tag: 1 - other form of
payment</xsd:documentation>
        </xsd:annotation>
        <xsd:simpleType>
            <xsd:restriction base="etd:TWybor1">
                <xsd:enumeration value="1"/>
            </xsd:restriction>
        </xsd:simpleType>
    </xsd:element>
    <xsd:element name="OpisPlatnosci" type="tns:TZnakowy">
        <xsd:annotation>
            <xsd:documentation>Clarifying another form of payment</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
</xsd:sequence>
</xsd:choice>
<xsd:element name="RachunekBankowy" type="tns:TRachunekBankowy" minOccurs="0"
maxOccurs="unbounded">
    <xsd:annotation>
        <xsd:documentation>Bank account number</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="RachunekBankowyFaktora" type="tns:TRachunekBankowy"
minOccurs="0" maxOccurs="unbounded">
    <xsd:annotation>
        <xsd:documentation>Factor's bank account</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:element name="Skonto" minOccurs="0">
    <xsd:annotation>
        <xsd:documentation>Discount</xsd:documentation>
    </xsd:annotation>
</xsd:element>
<xsd:complexType>
    <xsd:sequence>
        <xsd:element name="WarunkiSkonta" type="tns:TZnakowy">
            <xsd:annotation>
                <xsd:documentation>Conditions that the buyer should meet to take advantage of
the discount</xsd:documentation>
            </xsd:annotation>

```

	<pre> &lt;/xsd:element&gt; &lt;xsd:element name="WysokoscSkonta" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Discount amount&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	--

#### element Faktura/Fa/Platnosc/Zaplacono

diagram	<p><b>tns:Zaplacono</b></p> <p>Marker informing that the amount due resulting from the invoice has been paid: 1 - has been paid</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>etd:TWybor1</b>
properties	content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation Marker informing that the amount due resulting from the invoice has been paid: 1 - has been paid
source	<pre> &lt;xsd:element name="Zaplacono" type="etd:TWybor1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Marker informing that the amount due resulting from the invoice has been paid: 1 - has been paid&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

#### element Faktura/Fa/Platnosc/DataZaplaty

diagram	<p><b>tns:DataZaplaty</b></p> <p>Payment date, if payment has been made by the time the invoice is issued</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>tns:TData</b>
properties	content simple
facets	Kind Value Annotation minInclusive 2016-07-01 maxInclusive 2050-01-01 pattern ((\d{4})-(\d{2})-(\d{2}))
annotation	documentation Payment date, if payment has been made by the time the invoice is issued

source	<pre>&lt;xsd:element name="DataZaplaty" type="tns:TData"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Payment date, if payment has been made by the time the invoice is issued&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--------	--


#### element Faktura/Fa/Platnosc/ZapłataCzesciowa

diagram	<p><b>tns:ZapłataCzesciowa</b></p> <p>Marker informing that the due amount resulting from the invoice has been paid in part: 1 - has been paid in part</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TWybor1</b>
properties	content simple
facets	Kind enumeration Value 1 Annotation
annotation	documentation Marker informing that the due amount resulting from the invoice has been paid in part: 1 - has been paid in part
source	<pre>&lt;xsd:element name="ZapłataCzesciowa" type="etd:TWybor1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Marker informing that the due amount resulting from the invoice has been paid in part: 1 - has been paid in part&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


#### element Faktura/Fa/Platnosc/KwotaZaplatyCzesciowej

diagram	<p><b>tns:KwotaZaplatyCzesciowej</b></p> <p>Partial payment amount</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>tns:TKwotowy</b>
properties	content simple
facets	Kind totalDigits Value 18 Annotation fractionDigits 2
annotation	documentation Partial payment amount
source	<pre>&lt;xsd:element name="KwotaZaplatyCzesciowej" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Partial payment amount&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Platnosc/DataZaplatyCzesciowej

diagram	 Date of the partial payment, if the partial payment has been made for the invoice												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TData</a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>2016-07-01</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>2050-01-01</td> <td></td> </tr> <tr> <td>pattern</td> <td>((\d{4})-(\d{2})-(\d{2}))</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2016-07-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation											
minInclusive	2016-07-01												
maxInclusive	2050-01-01												
pattern	((\d{4})-(\d{2})-(\d{2}))												
annotation	documentation Date of the partial payment, if the partial payment has been made for the invoice												
source	<pre>&lt;xsd:element name="DataZaplatyCzesciowej" type="tns:TData"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Date of the partial payment, if the partial payment has been made for the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>												

### element Faktura/Fa/Platnosc/TerminPlatnosci

diagram	 Payment deadline												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TData</a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>2016-07-01</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>2050-01-01</td> <td></td> </tr> <tr> <td>pattern</td> <td>((\d{4})-(\d{2})-(\d{2}))</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2016-07-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation											
minInclusive	2016-07-01												
maxInclusive	2050-01-01												
pattern	((\d{4})-(\d{2})-(\d{2}))												
annotation	documentation Payment deadline												
source	<pre>&lt;xsd:element name="TerminPlatnosci" type="tns:TData"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Payment deadline&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>												

### element Faktura/Fa/Platnosc/TerminPlatnosciOpis

diagram	 Description of the payment deadline
---------	---

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	<a href="#"><b>tns:TZnakowy</b></a>		
properties	minOcc 0 maxOcc 1 content simple		
facets	Kind Value Annotation minLength 1 maxLength 256		
annotation	documentation Description of the payment deadline		
source	<pre>&lt;xsd:element name="TerminPlatnosciOpis" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Description of the payment deadline&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>		

#### element **Faktura/Fa/Platnosc/FormaPlatnosci**

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><b>tns:TFormaPlatnosci</b></a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 256 enumeration 1 documentation cash enumeration 2 documentation card enumeration 3 documentation voucher enumeration 4 documentation check enumeration 5 documentation credit enumeration 6 documentation bank transfer enumeration 7 documentation mobile
annotation	documentation Payment method
source	<pre>&lt;xsd:element name="FormaPlatnosci" type="tns:TFormaPlatnosci"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Payment method&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Platnosc/Platnosclnna

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <a href="#">etd:TWybor1</a>
properties	content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation Other form of payment tag: 1 - other form of payment
source	<pre>&lt;xsd:element name="Platnosclnna"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other form of payment tag: 1 - other form of payment&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TWybor1"&gt;       &lt;xsd:enumeration value="1"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Platnosc/OpisPlatnosc

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Clarifying another form of payment
source	<pre>&lt;xsd:element name="OpisPlatnosc" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Clarifying another form of payment&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Platnosc/RachunekBankowy

diagram	<pre> classDiagram     class tns_RachunekBankowy {         tns_RachunekBankowy *--&gt; tns_NrRBPL : "Full account number in the NRB standard"         tns_RachunekBankowy *--&gt; tns_NrRBZagr : "Full foreign account number"         tns_RachunekBankowy *--&gt; tns_SWIFT : "SWIFT code"     }     class tns_RachunekWlasnyBanku     class tns_NazwaBanku     class tns_NrRBPL     class tns_NrRBZagr     class tns_SWIFT   </pre>						
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#">tns:TRachunekBankowy</a>						
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>unbounded</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	unbounded	content	complex
minOcc	0						
maxOcc	unbounded						
content	complex						
children	<a href="#">tns:NrRBPL</a> <a href="#">tns:NrRBZagr</a> <a href="#">tns:SWIFT</a> <a href="#">tns:RachunekWlasnyBanku</a> <a href="#">tns:NazwaBanku</a>						
annotation	documentation Bank account number						
source	<pre> &lt;xsd:element name="RachunekBankowy" type="tns:TRachunekBankowy" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Bank account number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;   </pre>						

### element Faktura/Fa/Platnosc/RachunekBankowyFaktora

diagram							
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#">tns:TRachunekBankowy</a>						
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>unbounded</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	unbounded	content	complex
minOcc	0						
maxOcc	unbounded						
content	complex						
children	<a href="#">tns:NrRBPL</a> <a href="#">tns:NrRBZagr</a> <a href="#">tns:SWIFT</a> <a href="#">tns:RachunekWlasnyBanku</a> <a href="#">tns:NazwaBanku</a>						
annotation	documentation Factor's bank account						
source	<pre>&lt;xsd:element name="RachunekBankowyFaktora" type="tns:TRachunekBankowy" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Factor's bank account&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>						

### element Faktura/Fa/Platnosc/Skonto

diagram							
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#">tns:WarunkiSkonta</a> <a href="#">tns:WysokoscSkonta</a>						
annotation	documentation Discount						

source	<pre> &lt;xsd:element name="Skonto" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Discount&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="WarunkiSkonta" type="tns:TZnakowy"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Conditions that the buyer should meet to take advantage of the discount&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="WysokoscSkonta" type="tns:TZnakowy"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Discount amount&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--------	---

#### element Faktura/Fa/Platnosc/Skonto/WarunkiSkonta

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation Conditions that the buyer should meet to take advantage of the discount									
source	<pre> &lt;xsd:element name="WarunkiSkonta" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Conditions that the buyer should meet to take advantage of the discount&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									


#### element Faktura/Fa/Platnosc/Skonto/WysokoscSkonta

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>

properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation Discount amount									
source	<pre>&lt;xsd:element name="WysokoscSkonta" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Discount amount&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

element Faktura/Fa/WarunkiTransakcji

diagram



namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#"><u>tns:DataZamowienia</u></a> <a href="#"><u>tns:NrUmowy</u></a> <a href="#"><u>tns:NrZamowienia</u></a> <a href="#"><u>tns:NrPartiiTowaru</u></a> <a href="#"><u>tns:WarunkiDostawy</u></a> <a href="#"><u>tns:KursUmowny</u></a> <a href="#"><u>tns:WalutaUmowna</u></a> <a href="#"><u>tns:Transport</u></a> <a href="#"><u>tns:PodmiotPosredniczacy</u></a>
annotation	documentation Transaction terms, if any
source	<pre> &lt;xsd:element name="WarunkiTransakcji" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Transaction terms, if any&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="DataZamowienia" type="tns:TData" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Date of the order or contract&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:sequence minOccurs="0"&gt;         &lt;xsd:element name="NrUmowy" type="tns:TZnakowy" minOccurs="0"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Contract number&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="NrZamowienia" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Order number&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;       &lt;/xsd:sequence&gt;       &lt;xsd:element name="NrPartiiTowaru" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Lot numbers&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="WarunkiDostawy" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Terms of delivery of goods - if there is an agreement between the parties to the transaction that specifies the terms of delivery, the so-called Incoterms&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:sequence minOccurs="0"&gt;         &lt;xsd:element name="KursUmowny" type="tns:Tilosci"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Contractual exchange rate - in cases when the invoice contains information about the exchange rate at which the amounts indicated in the invoice in PLN were converted. It does not apply to the cases referred to in article 31a of the VAT Act&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="WalutaUmowna" type="tns:currCode_Type"&gt;           &lt;xsd:annotation&gt; </pre>

`<xsd:documentation>Contractual currency - a three-letter currency code (ISO-4217) in cases where the invoice contains information about the exchange rate at which the invoice amounts were converted in PLN. It does not apply to the cases referred to in article 31a of the VAT Act</xsd:documentation>`  
`</xsd:annotation>`  
`</xsd:element>`  
`</xsd:sequence>`  
`<xsd:element name="Transport" minOccurs="0" maxOccurs="unbounded">`  
`<xsd:complexType>`  
`<xsd:sequence>`  
`<xsd:choice>`  
`<xsd:element name="RodzajTransportu" type="tns:TRodzajTransportu">`  
`<xsd:annotation>`  
`<xsd:documentation>Type of transport used in the case of a completed delivery of goods</xsd:documentation>`  
`</xsd:annotation>`  
`</xsd:element>`  
`</xsd:sequence>`  
`<xsd:element name="TransportInny">`  
`<xsd:annotation>`  
`<xsd:documentation>Other type of transport tag: 1 - other type of transport</xsd:documentation>`  
`</xsd:annotation>`  
`</xsd:element>`  
`</xsd:sequence>`  
`<xsd:restriction base="etd:TWybor1">`  
`<xsd:enumeration value="1">`  
`<xsd:annotation>`  
`<xsd:documentation>Other type of transport</xsd:documentation>`  
`</xsd:annotation>`  
`</xsd:enumeration>`  
`</xsd:restriction>`  
`</xsd:simpleType>`  
`</xsd:element>`  
`<xsd:element name="OpisInnegoTransportu" type="tns:TZnakowy50">`  
`<xsd:annotation>`  
`<xsd:documentation>Description of the other mode of transport</xsd:documentation>`  
`</xsd:annotation>`  
`</xsd:element>`  
`</xsd:sequence>`  
`</xsd:choice>`  
`<xsd:element name="Przewoznik" minOccurs="0">`  
`<xsd:complexType>`  
`<xsd:sequence>`  
`<xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot">`  
`<xsd:annotation>`  
`<xsd:documentation>Carrier identification details</xsd:documentation>`  
`</xsd:annotation>`  
`</xsd:element>`  
`<xsd:element name="AdresPrzewoznika" type="tns:TAdres">`  
`<xsd:annotation>`  
`<xsd:documentation>Carrier's address</xsd:documentation>`  
`</xsd:annotation>`  
`</xsd:element>`  
`</xsd:sequence>`  
`</xsd:complexType>`

```

        </xsd:element>
    <xsd:element name="NrZleceniaTransportu" type="tns:TZnakowy" minOccurs="0">
        <xsd:annotation>
            <xsd:documentation>Transport order number</xsd:documentation>
        </xsd:annotation>
    </xsd:element>
    <xsd:sequence>
        <xsd:choice>
            <xsd:element name="OpisLadunku" type="tns:TLadunek">
                <xsd:annotation>
                    <xsd:documentation>Type of cargo</xsd:documentation>
                </xsd:annotation>
            </xsd:element>
            <xsd:sequence>
                <xsd:element name="LadunekInny">
                    <xsd:annotation>
                        <xsd:documentation>Other cargo marker: 1 - other
cargo</xsd:documentation>
                    </xsd:annotation>
                    <xsd:simpleType>
                        <xsd:restriction base="etd:TWybor1">
                            <xsd:enumeration value="1">
                                <xsd:annotation>
                                    <xsd:documentation>Other cargo</xsd:documentation>
                                </xsd:annotation>
                            </xsd:enumeration>
                        </xsd:restriction>
                    </xsd:simpleType>
                </xsd:element>
                <xsd:element name="OpisInnegoLadunku" type="tns:TZnakowy50">
                    <xsd:annotation>
                        <xsd:documentation>Description of the other cargo</xsd:documentation>
                    </xsd:annotation>
                </xsd:element>
            </xsd:sequence>
        </xsd:choice>
        <xsd:element name="JednostkaOpakowania" type="tns:TZnakowy" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Packaging unit</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
    </xsd:sequence>
    <xsd:sequence>
        <xsd:element name="DataGodzRozpTransportu" type="etd:TDataCzas"
minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Date and time of the start of transport</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="DataGodzZakTransportu" type="etd:TDataCzas"
minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Date and time of completion of
transport</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
    </xsd:sequence>


```

```

<xsd:element name="WysylkaZ" type="tns:TAdres">
  <xsd:annotation>
    <xsd:documentation>Shipping address</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="WysylkaPrzez" type="tns:TAdres" minOccurs="0"
maxOccurs="unbounded">
  <xsd:annotation>
    <xsd:documentation>Intermediate shipping address</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="WysylkaDo" type="tns:TAdres">
  <xsd:annotation>
    <xsd:documentation>Address of the destination to which the transport was
ordered</xsd:documentation>
  </xsd:annotation>
</xsd:element>
</xsd:sequence>
</xsd:sequence>
</xsd:complexType>
</xsd:element>
<xsd:element name="PodmiotPosredniczacy" type="etd:TWybor1" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>The value "1" means the delivery made by the entity referred to in
article 22(2)(d) of the VAT Act. The field applies to a situation in which the entity participates in a
chain transaction other than the simplified tripartite procedure referred to in article 135(1)(4) of the
VAT Act</xsd:documentation>
  </xsd:annotation>
</xsd:element>
</xsd:sequence>
</xsd:complexType>
</xsd:element>


```

#### element Faktura/Fa/WarunkiTransakcji/DataZamowienia


diagram													
	Date of the order or contract												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TData</a>												
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	minOcc	0	maxOcc	1	content	simple						
minOcc	0												
maxOcc	1												
content	simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td><td>2016-07-01</td><td></td></tr> <tr> <td>maxInclusive</td><td>2050-01-01</td><td></td></tr> <tr> <td>pattern</td><td>((\d{4})-(\d{2})-(\d{2}))</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2016-07-01		maxInclusive	2050-01-01		pattern	((\d{4})-(\d{2})-(\d{2}))	
Kind	Value	Annotation											
minInclusive	2016-07-01												
maxInclusive	2050-01-01												
pattern	((\d{4})-(\d{2})-(\d{2}))												
annotation	<p>documentation Date of the order or contract</p>												
source	<pre> &lt;xsd:element name="DataZamowienia" type="tns:TData" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Date of the order or contract&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; </pre>												

	<code>&lt;/xsd:element&gt;</code>
--	-----------------------------------


#### element Faktura/Fa/WarunkiTransakcji/NrUmowy

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation Contract number</p>									
source	<pre>&lt;xsd:element name="NrUmowy" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Contract number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									


#### element Faktura/Fa/WarunkiTransakcji/NrZamowienia

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>unbounded</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	unbounded	content	simple			
minOcc	0									
maxOcc	unbounded									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation Order number</p>									
source	<pre>&lt;xsd:element name="NrZamowienia" type="tns:TZnakowy" minOccurs="0"   maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Order number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/WarunkiTransakcji/NrPartiiTowaru

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>unbounded</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	unbounded	content	simple			
minOcc	0									
maxOcc	unbounded									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation Lot numbers</p>									
source	<pre>&lt;xsd:element name="NrPartiiTowaru" type="tns:TZnakowy" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Lot numbers&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/WarunkiTransakcji/WarunkiDostawy

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation Terms of delivery of goods - if there is an agreement between the parties to the transaction that specifies the terms of delivery, the so-called Incoterms</p>									
source	<pre>&lt;xsd:element name="WarunkiDostawy" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Terms of delivery of goods - if there is an agreement between the parties to the transaction that specifies the terms of delivery, the so-called Incoterms&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/WarunkiTransakcji/KursUmowny

diagram	<pre><code>≡ tns:KursUmowny</code></pre> <p>Contractual exchange rate - in cases when the invoice contains information about the exchange rate at which the amounts indicated in the invoice in PLN were converted. It does not apply to the cases referred to in article 31a of the VAT Act</p>									
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<a href="#"><u>tns:Tllosci</u></a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>22</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	22		fractionDigits	6	
Kind	Value	Annotation								
totalDigits	22									
fractionDigits	6									
annotation	<p>documentation</p> <p>Contractual exchange rate - in cases when the invoice contains information about the exchange rate at which the amounts indicated in the invoice in PLN were converted. It does not apply to the cases referred to in article 31a of the VAT Act</p>									
source	<pre><code>&lt;xsd:element name="KursUmowny" type="tns:Tllosci"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Contractual exchange rate - in cases when the invoice contains information about the exchange rate at which the amounts indicated in the invoice in PLN were converted. It does not apply to the cases referred to in article 31a of the VAT Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</code></pre>									

### element Faktura/Fa/WarunkiTransakcji/WalutaUmowna

diagram	<pre><code>≡ tns:WalutaUmowna</code></pre> <p>Contractual currency - a three-letter currency code (ISO-4217) in cases where the invoice contains information about the exchange rate at which the invoice amounts were converted in PLN. It does not apply to the cases referred to in article 31a of the VAT Act</p>																		
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>																		
type	<a href="#"><u>tns:currCode_Type</u></a>																		
properties	content simple																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AED</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AFN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ALL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AMD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ANG</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AED		enumeration	AFN		enumeration	ALL		enumeration	AMD		enumeration	ANG	
Kind	Value	Annotation																	
enumeration	AED																		
enumeration	AFN																		
enumeration	ALL																		
enumeration	AMD																		
enumeration	ANG																		

	enumeration	AOA
	enumeration	ARS
	enumeration	AUD
	enumeration	AWG
	enumeration	AZN
	enumeration	BAM
	enumeration	BBD
	enumeration	BDT
	enumeration	BGN
	enumeration	BHD
	enumeration	BIF
	enumeration	BMD
	enumeration	BND
	enumeration	BOB
	enumeration	BOV
	enumeration	BRL
	enumeration	BSD
	enumeration	BTN
	enumeration	BWP
	enumeration	BYN
	enumeration	BYR
	enumeration	BZD
	enumeration	CAD
	enumeration	CDF
	enumeration	CHE
	enumeration	CHF
	enumeration	CHW
	enumeration	CLF
	enumeration	CLP
	enumeration	CNY
	enumeration	COP
	enumeration	COU
	enumeration	CRC
	enumeration	CUC
	enumeration	CUP
	enumeration	CVE
	enumeration	CZK
	enumeration	DJF
	enumeration	DKK
	enumeration	DOP
	enumeration	DZD
	enumeration	EEK
	enumeration	EGP
	enumeration	ERN
	enumeration	ETB
	enumeration	EUR

	enumeration	FJD
	enumeration	FKP
	enumeration	GBP
	enumeration	GEL
	enumeration	GHS
	enumeration	GIP
	enumeration	GMD
	enumeration	GNF
	enumeration	GTQ
	enumeration	GWP
	enumeration	GYD
	enumeration	HKD
	enumeration	HNL
	enumeration	HRK
	enumeration	HTG
	enumeration	HUF
	enumeration	IDR
	enumeration	ILS
	enumeration	INR
	enumeration	IQD
	enumeration	IRR
	enumeration	ISK
	enumeration	JMD
	enumeration	JOD
	enumeration	JPY
	enumeration	KES
	enumeration	KGS
	enumeration	KHR
	enumeration	KMF
	enumeration	KPW
	enumeration	KRW
	enumeration	KWD
	enumeration	KYD
	enumeration	KZT
	enumeration	LAK
	enumeration	LBP
	enumeration	LKR
	enumeration	LRD
	enumeration	LSL
	enumeration	LTL
	enumeration	LVL
	enumeration	LYD
	enumeration	MAD
	enumeration	MDL
	enumeration	MGA
	enumeration	MKD


	enumeration	MMK
	enumeration	MNT
	enumeration	MOP
	enumeration	MRO
	enumeration	MRU
	enumeration	MTL
	enumeration	MUR
	enumeration	MVR
	enumeration	MWK
	enumeration	MXN
	enumeration	MXV
	enumeration	MYR
	enumeration	MZN
	enumeration	NAD
	enumeration	NGN
	enumeration	NIO
	enumeration	NOK
	enumeration	NPR
	enumeration	NZD
	enumeration	OMR
	enumeration	PAB
	enumeration	PEN
	enumeration	PGK
	enumeration	PHP
	enumeration	PKR
	enumeration	PLN
	enumeration	PYG
	enumeration	QAR
	enumeration	RON
	enumeration	RSD
	enumeration	RUB
	enumeration	RWF
	enumeration	SAR
	enumeration	SBD
	enumeration	SCR
	enumeration	SDG
	enumeration	SEK
	enumeration	SGD
	enumeration	SHP
	enumeration	SLL
	enumeration	SOS
	enumeration	SRD
	enumeration	SSP
	enumeration	STD
	enumeration	STN
	enumeration	SVC

	enumeration	SYP
	enumeration	SZL
	enumeration	THB
	enumeration	TJS
	enumeration	TMT
	enumeration	TND
	enumeration	TOP
	enumeration	TRY
	enumeration	TTD
	enumeration	TWD
	enumeration	TZS
	enumeration	UAH
	enumeration	UGX
	enumeration	USD
	enumeration	USN
	enumeration	USS
	enumeration	UYI
	enumeration	UYU
	enumeration	UYW
	enumeration	UZS
	enumeration	VEF
	enumeration	VES
	enumeration	VND
	enumeration	VUV
	enumeration	WST
	enumeration	XAF
	enumeration	XAG
	enumeration	XAU
	enumeration	XBA
	enumeration	XBB
	enumeration	XBC
	enumeration	XBD
	enumeration	XCD
	enumeration	XDR
	enumeration	XFU
	enumeration	XOF
	enumeration	XPD
	enumeration	XPF
	enumeration	XPT
	enumeration	XSU
	enumeration	XUA
	enumeration	XXX
	enumeration	YER
	enumeration	ZAR
	enumeration	ZMW
	enumeration	ZWL

annotation	documentation Contractual currency - a three-letter currency code (ISO-4217) in cases where the invoice contains information about the exchange rate at which the invoice amounts were converted in PLN. It does not apply to the cases referred to in article 31a of the VAT Act
source	<xsd:element name="WalutaUmowna" type="tns:currCode_Type"> <xsd:annotation> <xsd:documentation>Contractual currency - a three-letter currency code (ISO-4217) in cases where the invoice contains information about the exchange rate at which the invoice amounts were converted in PLN. It does not apply to the cases referred to in article 31a of the VAT Act</xsd:documentation> </xsd:annotation> </xsd:element>

element Faktura/Fa/WarunkiTransakcji/Transport

diagram



namespace <http://ksef.mf.gov.pl/wzor/2021/08/05/08052/>

properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#"><b>tns:RodzajTransportu</b></a> <a href="#"><b>tns:TransportInny</b></a> <a href="#"><b>tns:OpisInnegoTransportu</b></a> <a href="#"><b>tns:Przewoznik</b></a> <a href="#"><b>tns:NrZleceniaTransportu</b></a> <a href="#"><b>tns:OpisLadunku</b></a> <a href="#"><b>tns:LadunekInny</b></a> <a href="#"><b>tns:OpisInnegoLadunku</b></a> <a href="#"><b>tns:JednostkaOpakowania</b></a> <a href="#"><b>tns:DataGodzRzpTransportu</b></a> <a href="#"><b>tns:DataGodzZakTransportu</b></a> <a href="#"><b>tns:WysylkaZ</b></a> <a href="#"><b>tns:WysylkaPrzez</b></a> <a href="#"><b>tns:WysylkaDo</b></a>
source	<pre> &lt;xsd:element name="Transport" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:choice&gt;         &lt;xsd:element name="RodzajTransportu" type="tns:TRodzajTransportu"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Type of transport used in the case of a completed delivery of goods&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="TransportInny"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Other type of transport tag: 1 - other type of transport&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;xsd:simpleType&gt;           &lt;xsd:restriction base="etd:TWybor1"&gt;             &lt;xsd:enumeration value="1"&gt;               &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;Other type of transport&lt;/xsd:documentation&gt;               &lt;/xsd:annotation&gt;             &lt;/xsd:enumeration&gt;           &lt;/xsd:restriction&gt;         &lt;/xsd:simpleType&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="OpisInnegoTransportu" type="tns:TZnakowy50"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Description of the other mode of transport&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:choice&gt;   &lt;xsd:element name="Przewoznik" minOccurs="0"&gt;     &lt;xsd:complexType&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="DaneIdentyfikacyjne" type="tns:TPodmiot"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Carrier identification details&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="AdresPrzewoznika" type="tns:TAdres"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Carrier's address&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;       &lt;/xsd:sequence&gt;     &lt;/xsd:complexType&gt;   &lt;/xsd:element&gt; </pre>

```

<xsd:element name="NrZleceniaTransportu" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Transport order number</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:sequence>
  <xsd:choice>
    <xsd:element name="OpisLadunku" type="tns:TLadunek">
      <xsd:annotation>
        <xsd:documentation>Type of cargo</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
    <xsd:sequence>
      <xsd:element name="LadunekInny">
        <xsd:annotation>
          <xsd:documentation>Other cargo marker: 1 - other cargo</xsd:documentation>
        </xsd:annotation>
        <xsd:simpleType>
          <xsd:restriction base="etd:TWybor1">
            <xsd:enumeration value="1">
              <xsd:annotation>
                <xsd:documentation>Other cargo</xsd:documentation>
              </xsd:annotation>
            </xsd:enumeration>
          </xsd:restriction>
        </xsd:simpleType>
      </xsd:element>
    </xsd:sequence>
    <xsd:element name="OpisInnegoLadunku" type="tns:TZnakowy50">
      <xsd:annotation>
        <xsd:documentation>Description of the other cargo</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
  </xsd:sequence>
</xsd:choice>
<xsd:element name="JednostkaOpakowania" type="tns:TZnakowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Packaging unit</xsd:documentation>
  </xsd:annotation>
</xsd:element>
</xsd:sequence>
<xsd:sequence>
  <xsd:element name="DataGodzRozpTransportu" type="etd:TDataCzas" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>Date and time of the start of transport</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="DataGodzZakTransportu" type="etd:TDataCzas" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>Date and time of completion of transport</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
  <xsd:element name="WysylkaZ" type="tns:TAdres">
    <xsd:annotation>
      <xsd:documentation>Shipping address</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
</xsd:sequence>

```

	<pre> &lt;xsd:element name="WysylkaPrzez" type="tns:TAdres" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Intermediate shipping address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="WysylkaDo" type="tns:TAdres"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Address of the destination to which the transport was ordered&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

#### element Faktura/Fa/WarunkiTransakcji/Transport/RodzajTransportu

diagram																																									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																								
type	<a href="#">tns:TRodzajTransportu</a>																																								
properties	content simple																																								
facets	<table> <thead> <tr> <th></th> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td></td> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td></td> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td></td> <td>enumeration</td> <td>1</td> <td>documentation Sea transport</td> </tr> <tr> <td></td> <td>enumeration</td> <td>2</td> <td>documentation Rail transport</td> </tr> <tr> <td></td> <td>enumeration</td> <td>3</td> <td>documentation Road transport</td> </tr> <tr> <td></td> <td>enumeration</td> <td>4</td> <td>documentation Air transport</td> </tr> <tr> <td></td> <td>enumeration</td> <td>5</td> <td>documentation Postal consignment</td> </tr> <tr> <td></td> <td>enumeration</td> <td>7</td> <td>documentation Fixed transport installations</td> </tr> <tr> <td></td> <td>enumeration</td> <td>8</td> <td>documentation Inland waterway transport</td> </tr> </tbody> </table>		Kind	Value	Annotation		minLength	1			maxLength	1			enumeration	1	documentation Sea transport		enumeration	2	documentation Rail transport		enumeration	3	documentation Road transport		enumeration	4	documentation Air transport		enumeration	5	documentation Postal consignment		enumeration	7	documentation Fixed transport installations		enumeration	8	documentation Inland waterway transport
	Kind	Value	Annotation																																						
	minLength	1																																							
	maxLength	1																																							
	enumeration	1	documentation Sea transport																																						
	enumeration	2	documentation Rail transport																																						
	enumeration	3	documentation Road transport																																						
	enumeration	4	documentation Air transport																																						
	enumeration	5	documentation Postal consignment																																						
	enumeration	7	documentation Fixed transport installations																																						
	enumeration	8	documentation Inland waterway transport																																						
annotation	<p>documentation Type of transport used in the case of a completed delivery of goods</p>																																								
source	<pre> &lt;xsd:element name="RodzajTransportu" type="tns:TRodzajTransportu"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Type of transport used in the case of a completed delivery of goods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>																																								

### element Faktura/Fa/WarunkiTransakcji/Transport/TransportInny

diagram	<p>Other type of transport tag: 1 - other type of transport</p>						
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	restriction of <a href="#">etd:TWybor1</a>						
properties	content simple						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td>documentation Other type of transport</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1	documentation Other type of transport
Kind	Value	Annotation					
enumeration	1	documentation Other type of transport					
annotation	<p>documentation Other type of transport tag: 1 - other type of transport</p>						
source	<pre>&lt;xsd:element name="TransportInny"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other type of transport tag: 1 - other type of transport&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TWybor1"&gt;       &lt;xsd:enumeration value="1"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Other type of transport&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>						

### element Faktura/Fa/WarunkiTransakcji/Transport/OpisInnegoTransportu

diagram	<p>Description of the other mode of transport</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy50</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
annotation	<p>documentation Description of the other mode of transport</p>									
source	<pre>&lt;xsd:element name="OpisInnegoTransportu" type="tns:TZnakowy50"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Description of the other mode of transport&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

### element Faktura/Fa/WarunkiTransakcji/Transport/Przewoznik

diagram	<pre> classDiagram     class Przewoznik {         &lt;&lt;tns:Przewoznik&gt;&gt;     }     class Danedentyfikacyjne {         &lt;&lt;tns:Danedentyfikacyjne&gt;&gt;     }     class AdresPrzewoznika {         &lt;&lt;tns:AdresPrzewoznika&gt;&gt;     }      Przewoznik "0..1" *--&gt; Danedentyfikacyjne :      Przewoznik "0..1" *--&gt; AdresPrzewoznika :     </pre> <p>The diagram illustrates the structure of the <code>Przewoznik</code> element. It is a composite element represented by a rounded rectangle with a dashed border. Inside, there are two associations pointing to other elements: <code>Danedentyfikacyjne</code> and <code>AdresPrzewoznika</code>. Both associations are marked with a multiplicity of "0..1" and an asterisk (*) at the source end, indicating they can appear zero or one time.</p>						
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>						
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>complex</td></tr> </table>	minOcc	0	maxOcc	1	content	complex
minOcc	0						
maxOcc	1						
content	complex						
children	<a href="#">tns:Danedentyfikacyjne</a> <a href="#">tns:AdresPrzewoznika</a>						
source	<pre> &lt;xsd:element name="Przewoznik" minOccurs="0"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="Danedentyfikacyjne" type="tns:TPodmiot"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Carrier identification details&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="AdresPrzewoznika" type="tns:TAdres"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Carrier's address&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>						

element Faktura/Fa/WarunkiTransakcji/Transport/Przewoznik/Daneldentyfikacyjne

diagram	<pre> classDiagram     class tns:TPodmiot     class tns:Daneldentyfikacyjne {         &lt;&lt;Carrier identification details&gt;&gt;         &lt;&lt;Optional data for the cases referred to in article 106e(5)(3) of the Act&gt;&gt;     }     class tns:NIP     class tns:NrID     class tns:BrakID     class tns:ImiePierwsze     class tns:Nazwisko     class tns:PernaNazwa     class tns:NazwaHandlowa     tns:TPodmiot &lt; -- tns:Daneldentyfikacyjne     tns:Daneldentyfikacyjne --&gt; tns:NIP     tns:Daneldentyfikacyjne --&gt; tns:NrID     tns:Daneldentyfikacyjnej --&gt; tns:BrakID     tns:Daneldentyfikacyjne --&gt; tns:ImiePierwsze     tns:Daneldentyfikacyjne --&gt; tns:Nazwisko     tns:Daneldentyfikacyjne --&gt; tns:PernaNazwa     tns:Daneldentyfikacyjne --&gt; tns:NazwaHandlowa   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TPodmiot</a>
properties	content complex
children	<a href="#">tns:NIP</a> <a href="#">tns:NrID</a> <a href="#">tns:BrakID</a> <a href="#">tns:ImiePierwsze</a> <a href="#">tns:Nazwisko</a> <a href="#">tns:PernaNazwa</a> <a href="#">tns:NazwaHandlowa</a>
annotation	documentation Carrier identification details
source	<pre> &lt;xsd:element name="Daneldentyfikacyjne" type="tns:TPodmiot"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Carrier identification details&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

### element Faktura/Fa/WarunkiTransakcji/Transport/Przewoznik/AdresPrzewoznika

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TAdres</a>
properties	content complex
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a> <a href="#">tns:GLN</a>
annotation	documentation Carrier's address
source	<pre>&lt;xsd:element name="AdresPrzewoznika" type="tns:TAdres"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Carrier's address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/WarunkiTransakcji/Transport/NrZleceniaTransportu

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1

	maxLength 256
annotation	documentation Transport order number
source	<pre>&lt;xsd:element name="NrZleceniaTransportu" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Transport order number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/WarunkiTransakcji/Transport/OpisLadunku

diagram	 Type of cargo																																																																																												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																																																																												
type	<a href="#">tns:TLadunek</a>																																																																																												
properties	content simple																																																																																												
facets	<table> <thead> <tr> <th></th> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td></td><td>minLength</td><td>1</td><td></td></tr> <tr> <td></td><td>maxLength</td><td>2</td><td></td></tr> <tr> <td></td><td>enumeration</td><td>1</td><td>documentation Churn</td></tr> <tr> <td></td><td>enumeration</td><td>2</td><td>documentation Barrel</td></tr> <tr> <td></td><td>enumeration</td><td>3</td><td>documentation Cylinder</td></tr> <tr> <td></td><td>enumeration</td><td>4</td><td>documentation Carton</td></tr> <tr> <td></td><td>enumeration</td><td>5</td><td>documentation Canister</td></tr> <tr> <td></td><td>enumeration</td><td>6</td><td>documentation Cage</td></tr> <tr> <td></td><td>enumeration</td><td>7</td><td>documentation Container</td></tr> <tr> <td></td><td>enumeration</td><td>8</td><td>documentation Basket</td></tr> <tr> <td></td><td>enumeration</td><td>9</td><td>documentation Punnet</td></tr> <tr> <td></td><td>enumeration</td><td>10</td><td>documentation Collective packaging</td></tr> <tr> <td></td><td>enumeration</td><td>11</td><td>documentation Pack</td></tr> <tr> <td></td><td>enumeration</td><td>12</td><td>documentation Package</td></tr> <tr> <td></td><td>enumeration</td><td>13</td><td>documentation Palette</td></tr> <tr> <td></td><td>enumeration</td><td>14</td><td>documentation Container</td></tr> <tr> <td></td><td>enumeration</td><td>15</td><td>documentation Container for solid bulk cargo</td></tr> <tr> <td></td><td>enumeration</td><td>16</td><td>documentation Container for bulk cargo in liquid form</td></tr> <tr> <td></td><td>enumeration</td><td>17</td><td>documentation Box</td></tr> <tr> <td></td><td>enumeration</td><td>18</td><td>documentation Can</td></tr> <tr> <td></td><td>enumeration</td><td>19</td><td>documentation Chest</td></tr> <tr> <td></td><td>enumeration</td><td>20</td><td>documentation Bag</td></tr> </tbody> </table>		Kind	Value	Annotation		minLength	1			maxLength	2			enumeration	1	documentation Churn		enumeration	2	documentation Barrel		enumeration	3	documentation Cylinder		enumeration	4	documentation Carton		enumeration	5	documentation Canister		enumeration	6	documentation Cage		enumeration	7	documentation Container		enumeration	8	documentation Basket		enumeration	9	documentation Punnet		enumeration	10	documentation Collective packaging		enumeration	11	documentation Pack		enumeration	12	documentation Package		enumeration	13	documentation Palette		enumeration	14	documentation Container		enumeration	15	documentation Container for solid bulk cargo		enumeration	16	documentation Container for bulk cargo in liquid form		enumeration	17	documentation Box		enumeration	18	documentation Can		enumeration	19	documentation Chest		enumeration	20	documentation Bag
	Kind	Value	Annotation																																																																																										
	minLength	1																																																																																											
	maxLength	2																																																																																											
	enumeration	1	documentation Churn																																																																																										
	enumeration	2	documentation Barrel																																																																																										
	enumeration	3	documentation Cylinder																																																																																										
	enumeration	4	documentation Carton																																																																																										
	enumeration	5	documentation Canister																																																																																										
	enumeration	6	documentation Cage																																																																																										
	enumeration	7	documentation Container																																																																																										
	enumeration	8	documentation Basket																																																																																										
	enumeration	9	documentation Punnet																																																																																										
	enumeration	10	documentation Collective packaging																																																																																										
	enumeration	11	documentation Pack																																																																																										
	enumeration	12	documentation Package																																																																																										
	enumeration	13	documentation Palette																																																																																										
	enumeration	14	documentation Container																																																																																										
	enumeration	15	documentation Container for solid bulk cargo																																																																																										
	enumeration	16	documentation Container for bulk cargo in liquid form																																																																																										
	enumeration	17	documentation Box																																																																																										
	enumeration	18	documentation Can																																																																																										
	enumeration	19	documentation Chest																																																																																										
	enumeration	20	documentation Bag																																																																																										

annotation	documentation Type of cargo
source	<pre>&lt;xsd:element name="OpisLadunku" type="tns:TLadunek"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Type of cargo&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/WarunkiTransakcji/Transport/LadunekInny


diagram							
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	restriction of <a href="#">etd:TWybor1</a>						
properties	content simple						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td>documentation Other cargo</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1	documentation Other cargo
Kind	Value	Annotation					
enumeration	1	documentation Other cargo					
annotation	documentation Other cargo marker: 1 - other cargo						
source	<pre>&lt;xsd:element name="LadunekInny"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other cargo marker: 1 - other cargo&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TWybor1"&gt;       &lt;xsd:enumeration value="1"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Other cargo&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:enumeration&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>						

#### element Faktura/Fa/WarunkiTransakcji/Transport/OpisInnegoLadunku


diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy50</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
annotation	documentation Description of the other cargo									

source	<pre>&lt;xsd:element name="OpisInnegoLadunku" type="tns:TZnakowy50"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Description of the other cargo&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--------	---

#### element Faktura/Fa/WarunkiTransakcji/Transport/JednostkaOpakowania

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Packaging unit
source	<pre>&lt;xsd:element name="JednostkaOpakowania" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Packaging unit&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


#### element Faktura/Fa/WarunkiTransakcji/Transport/DataGodzRozpTransportu

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">etd:TDataCzas</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation whiteSpace collapse
annotation	documentation Date and time of the start of transport
source	<pre>&lt;xsd:element name="DataGodzRozpTransportu" type="etd:TDataCzas" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Date and time of the start of transport&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

element **Faktura/Fa/WarunkiTransakcji/Transport/DataGodzZakTransportu**

diagram	
	Date and time of completion of transport
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TDataCzas</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation whiteSpace collapse
annotation	documentation Date and time of completion of transport
source	<pre>&lt;xsd:element name="DataGodzZakTransportu" type="etd:TDataCzas" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Date and time of completion of transport&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

element **Faktura/Fa/WarunkiTransakcji/Transport/WysylkaZ**

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>tns:TAdres</b>
properties	content complex
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztywy</a> <a href="#">tns:GLN</a>

annotation	documentation Shipping address
source	<pre>&lt;xsd:element name="WysylkaZ" type="tns:TAdres"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Shipping address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

element **Faktura/Fa/WarunkiTransakcji/Transport/WysylkaPrzez**

diagram							
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#"><u>tns:TAdres</u></a>						
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>unbounded</td> </tr> <tr> <td>content</td> <td>complex</td> </tr> </table>	minOcc	0	maxOcc	unbounded	content	complex
minOcc	0						
maxOcc	unbounded						
content	complex						
children	<a href="#"><u>tns:KodKraju</u></a> <a href="#"><u>tns:Miejscowosc</u></a> <a href="#"><u>tns:Ulica</u></a> <a href="#"><u>tns:NrDomu</u></a> <a href="#"><u>tns:NrLokalu</u></a> <a href="#"><u>tns:KodPocztowy</u></a> <a href="#"><u>tns:GLN</u></a>						
annotation	documentation Intermediate shipping address						
source	<pre>&lt;xsd:element name="WysylkaPrzez" type="tns:TAdres" minOccurs="0" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Intermediate shipping address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>						

### element Faktura/Fa/WarunkiTransakcji/Transport/WysylkaDo

diagram	<pre> classDiagram     class tns_WysylkaDo     class tns_TAdres {         tns_KodKraju         tns_Miejscowosc         tns_Ulica         tns_NrDomu         tns_NrLokalu         tns_KodPocztowy         tns_GLN     }     tns_WysylkaDo "1" -- "1" tns_TAdres     note over tns_WysylkaDo: Address of the destination to which the transport was ordered   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TAdres</a>
properties	content complex
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a> <a href="#">tns:GLN</a>
annotation	documentation Address of the destination to which the transport was ordered
source	<pre> &lt;xsd:element name="WysylkaDo" type="tns:TAdres"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Address of the destination to which the transport was ordered&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;   </pre>

### element Faktura/Fa/WarunkiTransakcji/PodmiotPosredniczacy

diagram	<pre> classDiagram     class tns_PodmiotPosredniczacy {         note : The value "1" means the delivery made by the entity referred to in article 22(2)(d) of the VAT Act. The field applies to a situation in which the entity participates in a chain transaction other than the simplified tripartite procedure referred to in article 135(1)(4) of the VAT Act     }   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/

type	<b>etd:TWybor1</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation The value "1" means the delivery made by the entity referred to in article 22(2)(d) of the VAT Act. The field applies to a situation in which the entity participates in a chain transaction other than the simplified tripartite procedure referred to in article 135(1)(4) of the VAT Act
source	<pre>&lt;xsd:element name="PodmiotPosredniczacy" type="etd:TWybor1" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The value "1" means the delivery made by the entity referred to in article 22(2)(d) of the VAT Act. The field applies to a situation in which the entity participates in a chain transaction other than the simplified tripartite procedure referred to in article 135(1)(4) of the VAT Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element Faktura/Fa/Zamowienie

diagram	<pre> classDiagram     class tns_Zamowienie {         &lt;&lt;The order or contract referred to in article 106f(1)(4) of the Act (for advance invoices) in the currency in which the advance invoice was issued. In the case of an invoice correcting the advance invoice, the differences resulting from the correction of individual items of the order or contract or the reversal of individual corrected items of the order or contract and the correct values of the corrected items should be presented as separate lines if the correction concerns the value of the order. In the case of correcting invoices, advance invoices, if the correction does not apply to the value of the order and at the same time changes the amount of the tax base or tax, you should enter an entry canceling a given line according to the state before the correction and an entry restoring the value of the order to confirm that its value has not changed&gt;&gt;     }     class tns_LiczbaWierszyZamowienia {         &lt;&lt;The number of lines for the order or contract&gt;&gt;     }     class tns_WartoscZamowienia {         &lt;&lt;Value of the order or contract, including the tax amount&gt;&gt;     }     class tns_ZamowienieWiersz {         &lt;&lt;Detailed items of the order or contract in the currency in which the advance invoice was issued&gt;&gt;     }      tns_Zamowienie &lt; -- tns_LiczbaWierszyZamowienia     tns_Zamowienie &lt; -- tns_WartoscZamowienia     tns_Zamowienie *-- tns_ZamowienieWiersz : 1..infinity   </pre>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	minOcc 0 maxOcc 1 content complex

children	<u><a href="#">tns:LiczbaWierszyZamowienia</a></u> <u><a href="#">tns:WartoscZamowienia</a></u> <u><a href="#">tns:ZamowienieWiersz</a></u>
annotation	<p>documentation</p> <p>The order or contract referred to in article 106f(1)(4) of the Act (for advance invoices) in the currency in which the advance invoice was issued. In the case of an invoice correcting the advance invoice, the differences resulting from the correction of individual items of the order or contract or the reversal of individual corrected items of the order or contract and the correct values of the corrected items should be presented as separate lines if the correction concerns the value of the order. In the case of correcting invoices, advance invoices, if the correction does not apply to the value of the order and at the same time changes the amount of the tax base or tax, you should enter an entry canceling a given line according to the state before the correction and an entry restoring the value of the order to confirm that its value has not changed</p>
source	<pre>&lt;xsd:element name="Zamowienie" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The order or contract referred to in article 106f(1)(4) of the Act (for advance invoices) in the currency in which the advance invoice was issued. In the case of an invoice correcting the advance invoice, the differences resulting from the correction of individual items of the order or contract or the reversal of individual corrected items of the order or contract and the correct values of the corrected items should be presented as separate lines if the correction concerns the value of the order. In the case of correcting invoices, advance invoices, if the correction does not apply to the value of the order and at the same time changes the amount of the tax base or tax, you should enter an entry canceling a given line according to the state before the correction and an entry restoring the value of the order to confirm that its value has not changed&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="LiczbaWierszyZamowienia" type="tns:TNaturalny"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The number of lines for the order or contract&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="WartoscZamowienia" type="tns:TKwotowy"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Value of the order or contract, including the tax amount&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="ZamowienieWiersz" maxOccurs="unbounded"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Detailed items of the order or contract in the currency in which the advance invoice was issued&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:complexType&gt;           &lt;xsd:sequence&gt;             &lt;xsd:element name="NrWierszaZam" type="tns:TNaturalny"&gt;               &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;Sequential order or contract line number&lt;/xsd:documentation&gt;               &lt;/xsd:annotation&gt;             &lt;/xsd:element&gt;             &lt;xsd:element name="UU_IDZ" minOccurs="0"&gt;               &lt;xsd:annotation&gt;                 &lt;xsd:documentation&gt;The universal unique number for the order or contract line&lt;/xsd:documentation&gt;               &lt;/xsd:annotation&gt;               &lt;xsd:simpleType&gt;                 &lt;xsd:restriction base="tns:TZnakowy"&gt;                   &lt;xsd:maxLength value="50"/&gt;                 &lt;/xsd:restriction&gt;               &lt;/xsd:simpleType&gt;             &lt;/xsd:element&gt;           &lt;/xsd:sequence&gt;         &lt;/xsd:complexType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

	<pre> &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_7Z" type="tns:TZnakowy" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Name (type) of good or service&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="GTINZ" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Global Trade Item Number&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;         &lt;xsd:maxLength value="20"/&gt;     &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKWiUZ" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Symbol of the Polish Classification of Products and Services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;         &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="CNZ" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Combined Nomenclature symbol&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;         &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKOBZ" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Code of the Polish Classification of Construction Objects&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;         &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DodatkoweInfoZ" type="tns:TZnakowy50" minOccurs="0"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; </pre>
--	---

```

        </xsd:element>
        <xsd:element name="P_8AZ" type="tns:TZnakowy" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Measure of ordered goods or scope of
service</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_8BZ" type="tns:TIlosci" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>The quantity of the ordered goods or the scope of the
service</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_9AZ" type="tns:TKwotowy" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Net unit price</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_11NettoZ" type="tns:TKwotowy" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Value of the ordered goods or services without the tax
amount</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_11VatZ" type="tns:TKwotowy" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>The amount of tax on the ordered goods or
services</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_12Z" type="tns:TStawkaPodatku" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Tax rate</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_12Z_XII" type="tns:TProcentowy" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Value added tax rate in the case referred to in section XII in
chapter 6a of the Act</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="P_12Z_Procedura" type="tns:TProceduraZamowienie"
minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Procedure indication for the order line</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="GTUZ" type="tns:TGTU" minOccurs="0">
            <xsd:annotation>
                <xsd:documentation>Code for the supply of goods and
services</xsd:documentation>
            </xsd:annotation>
        </xsd:element>
        <xsd:element name="ProceduraZ" type="tns:TOznaczenieProceduryZ"
minOccurs="0">
            <xsd:annotation>

```

	<pre> &lt;xsd:documentation&gt;Indication of the procedure for the order line&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KwotaAkcyzyZ" type="tns:TKwotowy" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;The amount of excise tax included in the price of the goods&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KursWalutyZ" type="tns:Tllosci" minOccurs="0"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the VAT Act. For advance invoices, a rate that is identical for all goods and services should be provided&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	---

#### element Faktura/Fa/Zamowienie/LiczbaWierszyZamowienia


diagram													
	The number of lines for the order or contract												
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/												
type	<a href="#">tns:TNaturalny</a>												
properties	content simple												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minExclusive</td> <td>0</td> <td></td> </tr> <tr> <td>totalDigits</td> <td>14</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>collapse</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minExclusive	0		totalDigits	14		whiteSpace	collapse	
Kind	Value	Annotation											
minExclusive	0												
totalDigits	14												
whiteSpace	collapse												
annotation	<p>documentation</p> <p>The number of lines for the order or contract</p>												
source	<pre> &lt;xsd:element name="LiczbaWierszyZamowienia" type="tns:TNaturalny"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;The number of lines for the order or contract&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>												

#### element Faktura/Fa/Zamowienie/WartoscZamowienia

diagram	
	Value of the order or contract, including the tax amount

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	<a href="#"><b>tns:TKwotowy</b></a>		
properties	content simple		
facets	Kind	Value	Annotation
	totalDigits	18	
	fractionDigits	2	
annotation	documentation Value of the order or contract, including the tax amount		
source	<pre>&lt;xsd:element name="WartoscZamowienia" type="tns:TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value of the order or contract, including the tax amount&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>		

## element Faktura/Fa/Zamowienie/ZamowienieWiersz




namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	minOcc 1 maxOcc unbounded content complex
children	<a href="#"><b>tns:NrWierszaZam</b></a> <a href="#"><b>tns:UU_IDZ</b></a> <a href="#"><b>tns:P_7Z</b></a> <a href="#"><b>tns:GTINZ</b></a> <a href="#"><b>tns:PKWiUZ</b></a> <a href="#"><b>tns:CNZ</b></a> <a href="#"><b>tns:PKOBZ</b></a> <a href="#"><b>tns:DodatkoweInfoZ</b></a> <a href="#"><b>tns:P_8AZ</b></a> <a href="#"><b>tns:P_8BZ</b></a> <a href="#"><b>tns:P_9AZ</b></a> <a href="#"><b>tns:P_11NettoZ</b></a> <a href="#"><b>tns:P_11VatZ</b></a> <a href="#"><b>tns:P_12Z</b></a> <a href="#"><b>tns:P_12Z_XII</b></a> <a href="#"><b>tns:P_12Z_Procedura</b></a> <a href="#"><b>tns:GTUZ</b></a> <a href="#"><b>tns:ProceduraZ</b></a> <a href="#"><b>tns:KwotaAkcyzyZ</b></a> <a href="#"><b>tns:KursWalutyZ</b></a>
annotation	documentation Detailed items of the order or contract in the currency in which the advance invoice was issued
source	<pre> &lt;xsd:element name="ZamowienieWiersz" maxOccurs="unbounded"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Detailed items of the order or contract in the currency in which the advance invoice was issued&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence&gt;       &lt;xsd:element name="NrWierszaZam" type="tns:TNaturalny"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Sequential order or contract line number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="UU_IDZ" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;The universal unique number for the order or contract line&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:simpleType&gt;           &lt;xsd:restriction base="tns:TZnakowy"&gt;             &lt;xsd:maxLength value="50"/&gt;           &lt;/xsd:restriction&gt;         &lt;/xsd:simpleType&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="P_7Z" type="tns:TZnakowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Name (type) of good or service&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="GTINZ" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Global Trade Item Number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:simpleType&gt;           &lt;xsd:restriction base="tns:TZnakowy"&gt;             &lt;xsd:maxLength value="20"/&gt;           &lt;/xsd:restriction&gt;         &lt;/xsd:simpleType&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="PKWiUZ" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Symbol of the Polish Classification of Products and Services&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:simpleType&gt;           &lt;xsd:restriction base="tns:TZnakowy"&gt;             &lt;xsd:maxLength value="50"/&gt;           &lt;/xsd:restriction&gt;         &lt;/xsd:simpleType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>

	<pre> &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="CNZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Combined Nomenclature symbol&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="PKOBZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code of the Polish Classification of Construction Objects&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;xsd:element name="DodatkoweInfoZ" type="tns:TZnakowy50" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8AZ" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Measure of ordered goods or scope of service&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_8BZ" type="tns:Tilosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The quantity of the ordered goods or the scope of the service&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_9AZ" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Net unit price&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11NettoZ" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value of the ordered goods or services without the tax amount&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_11VatZ" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of tax on the ordered goods or </pre>
--	--

	<pre> services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z" type="tns:TStawkaPodatku" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax rate&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z_XII" type="tns:TProcentowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value added tax rate in the case referred to in section XII in chapter 6a of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="P_12Z_Procedura" type="tns:TProceduraZamowienie" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Procedure indication for the order line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="GTUZ" type="tns:TGTU" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code for the supply of goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="ProceduraZ" type="tns:TOznaczenieProcedureZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indication of the procedure for the order line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KwotaAkcyzyZ" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of excise tax included in the price of the goods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="KursWalutyZ" type="tns:TIlosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the VAT Act. For advance invoices, a rate that is identical for all goods and services should be provided&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>
--	--

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/NrWierszaZam

diagram	 <p>Sequential order or contract line number</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/

type	<a href="#"><b>tns:TNaturalny</b></a>
properties	content simple
facets	Kind Value Annotation minExclusive 0 totalDigits 14 whiteSpace collapse
annotation	documentation Sequential order or contract line number
source	<pre>&lt;xsd:element name="NrWierszaZam" type="tns:TNaturalny"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Sequential order or contract line number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/UU\_IDZ

diagram	<p><b>tns:UU_IDZ</b></p> <p>The universal unique number for the order or contract line</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	restriction of <a href="#"><b>tns:TZnakowy</b></a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 50
annotation	documentation The universal unique number for the order or contract line
source	<pre>&lt;xsd:element name="UU_IDZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The universal unique number for the order or contract line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_7Z

diagram	<p><b>tns:P_7Z</b></p> <p>Name (type) of good or service</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<a href="#"><b>tns:TZnakowy</b></a>

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Name (type) of good or service
source	<xsd:element name="P_7Z" type="tns:TZnakowy" minOccurs="0"> <xsd:annotation> <xsd:documentation>Name (type) of good or service</xsd:documentation> </xsd:annotation> </xsd:element>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/GTINZ

diagram	 tns:GTINZ Global Trade Item Number
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 20
annotation	documentation Global Trade Item Number
source	<xsd:element name="GTINZ" minOccurs="0"> <xsd:annotation> <xsd:documentation>Global Trade Item Number</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="tns:TZnakowy"> <xsd:maxLength value="20"/> </xsd:restriction> </xsd:simpleType> </xsd:element>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/PKWiUZ

diagram	 tns:PKWiUZ Symbol of the Polish Classification of Products and Services
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple

	facets	Kind Value Annotation minLength 1 maxLength 50
annotation		documentation Symbol of the Polish Classification of Products and Services
source		<pre>&lt;xsd:element name="PKWiUZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Symbol of the Polish Classification of Products and Services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/CNZ

	diagram	
namespace		http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type		restriction of <a href="#">tns:TZnakowy</a>
properties		minOcc 0 maxOcc 1 content simple
facets		Kind Value Annotation minLength 1 maxLength 50
annotation		documentation Combined Nomenclature symbol
source		<pre>&lt;xsd:element name="CNZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Combined Nomenclature symbol&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/PKOBZ


	diagram	
namespace		http://ksef.mf.gov.pl/wzor/2021/08/05/08052/

type	restriction of <a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 50
annotation	documentation Code of the Polish Classification of Construction Objects
source	<pre>&lt;xsd:element name="PKOBZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code of the Polish Classification of Construction Objects&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="tns:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>


#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/DodatkoweInfoZ

diagram	 <p>A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice</p>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<a href="#">tns:TZnakowy50</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 50
annotation	documentation A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice
source	<pre>&lt;xsd:element name="DodatkoweInfoZ" type="tns:TZnakowy50" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;A field intended for the seller to enter additional data that have not been included in the structure elements and are not required by law, and which may be included in the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_8AZ

diagram	 tns:P_8AZ Measure of ordered goods or scope of service
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Measure of ordered goods or scope of service
source	<pre>&lt;xsd:element name="P_8AZ" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Measure of ordered goods or scope of service&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_8BZ


diagram	 tns:P_8BZ The quantity of the ordered goods or the scope of the service
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:Tllosci</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 22 fractionDigits 6
annotation	documentation The quantity of the ordered goods or the scope of the service
source	<pre>&lt;xsd:element name="P_8BZ" type="tns:Tllosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The quantity of the ordered goods or the scope of the service&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_9AZ

diagram	 tns:P_9AZ Net unit price
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/

type	<a href="#"><b>tns:TKwotowy</b></a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 18 fractionDigits 2
annotation	documentation Net unit price
source	<xsd:element name="P_9AZ" type="tns:TKwotowy" minOccurs="0"> <xsd:annotation> <xsd:documentation>Net unit price</xsd:documentation> </xsd:annotation> </xsd:element>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_11NettoZ


diagram	 Value of the ordered goods or services without the tax amount
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><b>tns:TKwotowy</b></a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 18 fractionDigits 2
annotation	documentation Value of the ordered goods or services without the tax amount
source	<xsd:element name="P_11NettoZ" type="tns:TKwotowy" minOccurs="0"> <xsd:annotation> <xsd:documentation>Value of the ordered goods or services without the tax amount</xsd:documentation> </xsd:annotation> </xsd:element>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_11VatZ


diagram	 The amount of tax on the ordered goods or services
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><b>tns:TKwotowy</b></a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 18

	fractionDigits 2
annotation	documentation The amount of tax on the ordered goods or services
source	<pre>&lt;xsd:element name="P_11VatZ" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of tax on the ordered goods or services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_12Z

diagram																																											
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																										
type	<a href="#">tns:TStawkaPodatku</a>																																										
properties	minOcc 0 maxOcc 1 content simple																																										
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>23</td> <td></td> </tr> <tr> <td>enumeration</td> <td>22</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>zw</td> <td>documentation exempt from taxation</td> </tr> <tr> <td>enumeration</td> <td>oo</td> <td>documentation reverse charge</td> </tr> <tr> <td>enumeration</td> <td>np</td> <td>documentation non-taxable - transactions of supply of goods and services outside the territory of the country</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	23		enumeration	22		enumeration	8		enumeration	7		enumeration	5		enumeration	4		enumeration	3		enumeration	0		enumeration	zw	documentation exempt from taxation	enumeration	oo	documentation reverse charge	enumeration	np	documentation non-taxable - transactions of supply of goods and services outside the territory of the country
Kind	Value	Annotation																																									
minLength	1																																										
maxLength	256																																										
enumeration	23																																										
enumeration	22																																										
enumeration	8																																										
enumeration	7																																										
enumeration	5																																										
enumeration	4																																										
enumeration	3																																										
enumeration	0																																										
enumeration	zw	documentation exempt from taxation																																									
enumeration	oo	documentation reverse charge																																									
enumeration	np	documentation non-taxable - transactions of supply of goods and services outside the territory of the country																																									
annotation	documentation Tax rate																																										
source	<pre>&lt;xsd:element name="P_12Z" type="tns:TStawkaPodatku" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax rate&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>																																										

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_12Z\_XII

diagram	
---------	---

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/	
type	<a href="#">tns:TProcentowy</a>	
properties	minOcc 0 maxOcc 1 content simple	
facets	Kind Value Annotation minInclusive 0 maxInclusive 100 totalDigits 9 fractionDigits 6 whiteSpace collapse	
annotation	documentation Value added tax rate in the case referred to in section XII in chapter 6a of the Act	
source	<pre>&lt;xsd:element name="P_12Z_XII" type="tns:TProcentowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value added tax rate in the case referred to in section XII in chapter 6a of the Act&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>	


#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/P\_12Z\_Procedura

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TProceduraZamowienie</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256 enumeration 1 documentation 0% rate applied for domestic sales enumeration 3 documentation 0% rate - export of goods enumeration 4 documentation Supply of goods and services taxed outside the territory of the country enumeration 5 documentation Provision of services under article 100(1)(4) of the Act enumeration 6 documentation Goods / service listed in Annex 15 enumeration 7 documentation Other domestic sales
annotation	documentation Procedure indication for the order line
source	<pre>&lt;xsd:element name="P_12Z_Procedura" type="tns:TProceduraZamowienie" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Procedure indication for the order line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## element Faktura/Fa/Zamowienie/ZamowienieWiersz/GTUZ

diagram	 Code for the supply of goods and services																																																
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																																
type	<a href="#">tns:TGTU</a>																																																
properties	<table> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	minOcc	0	maxOcc	1	content	simple																																										
minOcc	0																																																
maxOcc	1																																																
content	simple																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>GTU_01</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_02</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_03</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_04</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(d) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_05</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(e) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_06</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(f) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_07</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(g) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_08</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(h) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_09</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(i) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_10</td> <td>documentation Delivery of the goods referred to in § 10(3)(1)(j) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_11</td> <td>documentation Provision of services referred to in § 10(3)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_12</td> <td>documentation Provision of services referred to in § 10(3)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> <tr> <td>enumeration</td> <td>GTU_13</td> <td>documentation Provision of services referred to in § 10(3)(2)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	GTU_01	documentation Delivery of the goods referred to in § 10(3)(1)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_02	documentation Delivery of the goods referred to in § 10(3)(1)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_03	documentation Delivery of the goods referred to in § 10(3)(1)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_04	documentation Delivery of the goods referred to in § 10(3)(1)(d) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_05	documentation Delivery of the goods referred to in § 10(3)(1)(e) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_06	documentation Delivery of the goods referred to in § 10(3)(1)(f) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_07	documentation Delivery of the goods referred to in § 10(3)(1)(g) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_08	documentation Delivery of the goods referred to in § 10(3)(1)(h) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_09	documentation Delivery of the goods referred to in § 10(3)(1)(i) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_10	documentation Delivery of the goods referred to in § 10(3)(1)(j) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_11	documentation Provision of services referred to in § 10(3)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_12	documentation Provision of services referred to in § 10(3)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation	enumeration	GTU_13	documentation Provision of services referred to in § 10(3)(2)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
Kind	Value	Annotation																																															
minLength	1																																																
maxLength	256																																																
enumeration	GTU_01	documentation Delivery of the goods referred to in § 10(3)(1)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_02	documentation Delivery of the goods referred to in § 10(3)(1)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_03	documentation Delivery of the goods referred to in § 10(3)(1)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_04	documentation Delivery of the goods referred to in § 10(3)(1)(d) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_05	documentation Delivery of the goods referred to in § 10(3)(1)(e) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_06	documentation Delivery of the goods referred to in § 10(3)(1)(f) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_07	documentation Delivery of the goods referred to in § 10(3)(1)(g) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_08	documentation Delivery of the goods referred to in § 10(3)(1)(h) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_09	documentation Delivery of the goods referred to in § 10(3)(1)(i) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_10	documentation Delivery of the goods referred to in § 10(3)(1)(j) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_11	documentation Provision of services referred to in § 10(3)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_12	documentation Provision of services referred to in § 10(3)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
enumeration	GTU_13	documentation Provision of services referred to in § 10(3)(2)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation																																															
annotation	documentation Code for the supply of goods and services																																																
source	<pre> &lt;xsd:element name="GTUZ" type="tns:TGTU" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Code for the supply of goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>																																																

### element Faktura/Fa/Zamowienie/ZamowienieWiersz/ProceduraZ


diagram	 Indication of the procedure for the order line																																				
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																				
type	<a href="#">tns:TOznaczenieProceduryZ</a>																																				
properties	minOcc 0 maxOcc 1 content simple																																				
facets	<table> <thead> <tr> <th></th> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td></td> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td></td> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td></td> <td>enumeration</td> <td>WSTO_EE</td> <td>documentation Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</td> </tr> <tr> <td></td> <td>enumeration</td> <td>IED</td> <td>documentation Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</td> </tr> <tr> <td></td> <td>enumeration</td> <td>TT_D</td> <td>documentation Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</td> </tr> <tr> <td></td> <td>enumeration</td> <td>B_SPV</td> <td>documentation Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</td> </tr> <tr> <td></td> <td>enumeration</td> <td>B_SPV_DOSTAWA</td> <td>documentation Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</td> </tr> <tr> <td></td> <td>enumeration</td> <td>B_MPV_PROWIZJA</td> <td>documentation Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</td> </tr> </tbody> </table>		Kind	Value	Annotation		minLength	1			maxLength	256			enumeration	WSTO_EE	documentation Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services		enumeration	IED	documentation Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services		enumeration	TT_D	documentation Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services		enumeration	B_SPV	documentation Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services		enumeration	B_SPV_DOSTAWA	documentation Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services		enumeration	B_MPV_PROWIZJA	documentation Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services
	Kind	Value	Annotation																																		
	minLength	1																																			
	maxLength	256																																			
	enumeration	WSTO_EE	documentation Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
	enumeration	IED	documentation Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
	enumeration	TT_D	documentation Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
	enumeration	B_SPV	documentation Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
	enumeration	B_SPV_DOSTAWA	documentation Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
	enumeration	B_MPV_PROWIZJA	documentation Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
annotation	documentation Indication of the procedure for the order line																																				
source	<pre>&lt;xsd:element name="ProceduraZ" type="tns:TOznaczenieProceduryZ" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indication of the procedure for the order line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>																																				

### element Faktura/Fa/Zamowienie/ZamowienieWiersz/KwotaAkcyzyZ

diagram	 The amount of excise tax included in the price of the goods
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TKwotowy</a>
properties	minOcc 0 maxOcc 1 content simple

facets	Kind totalDigits 18 fractionDigits 2
annotation	documentation The amount of excise tax included in the price of the goods
source	<pre>&lt;xsd:element name="KwotaAkcyzyZ" type="tns:TKwotowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The amount of excise tax included in the price of the     goods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Fa/Zamowienie/ZamowienieWiersz/KursWalutyZ


diagram	 <p>The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the VAT Act. For advance invoices, a rate that is identical for all goods and services should be provided</p>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:Tllosci</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 22 fractionDigits 6
annotation	documentation The exchange rate used to calculate the tax amount in the cases referred to in article 31a of the VAT Act. For advance invoices, a rate that is identical for all goods and services should be provided
source	<pre>&lt;xsd:element name="KursWalutyZ" type="tns:Tllosci" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The exchange rate used to calculate the tax amount in the cases referred     to in article 31a of the VAT Act. For advance invoices, a rate that is identical for all goods and     services should be provided&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## element Faktura/Stopka


diagram	<pre> classDiagram     class Stopka {         &lt;&lt;Other information on the invoice&gt;&gt;     }     class StopkaFaktury {         &lt;&lt;Invoice footer&gt;&gt;     }     class KRS {         &lt;&lt;National Court Register number&gt;&gt;     }     class REGON {         &lt;&lt;REGON&gt;&gt;     }     class BDO {         &lt;&lt;Waste Database Number&gt;&gt;     }      Stopka "0..3" --&gt; StopkaFaktury :      Stopka "0..3" --&gt; KRS :      Stopka "0..3" --&gt; REGON :      Stopka "0..3" --&gt; BDO :   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
properties	<p>minOcc 0  maxOcc 3  content complex</p>
children	<a href="#">tns:StopkaFaktury</a> <a href="#">tns:KRS</a> <a href="#">tns:REGON</a> <a href="#">tns:BDO</a>
annotation	<p>documentation  Other information on the invoice</p>
source	<pre> &lt;xsd:element name="Stopka" minOccurs="0" maxOccurs="3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other information on the invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexType&gt;     &lt;xsd:sequence minOccurs="0"&gt;       &lt;xsd:element name="StopkaFaktury" type="etd:TTekstowy" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Invoice footer&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="KRS" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;National Court Register number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:simpleType&gt;           &lt;xsd:restriction base="etd:TNrKRS"&gt;             &lt;xsd:maxLength value="50"/&gt;           &lt;/xsd:restriction&gt;         &lt;/xsd:simpleType&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="REGON" type="etd:TNrREGON" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;REGON&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:element name="BDO" minOccurs="0"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Waste Database Number&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;         &lt;xsd:simpleType&gt;           &lt;xsd:restriction base="etd:TZnakowy"&gt;             &lt;xsd:maxLength value="9"/&gt;           &lt;/xsd:restriction&gt;         &lt;/xsd:simpleType&gt;       &lt;/xsd:element&gt;     &lt;/xsd:sequence&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;   </pre>

	<pre> &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; &lt;/xsd:element&gt; </pre>
--	--

#### element Faktura/Stopka/StopkaFaktury

diagram	 Invoice footer									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<b>etd:TTekstowy</b>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3500</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3500	
Kind	Value	Annotation								
minLength	1									
maxLength	3500									
annotation	documentation Invoice footer									
source	<pre> &lt;xsd:element name="StopkaFaktury" type="etd:TTekstowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Invoice footer&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

#### element Faktura/Stopka/KRS


diagram	 National Court Register number									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	restriction of <b>etd:TNrKRS</b>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>pattern</td> <td>\d{10}</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	maxLength	50		pattern	\d{10}	
Kind	Value	Annotation								
maxLength	50									
pattern	\d{10}									
annotation	documentation National Court Register number									
source	<pre> &lt;xsd:element name="KRS" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;National Court Register number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TNrKRS"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt; </pre>									

	<pre>&lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>
--	--

#### element Faktura/Stopka/REGON

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TNrREGON</b>
properties	minOcc 0 maxOcc 1 content simple
annotation	documentation REGON
source	<pre>&lt;xsd:element name="REGON" type="etd:TNrREGON" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;REGON&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element Faktura/Stopka/BDO

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	restriction of <b>etd:TZnakowy</b>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9	
Kind	Value	Annotation								
minLength	1									
maxLength	9									
annotation	documentation Waste Database Number									
source	<pre>&lt;xsd:element name="BDO" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Waste Database Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TZnakowy"&gt;       &lt;xsd:maxLength value="9"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>									

## complexType TAdres

diagram	<pre> classDiagram     class TAdres {         &lt;&lt;Information describing the address&gt;&gt;     }     class tns_KodKraju {         &lt;&lt;Country Code&gt;&gt;     }     class tns_Miejscowosc {         &lt;&lt;City&gt;&gt;     }     class tns_Ulica {         &lt;&lt;Street&gt;&gt;     }     class tns_NrDomu {         &lt;&lt;Building Number&gt;&gt;     }     class tns_NrLokalu {         &lt;&lt;Flat Number&gt;&gt;     }     class tns_GLN {         &lt;&lt;Global Location Number&gt;&gt;     }      TAdres "1" -- "0..1" tns_KodKraju     TAdres "1" -- "0..1" tns_Miejscowosc     TAdres "1" -- "0..1" tns_Ulica     TAdres "1" -- "0..1" tns_NrDomu     TAdres "1" -- "0..1" tns_NrLokalu     TAdres "1" -- "0..1" tns_GLN   </pre>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
properties	abstract true
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a> <a href="#">tns:GLN</a>
used by	elements <a href="#">Fatura/Podmiot1/Adres</a> <a href="#">Fatura/Podmiot2/Adres</a> <a href="#">Fatura/Podmiot3/Adres</a> <a href="#">Fatura/PodmiotUpowazniony/Adres</a> <a href="#">Fatura/Fa/Podmiot1K/Adres</a> <a href="#">Fatura/Fa/Podmiot2K/Adres</a> <a href="#">Fatura/Podmiot1/AdresKoresp</a> <a href="#">Fatura/Podmiot2/AdresKoresp</a> <a href="#">Fatura/Podmiot3/AdresKoresp</a> <a href="#">Fatura/PodmiotUpowazniony/AdresKoresp</a> <a href="#">Fatura/Fa/WarunkiTransakcji/Transport/Przewoznik/AdresPrzewoznika</a> <a href="#">Fatura/Fa/WarunkiTransakcji/Transport/WysylkaDo</a> <a href="#">Fatura/Fa/WarunkiTransakcji/Transport/WysylkaPrzez</a> <a href="#">Fatura/Fa/WarunkiTransakcji/Transport/WysylkaZ</a> <a href="#">TAdresPolski</a> <a href="#">TAdresZagraniczny</a>
annotation	documentation Information describing the address
source	<pre> &lt;xsd:complexType name="TAdres" abstract="true"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Information describing the address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:sequence&gt;     &lt;xsd:element name="KodKraju" type="etd:TKodKraju"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Country Code&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="Miejscowosc" type="etd:TMiejscowosc"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;City&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="Ulica" type="etd:TUlica" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Street&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;   &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt;   </pre>

```

</xsd:annotation>
</xsd:element>
<xsd:element name="NrDomu" type="etd:TNrBudynku" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Building Number</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="NrLokalu" type="etd:TNrLokalu" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Flat Number</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="KodPocztowy" type="etd:TKodPocztowy" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Postal Code</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="GLN" minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Global Location Number</xsd:documentation>
  </xsd:annotation>
  <xsd:simpleType>
    <xsd:restriction base="etd:TZnakowy">
      <xsd:maxLength value="50"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:element>
</xsd:sequence>
</xsd:complexType>

```

#### element **TAdres/KodKraju**

diagram																															
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																														
type	<b>etd:TKodKraju</b>																														
properties	content simple																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AF</td> <td>documentation AFGANISTAN</td> </tr> <tr> <td>enumeration</td> <td>AX</td> <td>documentation ALAND ISLANDS</td> </tr> <tr> <td>enumeration</td> <td>AL</td> <td>documentation ALBANIA</td> </tr> <tr> <td>enumeration</td> <td>DZ</td> <td>documentation ALGIERIA</td> </tr> <tr> <td>enumeration</td> <td>AD</td> <td>documentation ANDORA</td> </tr> <tr> <td>enumeration</td> <td>AO</td> <td>documentation ANGOLA</td> </tr> <tr> <td>enumeration</td> <td>AI</td> <td>documentation ANGUILLA</td> </tr> <tr> <td>enumeration</td> <td>AQ</td> <td>documentation ANTARKTYDA</td> </tr> <tr> <td>enumeration</td> <td>AG</td> <td>documentation</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AF	documentation AFGANISTAN	enumeration	AX	documentation ALAND ISLANDS	enumeration	AL	documentation ALBANIA	enumeration	DZ	documentation ALGIERIA	enumeration	AD	documentation ANDORA	enumeration	AO	documentation ANGOLA	enumeration	AI	documentation ANGUILLA	enumeration	AQ	documentation ANTARKTYDA	enumeration	AG	documentation
Kind	Value	Annotation																													
enumeration	AF	documentation AFGANISTAN																													
enumeration	AX	documentation ALAND ISLANDS																													
enumeration	AL	documentation ALBANIA																													
enumeration	DZ	documentation ALGIERIA																													
enumeration	AD	documentation ANDORA																													
enumeration	AO	documentation ANGOLA																													
enumeration	AI	documentation ANGUILLA																													
enumeration	AQ	documentation ANTARKTYDA																													
enumeration	AG	documentation																													

	enumeration	AN	ANTIGUA I BARBUDA documentation
	enumeration	SA	ANTYLE HOLENDERSKIE documentation
	enumeration	AR	ARABIA SAUDYJSKA documentation
	enumeration	AM	ARGENTYNA documentation
	enumeration	AW	ARMENIA documentation
	enumeration	AU	ARUBA documentation
	enumeration	AT	AUSTRALIA documentation
	enumeration	AZ	AUSTRIA documentation
	enumeration	BS	AZERBEJDŽAN documentation
	enumeration	BH	BAHAMY documentation
	enumeration	BD	BAHRAJN documentation
	enumeration	BB	BANGLADESZ documentation
	enumeration	BE	BARBADOS documentation
	enumeration	BZ	BELGIA documentation
	enumeration	BJ	BELIZE documentation
	enumeration	BM	BENIN documentation
	enumeration	BT	BERMUDY documentation
	enumeration	BY	BHUTAN documentation
	enumeration	BO	BIAŁORUŚ documentation
	enumeration	BQ	BOLIWIA documentation
	enumeration	BA	BONAIRE, SINT EUSTATIUS I SABA documentation
	enumeration	BW	BOŚNIA I HERCEGOWINA documentation
	enumeration	BR	BOTSWANA documentation
	enumeration	BN	BRAZYLIA documentation
	enumeration	IO	BRUNEI DARUSSALAM documentation
	enumeration	BG	BRYTYJSKIE TERYTORIUM OCEANU INDYJSKIEGO documentation
	enumeration	BF	BUŁGARIA documentation
	enumeration	BI	BURKINA FASO documentation
	enumeration	XC	BURUNDI documentation
	enumeration	CL	CEUTA documentation
	enumeration	CN	CHILE documentation
	enumeration	HR	CHINY documentation
	enumeration	CW	CHORWACJA documentation
	enumeration	CY	CURAÇAO documentation
	enumeration	TD	CYPR documentation

	enumeration	ME	CZAD documentation
	enumeration	DK	CZARNOGÓRA documentation
	enumeration	DM	DANIA documentation
	enumeration	DO	DOMINIKA documentation
	enumeration	DJ	DOMINKANA documentation
	enumeration	EG	DŽIBUTI documentation
	enumeration	EC	EGIPT documentation
	enumeration	ER	EKWADOR documentation
	enumeration	EE	ERYTREA documentation
	enumeration	ET	ESTONIA documentation
	enumeration	FK	ETIOPIA documentation
	enumeration	FJ	FALKLANDY documentation
	enumeration	PH	FIDŽI REPUBLIKA documentation
	enumeration	FI	FILIPINY documentation
	enumeration	FR	FINLANDIA documentation
	enumeration	TF	FRANCJA documentation
	enumeration	GA	FRANCUSKIE TERYTORIUM POŁUDNIOWE documentation
	enumeration	GM	GABON documentation
	enumeration	GH	GAMBIA documentation
	enumeration	GI	GHANA documentation
	enumeration	GR	GIBRALTAR documentation
	enumeration	GD	GRECJA documentation
	enumeration	GL	GRENADE documentation
	enumeration	GE	GRUZJA documentation
	enumeration	GU	GUAM documentation
	enumeration	GG	GUERNSEY documentation
	enumeration	GY	GUJANA documentation
	enumeration	GF	GUJANA FRANCUSKA documentation
	enumeration	GP	GWADELUPA documentation
	enumeration	GT	GWATEMALA documentation
	enumeration	GN	GWINEA documentation
	enumeration	GQ	GWINEA RÓWNIKOWA documentation
	enumeration	GW	GWINEA-BISSAU documentation
	enumeration	HT	HAITI documentation
	enumeration	ES	documentation

	enumeration	HN	HISZPANIA documentation
	enumeration	HK	HONDURAS documentation
	enumeration	IN	HONGKONG documentation
	enumeration	ID	INDIE documentation
	enumeration	IQ	INDONEZJA documentation
	enumeration	IR	IRAK documentation
	enumeration	IE	IRAN documentation
	enumeration	IS	IRLANDIA documentation
	enumeration	IL	IZRAEL documentation
	enumeration	JM	JAMAJKA documentation
	enumeration	JP	JAPONIA documentation
	enumeration	YE	JEMEN documentation
	enumeration	JE	JERSEY documentation
	enumeration	JO	JORDANIA documentation
	enumeration	KY	KAJMANY documentation
	enumeration	KH	KAMBODŽA documentation
	enumeration	CM	KAMERUN documentation
	enumeration	CA	KANADA documentation
	enumeration	QA	KATAR documentation
	enumeration	KZ	KAZACHSTAN documentation
	enumeration	KE	KENIA documentation
	enumeration	KG	KIRGISTAN documentation
	enumeration	KI	KIRIBATI documentation
	enumeration	CO	KOLUMBIA documentation
	enumeration	KM	KOMORY documentation
	enumeration	CG	KONGO documentation
	enumeration	CD	KONGO, REPUBLIKA DEMOKRATYCZNA documentation
	enumeration	KP	KOREAŃSKA REPUBLIKA LUDOWO-DEMOKRATYCZNA documentation
	enumeration	XK	KOSOWO documentation
	enumeration	CR	KOSTARYKA documentation
	enumeration	CU	KUBA documentation
	enumeration	KW	KUWEJT documentation
	enumeration	LA	LAOS documentation
	enumeration	LS	LESOTHO documentation
	enumeration	LB	documentation

	enumeration	LR	LIBAN documentation
	enumeration	LY	LIBERIA documentation
	enumeration	LI	LIBIA documentation
	enumeration	LIECHTENSTEIN	LIECHTENSTEIN documentation
	enumeration	LT	LITWA documentation
	enumeration	LV	ŁOTWA documentation
	enumeration	LU	LUKSEMBURG documentation
	enumeration	MK	MACEDONIA documentation
	enumeration	MG	MADAGASKAR documentation
	enumeration	YT	MAJOTTA documentation
	enumeration	MO	MAKAU documentation
	enumeration	MW	MALAWI documentation
	enumeration	MV	MALEDIWY documentation
	enumeration	MY	MALEZJA documentation
	enumeration	ML	MALI documentation
	enumeration	MT	MALTA documentation
	enumeration	MP	MARIANY PÓŁNOCNE documentation
	enumeration	MA	MAROKO documentation
	enumeration	MQ	MARTYNIKA documentation
	enumeration	MR	MAURETANIA documentation
	enumeration	MU	MAURITIUS documentation
	enumeration	MX	MEKSYK documentation
	enumeration	XL	MELILLA documentation
	enumeration	FM	MIKRONEZJA documentation
	enumeration	UM	MINOR documentation
	enumeration	MD	MOŁDOWA documentation
	enumeration	MC	MONAKO documentation
	enumeration	MN	MONGOLIA documentation
	enumeration	MS	MONTSERRAT documentation
	enumeration	MZ	MOZAMBIK documentation
	enumeration	MM	MYANMAR (BURMA) documentation
	enumeration	NA	NAMIBIA documentation
	enumeration	NR	NAURU documentation
	enumeration	NP	NEPAL documentation
	enumeration	NL	NIDERLANDY (HOLANDIA) documentation
	enumeration	DE	documentation

		NIEMCY
	enumeration NE	documentation NIGER
	enumeration NG	documentation NIGERIA
	enumeration NI	documentation NIKARAGUA
	enumeration NU	documentation NIUE
	enumeration NF	documentation NORFOLK
	enumeration NO	documentation NORWEGIA
	enumeration NC	documentation NOWA KALEDONIA
	enumeration NZ	documentation NOWA ZELANDIA
	enumeration PS	documentation OKUPOWANE TERYTORIUM PALESTYNY
	enumeration OM	documentation OMAN
	enumeration PK	documentation PAKISTAN
	enumeration PW	documentation PALAU
	enumeration PA	documentation PANAMA
	enumeration PG	documentation PAPUA NOWA GWINEA
	enumeration PY	documentation PARAGWAJ
	enumeration PE	documentation PERU
	enumeration PN	documentation PITCAIRN
	enumeration PF	documentation POLINEZJA FRANCUSKA
	enumeration PL	documentation POLSKA
	enumeration GS	documentation POŁUDNIOWA GEORGIA I POŁUD.WYSPY SANDWICH
	enumeration PT	documentation PORTUGALIA
	enumeration PR	documentation PORTORYKO
	enumeration CF	documentation REP.ŚRODKOWOAFRYKAŃSKA
	enumeration CZ	documentation REPUBLIKA Czeska
	enumeration KR	documentation REPUBLIKA KOREI
	enumeration ZA	documentation REPUBLIKA POŁUDNIOWEJ AFRYKI
	enumeration RE	documentation REUNION
	enumeration RU	documentation ROSJA
	enumeration RO	documentation RUMUNIA
	enumeration RW	documentation RWANDA
	enumeration EH	documentation SAHARA ZACHODNIA
	enumeration BL	documentation SAINT BARTHELEMY
	enumeration KN	documentation SAINT KITTS I NEVIS
	enumeration LC	documentation SAINT LUCIA
	enumeration MF	documentation

	enumeration	VC	SAINT MARTIN documentation
	enumeration	SV	SAINT VINCENT I GRENADYNY documentation
	enumeration	WS	SALWADOR documentation
	enumeration	AS	SAMOA documentation
	enumeration	SM	SAMOA AMERYKAŃSKIE documentation
	enumeration	SN	SAN MARINO documentation
	enumeration	RS	SENEGAL documentation
	enumeration	SC	SERBIA documentation
	enumeration	SL	SESZELE documentation
	enumeration	SG	SIERRA LEONE documentation
	enumeration	SK	SINGAPUR documentation
	enumeration	SI	SŁOWACJA documentation
	enumeration	SO	SŁOWENIA documentation
	enumeration	LK	SOMALIA documentation
	enumeration	PM	SRI LANKA documentation
	enumeration	US	SAINT PIERRE I MIQUELON documentation
	enumeration	SZ	STANY ZJEDNOCZONE AMERYKI documentation
	enumeration	SD	SUAZI documentation
	enumeration	SS	SUDAN documentation
	enumeration	SR	SUDAN POŁUDNIOWY documentation
	enumeration	SJ	SURINAM documentation
	enumeration	SH	SVALBARD I JAN MAYEN documentation
	enumeration	SY	ŚWIĘTA HELENA documentation
	enumeration	CH	SYRIA documentation
	enumeration	SE	SZWAJCARIA documentation
	enumeration	TJ	SZWECJA documentation
	enumeration	TH	TADŻYKISTAN documentation
	enumeration	TW	TAJLANDIA documentation
	enumeration	TZ	TAIWAN documentation
	enumeration	TG	TANZANIA documentation
	enumeration	TK	TOGO documentation
	enumeration	TO	TOKELAU documentation
	enumeration	TT	TONGA documentation
	enumeration	TN	TRYNIDAD I TOBAGO documentation
	enumeration	TR	TUNEZJA documentation

	enumeration	TM	TURCJA documentation <b>TURKMENISTAN</b>
	enumeration	TV	documentation <b>TUVALU</b>
	enumeration	UG	documentation <b>UGANDA</b>
	enumeration	UA	documentation <b>UKRAINA</b>
	enumeration	UY	documentation <b>URUGWAJ</b>
	enumeration	UZ	documentation <b>UZBEKISTAN</b>
	enumeration	VU	documentation <b>VANUATU</b>
	enumeration	WF	documentation <b>WALLIS I FUTUNA</b>
	enumeration	VA	documentation <b>WATYKAN</b>
	enumeration	HU	documentation <b>WEGRY</b>
	enumeration	VE	documentation <b>WENEZUELA</b>
	enumeration	GB	documentation <b>WIELKA BRYTANIA</b>
	enumeration	VN	documentation <b>WIETNAM</b>
	enumeration	IT	documentation <b>WŁOCHY</b>
	enumeration	TL	documentation <b>WSCHODNI TIMOR</b>
	enumeration	CI	documentation <b>WYBRZEŻE KOŚCI SŁONIOWEJ</b>
	enumeration	BV	documentation <b>WYSPA BOUVETA</b>
	enumeration	CX	documentation <b>WYSPA BOŻEGO NARODZENIA</b>
	enumeration	IM	documentation <b>WYSPA MAN</b>
	enumeration	SX	documentation <b>WYSPA SINT MAARTEN (CZEŚĆ HOLENDERSKA WYSPY)</b>
	enumeration	CK	documentation <b>WYSPY COOKA</b>
	enumeration	VI	documentation <b>WYSPY DZIEWICZE-USA</b>
	enumeration	VG	documentation <b>WYSPY DZIEWICZE-W.B.</b>
	enumeration	HM	documentation <b>WYSPY HEARD I MCDONALD</b>
	enumeration	CC	documentation <b>WYSPY KOKOSOWE (KEELINGA)</b>
	enumeration	MH	documentation <b>WYSPY MARSHALLA</b>
	enumeration	FO	documentation <b>WYSPY OWCZE</b>
	enumeration	SB	documentation <b>WYSPY SALOMONA</b>
	enumeration	ST	documentation <b>WYSPY ŚWIĘTEGO TOMASZA I KSIAŻĘCA</b>
	enumeration	TC	documentation <b>WYSPY TURKS I CAICOS</b>
	enumeration	ZM	documentation <b>ZAMBIA</b>
	enumeration	CV	documentation <b>ZIELONY PRZYLĄDEK</b>
	enumeration	ZW	documentation <b>ZIMBABWE</b>
	enumeration	AE	documentation <b>ZJEDNOCZONE EMIRATY ARABSKIE</b>
	enumeration	XI	documentation

	ZJEDNOCZONE KRÓLESTWO (IRLANDIA PÓŁNOCNA)
annotation	documentation Country Code
source	<pre>&lt;xsd:element name="KodKraju" type="etd:TKodKraju"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Country Code&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>


#### element TAdres/Miejscowosc

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<b>etd:TMiejscowosc</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>56</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	56	
Kind	Value	Annotation								
minLength	1									
maxLength	56									
annotation	documentation City									
source	<pre>&lt;xsd:element name="Miejscowosc" type="etd:TMiejscowosc"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;City&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									


#### element TAdres/Ulica

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<b>etd:TUlica</b>									
properties	<table> <thead> <tr> <th>minOcc</th> <th>0</th> </tr> </thead> <tbody> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>65</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	65	
Kind	Value	Annotation								
minLength	1									
maxLength	65									
annotation	documentation Street									
source	<pre>&lt;xsd:element name="Ulica" type="etd:TUlica" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Street&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									


### element TAdres/NrDomu

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TNrBudynku</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 9
annotation	documentation Building Number
source	<pre>&lt;xsd:element name="NrDomu" type="etd:TNrBudynku" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Building Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element TAdres/NrLokalu

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TNrLokalu</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 10
annotation	documentation Flat Number
source	<pre>&lt;xsd:element name="NrLokalu" type="etd:TNrLokalu" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Flat Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

### element TAdres/KodPocztowy

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TKodPocztowy</b>
properties	minOcc 0 maxOcc 1

	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8	
Kind	Value	Annotation								
minLength	1									
maxLength	8									
annotation	documentation Postal Code									
source	<pre>&lt;xsd:element name="KodPocztowy" type="etd:TKodPocztowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Postal Code&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element TAdres/GLN

diagram	 Global Location Number									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	restriction of etd:TZnakowy									
properties	<table> <thead> <tr> <th>minOcc</th> <th>0</th> </tr> </thead> <tbody> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
annotation	documentation Global Location Number									
source	<pre>&lt;xsd:element name="GLN" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Global Location Number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TZnakowy"&gt;       &lt;xsd:maxLength value="50"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>									

### complexType TAdresPolski

diagram	<pre> graph LR     TAdresPolski[TAdresPolski] --- Sequence1(( ))     Sequence1 --- KodKraju[tns:KodKraju]     Sequence1 --- Miejscowosc[tns:Miejscowosc]     Sequence1 --- Ulica[tns:Ulica]     Sequence1 --- Sequence2(( ))     Sequence2 --- NrDomu[tns:NrDomu]     Sequence2 --- NrLokalu[tns:NrLokalu]     Sequence2 --- KodPocztowy[tns:KodPocztowy]   </pre>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	restriction of <a href="#">tns:TAdres</a>
properties	base tns:TAdres
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a>
annotation	documentation Information describing the Polish address
source	<pre> &lt;xsd:complexType name="TAdresPolski"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Information describing the Polish address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexContent&gt;     &lt;xsd:restriction base="tns:TAdres"&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="KodKraju" type="etd:TKodKraju" fixed="PL"/&gt;         &lt;xsd:element name="Miejscowosc" type="etd:TMiejscowosc"/&gt;         &lt;xsd:element name="Ulica" type="etd:TUlica" minOccurs="0"/&gt;         &lt;xsd:element name="NrDomu" type="etd:TNrBudynku"/&gt;         &lt;xsd:element name="NrLokalu" type="etd:TNrLokalu" minOccurs="0"/&gt;         &lt;xsd:element name="KodPocztowy" type="tns:TKodPocztowyPL"/&gt;       &lt;/xsd:sequence&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:complexContent&gt; &lt;/xsd:complexType&gt;   </pre>

### element TAdresPolski/KodKraju

diagram													
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>												
type	<a href="#">etd:TKodKraju</a>												
properties	content simple fixed PL												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AF</td> <td>documentation AFGANISTAN</td> </tr> <tr> <td>enumeration</td> <td>AX</td> <td>documentation ALAND ISLANDS</td> </tr> <tr> <td>enumeration</td> <td>AL</td> <td>documentation</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AF	documentation AFGANISTAN	enumeration	AX	documentation ALAND ISLANDS	enumeration	AL	documentation
Kind	Value	Annotation											
enumeration	AF	documentation AFGANISTAN											
enumeration	AX	documentation ALAND ISLANDS											
enumeration	AL	documentation											

	enumeration	DZ	ALBANIA documentation
	enumeration	AD	ALGIERIA documentation
	enumeration	AO	ANDORA documentation
	enumeration	AI	ANGOLA documentation
	enumeration	AQ	ANGUILLA documentation
	enumeration	AG	ANTARKTYDA documentation
	enumeration	AN	ANTIGUA I BARBUDA documentation
	enumeration	SA	ANTYLE HOLENDERSKIE documentation
	enumeration	AR	ARABIA SAUDYJSKA documentation
	enumeration	AM	ARGENTYNA documentation
	enumeration	AW	ARMENIA documentation
	enumeration	AU	ARUBA documentation
	enumeration	AT	AUSTRALIA documentation
	enumeration	AZ	AUSTRIA documentation
	enumeration	BS	AZERBEJDŽAN documentation
	enumeration	BH	BAHAMY documentation
	enumeration	BD	BAHRAJN documentation
	enumeration	BB	BANGLADESZ documentation
	enumeration	BE	BARBADOS documentation
	enumeration	BZ	BELGIA documentation
	enumeration	BJ	BELIZE documentation
	enumeration	BM	BENIN documentation
	enumeration	BT	BERMUDY documentation
	enumeration	BY	BHUTAN documentation
	enumeration	BO	BIAŁORUŚ documentation
	enumeration	BQ	BOLIWIA documentation
	enumeration	BA	BONAIRE, SINT EUSTATIUS I SABA documentation
	enumeration	BW	BOŚNIA I HERCEGOWINA documentation
	enumeration	BR	BOTSWANA documentation
	enumeration	BN	BRAZYLIA documentation
	enumeration	IO	BRUNEI DARUSSALAM documentation
	enumeration	BG	BRYTYJSKIE TERYTORIUM OCEANU INDYJSKIEGO documentation
	enumeration	BF	BUŁGARIA documentation
	enumeration	BI	BURKINA FASO documentation
	enumeration	XC	BURUNDI documentation

	enumeration	CL	CEUTA documentation
	enumeration	CN	CHILE documentation
	enumeration	HR	CHINY documentation
	enumeration	CW	CHORWACJA documentation
	enumeration	CY	CURAÇAO documentation
	enumeration	TD	CYPR documentation
	enumeration	ME	CZAD documentation
	enumeration	DK	CZARNOGÓRA documentation
	enumeration	DM	DANIA documentation
	enumeration	DO	DOMINKA documentation
	enumeration	DJ	DOMINIKA documentation
	enumeration	EG	DŽIBUTI documentation
	enumeration	EC	EGIPT documentation
	enumeration	ER	EKWADOR documentation
	enumeration	EE	ERYTREA documentation
	enumeration	ET	ESTONIA documentation
	enumeration	FK	ETIOPIA documentation
	enumeration	FJ	FALKLANDY documentation
	enumeration	PH	FIDŽI REPUBLIKA documentation
	enumeration	FI	FILIPINY documentation
	enumeration	FR	FINLANDIA documentation
	enumeration	TF	FRANCJA documentation
	enumeration	GA	FRANCUSKIE TERYTORIUM POŁUDNIOWE documentation
	enumeration	GM	GABON documentation
	enumeration	GH	GAMBIA documentation
	enumeration	GI	GHANA documentation
	enumeration	GR	GIBRALTAR documentation
	enumeration	GD	GRECJA documentation
	enumeration	GL	GRENADA documentation
	enumeration	GE	GRENLANDIA documentation
	enumeration	GU	GRUZJA documentation
	enumeration	GG	GUAM documentation
	enumeration	GY	GUERNSEY documentation
	enumeration	GF	GUJANA documentation
	enumeration	GP	GUJANA FRANCUSKA documentation

	enumeration	GT	GWADELUPA documentation
	enumeration	GN	GWATEMALA documentation
	enumeration	GQ	GWINEA documentation
	enumeration	GW	GWINEA RÓWNIKOWA documentation
	enumeration	HT	GWINEA-BISSAU documentation
	enumeration	ES	HAITI documentation
	enumeration	HN	HISZPANIA documentation
	enumeration	HK	HONDURAS documentation
	enumeration	IN	HONGKONG documentation
	enumeration	ID	INDIE documentation
	enumeration	IQ	INDONEZJA documentation
	enumeration	IR	IRAK documentation
	enumeration	IE	IRAN documentation
	enumeration	IS	IRLANDIA documentation
	enumeration	IL	ISLANDIA documentation
	enumeration	JM	IZRAEL documentation
	enumeration	JP	JAMAJKA documentation
	enumeration	YE	JAPONIA documentation
	enumeration	JE	JEMEN documentation
	enumeration	JO	JERSEY documentation
	enumeration	KY	JORDANIA documentation
	enumeration	KH	KAJMANY documentation
	enumeration	CM	KAMBODŽA documentation
	enumeration	CA	KAMERUN documentation
	enumeration	QA	KANADA documentation
	enumeration	KZ	KATAR documentation
	enumeration	KE	KAZACHSTAN documentation
	enumeration	KG	KENIA documentation
	enumeration	KI	KIRGISTAN documentation
	enumeration	CO	KIRIBATI documentation
	enumeration	KM	KOLUMBIA documentation
	enumeration	CG	KOMORY documentation
	enumeration	CD	KONGO documentation
	enumeration	KP	KONGO, REPUBLIKA DEMOKRATYCZNA documentation
	enumeration	XK	KOREŃSKA REPUBLIKA LUDOWO-DEMOKRATYCZNA documentation

	enumeration	CR	KOSOWO documentation
	enumeration	CU	KOSTARYKA documentation
	enumeration	KW	KUBA documentation
	enumeration	LA	KUWEJT documentation
	enumeration	LS	LAOS documentation
	enumeration	LB	LESOTHO documentation
	enumeration	LR	LIBAN documentation
	enumeration	LY	LIBERIA documentation
	enumeration	LI	LIECHTENSTEIN documentation
	enumeration	LT	LITWA documentation
	enumeration	LV	ŁOTWA documentation
	enumeration	LU	LUKSEMBURG documentation
	enumeration	MK	MACEDONIA documentation
	enumeration	MG	MADAGASKAR documentation
	enumeration	YT	MAJOTTA documentation
	enumeration	MO	MAKAU documentation
	enumeration	MW	MALAWI documentation
	enumeration	MV	MALEDIWY documentation
	enumeration	MY	MALEZJA documentation
	enumeration	ML	MALI documentation
	enumeration	MT	MALTA documentation
	enumeration	MP	MARIANY PÓŁNOCNE documentation
	enumeration	MA	MAROKO documentation
	enumeration	MQ	MARTYNIKA documentation
	enumeration	MR	MAURETANIA documentation
	enumeration	MU	MAURITIUS documentation
	enumeration	MX	MEKSYK documentation
	enumeration	XL	MELILLA documentation
	enumeration	FM	MIKRONEZJA documentation
	enumeration	UM	MINOR documentation
	enumeration	MD	MOŁDOWA documentation
	enumeration	MC	MONAKO documentation
	enumeration	MN	MONGOLIA documentation
	enumeration	MS	MONTSERRAT documentation
	enumeration	MZ	documentation

	enumeration	MM	MOZAMBIK documentation
	enumeration	NA	MYANMAR (BURMA) documentation
	enumeration	NR	NAMIBIA documentation
	enumeration	NP	NAURU documentation
	enumeration	NL	NEPAL documentation
	enumeration	DE	NIDERLANDY (HOLANDIA) documentation
	enumeration	NE	NIEMCY documentation
	enumeration	NG	NIGER documentation
	enumeration	NI	NIGERIA documentation
	enumeration	NU	NIKARAGUA documentation
	enumeration	NF	NIUE documentation
	enumeration	NO	NORFOLK documentation
	enumeration	NC	NORWEGIA documentation
	enumeration	NZ	NOWA KALEDONIA documentation
	enumeration	PS	NOWA ZELANDIA documentation
	enumeration	OM	OKUPOWANE TERYTORIUM PALESTYNY documentation
	enumeration	PK	OMAN documentation
	enumeration	PW	PAKISTAN documentation
	enumeration	PA	PALAU documentation
	enumeration	PG	PANAMA documentation
	enumeration	PY	PAPUA NOWA GWINEA documentation
	enumeration	PE	PARAGWAJ documentation
	enumeration	PN	PERU documentation
	enumeration	PF	PITCAIRN documentation
	enumeration	PL	POLINEZJA FRANCUSKA documentation
	enumeration	GS	POLSKA documentation
	enumeration	PT	POŁUDNIOWA GEORGIA I POŁUD.WYSPY SANDWICH documentation
	enumeration	PR	PORTUGALIA documentation
	enumeration	CF	PORTORYKO documentation
	enumeration	CZ	REP.ŚRODKOWOAFRYKAŃSKA documentation
	enumeration	KR	REPUBLIKA CZESKA documentation
	enumeration	ZA	REPUBLIKA KOREI documentation
	enumeration	RE	REPUBLIKA POŁUDNIOWEJ AFRYKI documentation
	enumeration	RU	REUNION documentation
	enumeration	RO	ROSJA documentation

	enumeration	RW	RUMUNIA documentation
	enumeration	EH	RWANDA documentation
	enumeration	BL	SAHARA ZACHODNIA documentation
	enumeration	KN	SAINT BARTHELEMY documentation
	enumeration	LC	SAINT KITTS I NEVIS documentation
	enumeration	MF	SAINT LUCIA documentation
	enumeration	VC	SAINT MARTIN documentation
	enumeration	SV	SAINT VINCENT I GRENADYNY documentation
	enumeration	WS	SALWADOR documentation
	enumeration	AS	SAMOA documentation
	enumeration	SM	SAMOA AMERYKAŃSKIE documentation
	enumeration	SN	SAN MARINO documentation
	enumeration	RS	SENEGAL documentation
	enumeration	SC	SERBIA documentation
	enumeration	SL	SESZELE documentation
	enumeration	SG	SIERRA LEONE documentation
	enumeration	SK	SINGAPUR documentation
	enumeration	SI	SŁOWACJA documentation
	enumeration	SO	SŁOWENIA documentation
	enumeration	LK	SOMALIA documentation
	enumeration	PM	SRI LANKA documentation
	enumeration	US	SAINT PIERRE I MIQUELON documentation
	enumeration	SZ	STANY ZJEDNOCZONE AMERYKI documentation
	enumeration	SD	SUAZI documentation
	enumeration	SS	SUDAN documentation
	enumeration	SR	SUDAN POŁUDNIOWY documentation
	enumeration	SJ	SURINAM documentation
	enumeration	SH	SVALBARD I JAN MAYEN documentation
	enumeration	SY	ŚWIĘTA HELENA documentation
	enumeration	CH	SYRIA documentation
	enumeration	SE	SZWAJCARIA documentation
	enumeration	TJ	SZWECJA documentation
	enumeration	TH	TADŻYKISTAN documentation
	enumeration	TW	TAJLANDIA documentation
	enumeration	TZ	TAJWAN documentation

	enumeration	TG	TANZANIA documentation
	enumeration	TK	TOGO documentation
	enumeration	TO	TOKELAU documentation
	enumeration	TT	TONGA documentation
	enumeration	TN	TRYNIDAD I TOBAGO documentation
	enumeration	TR	TUNEZJA documentation
	enumeration	TM	TURCJA documentation
	enumeration	TV	TURKMENISTAN documentation
	enumeration	UG	TUVALU documentation
	enumeration	UA	UGANDA documentation
	enumeration	UY	UKRAINA documentation
	enumeration	UZ	URUGWAJ documentation
	enumeration	VU	UZBEKISTAN documentation
	enumeration	WF	VANUATU documentation
	enumeration	VA	WALLIS I FUTUNA documentation
	enumeration	HU	WATYKAN documentation
	enumeration	VE	WĘGRY documentation
	enumeration	GB	WENEZUELA documentation
	enumeration	VN	WIELKA BRYTANIA documentation
	enumeration	IT	WIETNAM documentation
	enumeration	TL	WŁOCHY documentation
	enumeration	CI	WSCHODNI TIMOR documentation
	enumeration	BV	WYBRZEŻE KOŚCI SŁONIOWEJ documentation
	enumeration	CX	WYSPA BOUVETA documentation
	enumeration	IM	WYSPA BOŻEGO NARODZENIA documentation
	enumeration	SX	WYSPA MAN documentation
	enumeration	CK	WYSPA SINT MAARTEN (CZEŚĆ HOLENDERSKA WYSPY) documentation
	enumeration	VI	WYSPY COOKA documentation
	enumeration	VG	WYSPY DZIEWICZE-USA documentation
	enumeration	HM	WYSPY DZIEWICZE-W.B. documentation
	enumeration	CC	WYSPY HEARD I MCDONALD documentation
	enumeration	MH	WYSPY KOKOSOWE (KEELINGA) documentation
	enumeration	FO	WYSPY MARSHALLA documentation
	enumeration	SB	WYSPY OWCZE documentation
	enumeration	ST	WYSPY SALOMONA documentation

	enumeration TC WYSPY ŚWIĘTEGO TOMASZA I KSIĄŻĘCA documentation
	enumeration ZM WYSPY TURKS I CAICOS documentation
	enumeration CV ZAMBIA documentation
	enumeration ZW ZIELONY PRZYLĄDEK documentation
	enumeration AE ZIMBABWE documentation
	enumeration XI ZJEDNOCZONE EMIRATY ARABSKIE documentation
source	<code>&lt;xsd:element name="KodKraju" type="etd:TKodKraju" fixed="PL"/&gt;</code>


#### element **TAdresPolski/Miejscowosc**

diagram	
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>etd:TMiejscowosc</b>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 56
source	<code>&lt;xsd:element name="Miejscowosc" type="etd:TMiejscowosc"/&gt;</code>

#### element **TAdresPolski/Ulica**


diagram	
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>etd:TUlica</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 65
source	<code>&lt;xsd:element name="Ulica" type="etd:TUlica" minOccurs="0"/&gt;</code>

#### element **TAdresPolski/NrDomu**


diagram	
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
type	<b>etd:TNrBudynku</b>
properties	content simple

facets	Kind minLength maxLength	Value 1 9	Annotation
source	<xsd:element name="NrDomu" type="etd:TNrBudynku"/>		

#### element **TAdresPolski/NrLokalu**

diagram			
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	<a href="#">etd:TNrLokalu</a>		
properties	minOcc 0 maxOcc 1 content simple		
facets	Kind minLength maxLength	Value 1 10	Annotation
source	<xsd:element name="NrLokalu" type="etd:TNrLokalu" minOccurs="0"/>		


#### element **TAdresPolski/KodPocztowy**

diagram			
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	<a href="#">tns:TKodPocztowyPL</a>		
properties	content simple		
facets	Kind minLength maxLength pattern	Value 1 8 [0-9]{2}-[0-9]{3}	Annotation
source	<xsd:element name="KodPocztowy" type="tns:TKodPocztowyPL"/>		

### complexType TAdresZagraniczny

diagram	<pre> classDiagram     class TAdresZagraniczny {         &lt;&lt;Information describing the foreign address&gt;&gt;         tns:KodKraju         tns:Miejscowosc         tns:Ulica         tns:NrDomu         tns:NrLokalu         tns:KodPocztowy     } </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <a href="#">tns:TAdres</a>
properties	base tns:TAdres
children	<a href="#">tns:KodKraju</a> <a href="#">tns:Miejscowosc</a> <a href="#">tns:Ulica</a> <a href="#">tns:NrDomu</a> <a href="#">tns:NrLokalu</a> <a href="#">tns:KodPocztowy</a>
annotation	<p>documentation</p> <p>Information describing the foreign address</p>
source	<pre> &lt;xsd:complexType name="TAdresZagraniczny"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Information describing the foreign address&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:complexContent&gt;     &lt;xsd:restriction base="tns:TAdres"&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="KodKraju"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Kod Kraju [Country Code]&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;           &lt;xsd:simpleType&gt;             &lt;xsd:restriction base="etd:TKodKraju"&gt;               &lt;xsd:pattern value="P[A-KM-Z]"/&gt;               &lt;xsd:pattern value="[A-OQ-Z][A-Z]"/&gt;             &lt;/xsd:restriction&gt;           &lt;/xsd:simpleType&gt;         &lt;/xsd:element&gt;         &lt;xsd:element name="Miejscowosc" type="etd:TMiejscowosc"/&gt;         &lt;xsd:element name="Ulica" type="etd:TUlica" minOccurs="0"/&gt;         &lt;xsd:element name="NrDomu" type="etd:TNrBudynku" minOccurs="0"/&gt;         &lt;xsd:element name="NrLokalu" type="etd:TNrLokalu" minOccurs="0"/&gt;         &lt;xsd:element name="KodPocztowy" type="etd:TKodPocztowy" minOccurs="0"/&gt;       &lt;/xsd:sequence&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:complexContent&gt; &lt;/xsd:complexType&gt; </pre>

## element TAdresZagraniczny/KodKraju

diagram	 Kod Kraju [Country Code]	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/	
type	restriction of etd:TKodKraju	
properties	content simple	
facets	Kind	Value
	pattern	P[A-KM-Z]
	pattern	[A-OQ-Z][A-Z]
	enumeration	AF documentation AFGANISTAN
	enumeration	AX documentation ALAND ISLANDS
	enumeration	AL documentation ALBANIA
	enumeration	DZ documentation ALGIERIA
	enumeration	AD documentation ANDORA
	enumeration	AO documentation ANGOLA
	enumeration	AI documentation ANGUILLA
	enumeration	AQ documentation ANTARKTYDA
	enumeration	AG documentation ANTIGUA I BARBUDA
	enumeration	AN documentation ANTYLE HOLENDERSKIE
	enumeration	SA documentation ARABIA SAUDYJSKA
	enumeration	AR documentation ARGENTYNA
	enumeration	AM documentation ARMENIA
	enumeration	AW documentation ARUBA
	enumeration	AU documentation AUSTRALIA
	enumeration	AT documentation AUSTRIA
	enumeration	AZ documentation AZERBEJDŽAN
	enumeration	BS documentation BAHAMY
	enumeration	BH documentation BAHRAJN
	enumeration	BD documentation BANGLADESZ
	enumeration	BB documentation BARBADOS
	enumeration	BE documentation BELGIA
	enumeration	BZ documentation BELIZE
	enumeration	BJ documentation BENIN
	enumeration	BM documentation BERMUDY
	enumeration	BT documentation BHUTAN
	enumeration	BY documentation BIAŁORUŚ

	enumeration	BO	documentation BOLIWIA
	enumeration	BQ	documentation BONAIRE, SINT EUSTATIUS I SABA
	enumeration	BA	documentation BOŚNIA I HERCEGOWINA
	enumeration	BW	documentation BOTSWANA
	enumeration	BR	documentation BRAZYLIA
	enumeration	BN	documentation BRUNEI DARUSSALAM
	enumeration	IO	documentation BRYTYJSKIE TERYTORIUM OCEANU INDYJSKIEGO
	enumeration	BG	documentation BUŁGARIA
	enumeration	BF	documentation BURKINA FASO
	enumeration	BI	documentation BURUNDI
	enumeration	XC	documentation CEUTA
	enumeration	CL	documentation CHILE
	enumeration	CN	documentation CHINY
	enumeration	HR	documentation CHORWACJA
	enumeration	CW	documentation CURAÇAO
	enumeration	CY	documentation CYPR
	enumeration	TD	documentation CZAD
	enumeration	ME	documentation CZARNOGÓRA
	enumeration	DK	documentation DANIA
	enumeration	DM	documentation DOMINIKA
	enumeration	DO	documentation DOMINKANA
	enumeration	DJ	documentation DŻIBUTI
	enumeration	EG	documentation EGIPT
	enumeration	EC	documentation EKWADOR
	enumeration	ER	documentation ERYTREA
	enumeration	EE	documentation ESTONIA
	enumeration	ET	documentation ETIOPIA
	enumeration	FK	documentation FALKLANDY
	enumeration	FJ	documentation FIDŽI REPUBLIKA
	enumeration	PH	documentation FILIPINY
	enumeration	FI	documentation FINLANDIA
	enumeration	FR	documentation FRANCJA
	enumeration	TF	documentation FRANCUSKIE TERYTORIUM POŁUDNIOWE
	enumeration	GA	documentation GABON
	enumeration	GM	documentation GAMBIA

	enumeration	GH	documentation <b>GHANA</b>
	enumeration	GI	documentation <b>GIBRALTAR</b>
	enumeration	GR	documentation <b>GRECJA</b>
	enumeration	GD	documentation <b>GRENADA</b>
	enumeration	GL	documentation <b>GRENLANDIA</b>
	enumeration	GE	documentation <b>GRUZJA</b>
	enumeration	GU	documentation <b>GUAM</b>
	enumeration	GG	documentation <b>GUERNSEY</b>
	enumeration	GY	documentation <b>GUJANA</b>
	enumeration	GF	documentation <b>GUJANA FRANCUSKA</b>
	enumeration	GP	documentation <b>GWADELUPA</b>
	enumeration	GT	documentation <b>GWATEMALA</b>
	enumeration	GN	documentation <b>GWINEA</b>
	enumeration	GQ	documentation <b>GWINEA RÓWNIKOWA</b>
	enumeration	GW	documentation <b>GWINEA-BISSAU</b>
	enumeration	HT	documentation <b>HAITI</b>
	enumeration	ES	documentation <b>HISZPANIA</b>
	enumeration	HN	documentation <b>HONDURAS</b>
	enumeration	HK	documentation <b>HONGKONG</b>
	enumeration	IN	documentation <b>INDIE</b>
	enumeration	ID	documentation <b>INDONEZJA</b>
	enumeration	IQ	documentation <b>IRAK</b>
	enumeration	IR	documentation <b>IRAN</b>
	enumeration	IE	documentation <b>IRLANDIA</b>
	enumeration	IS	documentation <b>ISLANDIA</b>
	enumeration	IL	documentation <b>IZRAEL</b>
	enumeration	JM	documentation <b>JAMAJKA</b>
	enumeration	JP	documentation <b>JAPONIA</b>
	enumeration	YE	documentation <b>JEMEN</b>
	enumeration	JE	documentation <b>JERSEY</b>
	enumeration	JO	documentation <b>JORDANIA</b>
	enumeration	KY	documentation <b>KAJMANY</b>
	enumeration	KH	documentation <b>KAMBODŽA</b>
	enumeration	CM	documentation <b>KAMERUN</b>
	enumeration	CA	documentation <b>KANADA</b>

	enumeration	QA	documentation KATAR
	enumeration	KZ	documentation KAZACHSTAN
	enumeration	KE	documentation KENIA
	enumeration	KG	documentation KIRGISTAN
	enumeration	KI	documentation KIRIBATI
	enumeration	CO	documentation KOLUMBIA
	enumeration	KM	documentation KOMORY
	enumeration	CG	documentation KONGO
	enumeration	CD	documentation KONGO, REPUBLIKA DEMOKRATYCZNA
	enumeration	KP	documentation KOREAŃSKA REPUBLIKA LUDOWO-DEMOKRATYCZNA
	enumeration	XK	documentation KOSOWO
	enumeration	CR	documentation KOSTARYKA
	enumeration	CU	documentation KUBA
	enumeration	KW	documentation KUWEJT
	enumeration	LA	documentation LAOS
	enumeration	LS	documentation LESOTHO
	enumeration	LB	documentation LIBAN
	enumeration	LR	documentation LIBERIA
	enumeration	LY	documentation LIBIA
	enumeration	LI	documentation LIECHTENSTEIN
	enumeration	LT	documentation LITWA
	enumeration	LV	documentation ŁOTWA
	enumeration	LU	documentation LUKSEMBURG
	enumeration	MK	documentation MACEDONIA
	enumeration	MG	documentation MADAGASKAR
	enumeration	YT	documentation MAJOTTA
	enumeration	MO	documentation MAKAU
	enumeration	MW	documentation MALAWI
	enumeration	MV	documentation MALEDIWY
	enumeration	MY	documentation MALEZJA
	enumeration	ML	documentation MALI
	enumeration	MT	documentation MALTA
	enumeration	MP	documentation MARIANY PÓŁNOCNE
	enumeration	MA	documentation MAROKO
	enumeration	MQ	documentation MARTYNIKA

	enumeration	MR	documentation MAURETANIA
	enumeration	MU	documentation MAURITIUS
	enumeration	MX	documentation MEKSYK
	enumeration	XL	documentation MELILLA
	enumeration	FM	documentation MIKRONEZJA
	enumeration	UM	documentation MINOR
	enumeration	MD	documentation MOŁDOWA
	enumeration	MC	documentation MONAKO
	enumeration	MN	documentation MONGOLIA
	enumeration	MS	documentation MONTSERRAT
	enumeration	MZ	documentation MOZAMBIK
	enumeration	MM	documentation MYANMAR (BURMA)
	enumeration	NA	documentation NAMIBIA
	enumeration	NR	documentation NAURU
	enumeration	NP	documentation NEPAL
	enumeration	NL	documentation NIDERLANDY (HOLANDIA)
	enumeration	DE	documentation NIEMCY
	enumeration	NE	documentation NIGER
	enumeration	NG	documentation NIGERIA
	enumeration	NI	documentation NIKARAGUA
	enumeration	NU	documentation NIUE
	enumeration	NF	documentation NORFOLK
	enumeration	NO	documentation NORWEGIA
	enumeration	NC	documentation NOWA KALEDONIA
	enumeration	NZ	documentation NOWA ZELANDIA
	enumeration	PS	documentation OKUPOWANE TERYTORIUM PALESTYNY
	enumeration	OM	documentation OMAN
	enumeration	PK	documentation PAKISTAN
	enumeration	PW	documentation PALAU
	enumeration	PA	documentation PANAMA
	enumeration	PG	documentation PAPUA NOWA GWINEA
	enumeration	PY	documentation PARAGWAJ
	enumeration	PE	documentation PERU
	enumeration	PN	documentation PITCAIRN
	enumeration	PF	documentation POLINEZJA FRANCUSKA

	enumeration	PL	documentation POLSKA
	enumeration	GS	documentation POŁUDNIOWA GEORGIA I POŁUD.WYSPY SANDWICH
	enumeration	PT	documentation PORTUGALIA
	enumeration	PR	documentation PORTORYKO
	enumeration	CF	documentation REP.ŚRODKOWOAFRYKAŃSKA
	enumeration	CZ	documentation REPUBLIKA CZESKA
	enumeration	KR	documentation REPUBLIKA KOREI
	enumeration	ZA	documentation REPUBLIKA POŁUDNIOWEJ AFRYKI
	enumeration	RE	documentation REUNION
	enumeration	RU	documentation ROSJA
	enumeration	RO	documentation RUMUNIA
	enumeration	RW	documentation RWANDA
	enumeration	EH	documentation SAHARA ZACHODNIA
	enumeration	BL	documentation SAINT BARTHELEMY
	enumeration	KN	documentation SAINT KITTS I NEVIS
	enumeration	LC	documentation SAINT LUCIA
	enumeration	MF	documentation SAINT MARTIN
	enumeration	VC	documentation SAINT VINCENT I GRENADYNY
	enumeration	SV	documentation SALWADOR
	enumeration	WS	documentation SAMOA
	enumeration	AS	documentation SAMOA AMERYKAŃSKIE
	enumeration	SM	documentation SAN MARINO
	enumeration	SN	documentation SENEGAL
	enumeration	RS	documentation SERBIA
	enumeration	SC	documentation SESZELE
	enumeration	SL	documentation SIERRA LEONE
	enumeration	SG	documentation SINGAPUR
	enumeration	SK	documentation SŁOWACJA
	enumeration	SI	documentation SŁOWENIA
	enumeration	SO	documentation SOMALIA
	enumeration	LK	documentation SRI LANKA
	enumeration	PM	documentation SAINT PIERRE I MIQUELON
	enumeration	US	documentation STANY ZJEDNOCZONE AMERYKI
	enumeration	SZ	documentation SUAZI
	enumeration	SD	documentation SUDAN

	enumeration	SS	documentation SUDAN POŁUDNIOWY
	enumeration	SR	documentation SURINAM
	enumeration	SJ	documentation SVALBARD I JAN MAYEN
	enumeration	SH	documentation ŚWIĘTA HELENA
	enumeration	SY	documentation SYRIA
	enumeration	CH	documentation SZWAJCARIA
	enumeration	SE	documentation SZWECJA
	enumeration	TJ	documentation TADŻYKISTAN
	enumeration	TH	documentation TAJLANDIA
	enumeration	TW	documentation TAIWAN
	enumeration	TZ	documentation TANZANIA
	enumeration	TG	documentation TOGO
	enumeration	TK	documentation TOKELAU
	enumeration	TO	documentation TONGA
	enumeration	TT	documentation TRYNIDAD I TOBAGO
	enumeration	TN	documentation TUNEZJA
	enumeration	TR	documentation TURCJA
	enumeration	TM	documentation TURKMENISTAN
	enumeration	TV	documentation TUVALU
	enumeration	UG	documentation UGANDA
	enumeration	UA	documentation UKRAINA
	enumeration	UY	documentation URUGWAJ
	enumeration	UZ	documentation UZBEKISTAN
	enumeration	VU	documentation VANUATU
	enumeration	WF	documentation WALLIS I FUTUNA
	enumeration	VA	documentation WATYKAN
	enumeration	HU	documentation WĘGRY
	enumeration	VE	documentation WENEZUELA
	enumeration	GB	documentation WIELKA BRYTANIA
	enumeration	VN	documentation WIETNAM
	enumeration	IT	documentation WŁOCHY
	enumeration	TL	documentation WSCHODNI TIMOR
	enumeration	CI	documentation WYBRZEŻE KOŚCI SŁONIOWEJ
	enumeration	BV	documentation WYSPA BOUVETA
	enumeration	CX	documentation WYSPA BOŻEGO NARODZENIA

	enumeration	IM	documentation WYSPA MAN
	enumeration	SX	documentation WYSPA SINT MAARTEN (CZĘŚĆ HOLENDERSKA WYSPY)
	enumeration	CK	documentation WYSPY COOKA
	enumeration	VI	documentation WYSPY DZIEWICZE-USA
	enumeration	VG	documentation WYSPY DZIEWICZE-W.B.
	enumeration	HM	documentation WYSPY HEARD I MCDONALD
	enumeration	CC	documentation WYSPY KOKOSOWE (KEELINGA)
	enumeration	MH	documentation WYSPY MARSHALLA
	enumeration	FO	documentation WYSPY OWCZE
	enumeration	SB	documentation WYSPY SALOMONA
	enumeration	ST	documentation WYSPY ŚWIĘTEGO TOMASZA I KSIĄŻĘCA
	enumeration	TC	documentation WYSPY TURKS I CAICOS
	enumeration	ZM	documentation ZAMBIA
	enumeration	CV	documentation ZIELONY PRZYLĄDEK
	enumeration	ZW	documentation ZIMBABWE
	enumeration	AE	documentation ZJEDNOCZONE EMIRATY ARABSKIE
	enumeration	XI	documentation ZJEDNOCZONE KRÓLESTWO (IRLANDIA PÓŁNOCNA)
annotation	documentation Kod Kraju [Country Code]		
source	<pre>&lt;xsd:element name="KodKraju"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Kod Kraju [Country Code]&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TKodKraju"&gt;       &lt;xsd:pattern value="P[A-KM-Z]"/&gt;       &lt;xsd:pattern value="[A-OQ-Z][A-Z]"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>		

#### element **TAdresZagraniczny/Miejscowosc**

diagram										
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>									
type	<b>etd:TMiejscowosc</b>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>56</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	56	
Kind	Value	Annotation								
minLength	1									
maxLength	56									

source	<code>&lt;xsd:element name="Miejscowosc" type="etd:TMiejscowosc"/&gt;</code>
--------	--

#### element **TAdresZagraniczny/Ulica**

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TUlica</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 65
source	<code>&lt;xsd:element name="Ulica" type="etd:TUlica" minOccurs="0"/&gt;</code>


#### element **TAdresZagraniczny/NrDomu**

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TNrBudynku</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 9
source	<code>&lt;xsd:element name="NrDomu" type="etd:TNrBudynku" minOccurs="0"/&gt;</code>


#### element **TAdresZagraniczny/NrLokalu**

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TNrLokalu</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 10
source	<code>&lt;xsd:element name="NrLokalu" type="etd:TNrLokalu" minOccurs="0"/&gt;</code>

### element TAdresZagraniczny/KodPocztowy

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TKodPocztowy</b>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 8
source	<xsd:element name="KodPocztowy" type="etd:TKodPocztowy" minOccurs="0"/>

### complexType TKluczWartosc

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
children	<a href="#">tns:Klucz</a> <a href="#">tns:Wartosc</a>
used by	element <a href="#">Faktura/Fa/DodatkowyOpis</a>
annotation	documentation Complex type, key-value
source	<pre>&lt;xsd:complexType name="TKluczWartosc"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Complex type, key-value&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:sequence&gt;     &lt;xsd:element name="Klucz" type="tns:TZnakowy"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Key&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="Wartosc" type="tns:TZnakowy"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Value&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;   &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt;</pre>

### element TKluczWartosc/Klucz

diagram	 Key
---------	--

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Key
source	<pre>&lt;xsd:element name="Klucz" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Key&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element TKluczWartosc/Wartosc

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#">tns:TZnakowy</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Value
source	<pre>&lt;xsd:element name="Wartosc" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Value&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### complexType TNaglowek

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/

children	<a href="#"><u>tns:KodFormularza</u></a> <a href="#"><u>tns:WariantFormularza</u></a> <a href="#"><u>tns:DataWytwarzeniaFa</u></a> <a href="#"><u>tns:SystemInfo</u></a>
used by	element <a href="#"><u>Faktura/Naglowek</u></a>
annotation	documentation Header
source	<pre> &lt;xsd:complexType name="TNaglowek"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Header&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:sequence&gt;     &lt;xsd:element name="KodFormularza"&gt;       &lt;xsd:complexType&gt;         &lt;xsd:simpleContent&gt;           &lt;xsd:extension base="tns:TKodFormularza"&gt;             &lt;xsd:attribute name="kodSystemowy" type="xsd:string" use="required" fixed="FA (1)" /&gt;             &lt;xsd:attribute name="wersjaSchemu" type="xsd:string" use="required" fixed="1-0E"/&gt;           &lt;/xsd:extension&gt;         &lt;/xsd:simpleContent&gt;       &lt;/xsd:complexType&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="WariantFormularza"&gt;       &lt;xsd:simpleType&gt;         &lt;xsd:restriction base="xsd:byte"&gt;           &lt;xsd:enumeration value="1"/&gt;         &lt;/xsd:restriction&gt;       &lt;/xsd:simpleType&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="DataWytwarzeniaFa"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The date and time the invoice was produced&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;       &lt;xsd:simpleType&gt;         &lt;xsd:restriction base="etd:TDataCzas"&gt;           &lt;xsd:minInclusive value="2021-10-01T00:00:00Z"/&gt;         &lt;/xsd:restriction&gt;       &lt;/xsd:simpleType&gt;     &lt;/xsd:element&gt;     &lt;xsd:element name="SystemInfo" type="tns:TZnakowy" minOccurs="0"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Name of the IT system used by the taxpayer&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;   &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt;</pre>

#### element TNaglowek/KodFormularza

diagram	<pre> classDiagram     class tn:KodFormularza {         &lt;&lt;attributes&gt;&gt;         kodSystemowy         wersjaSchemu     }   </pre>
---------	---

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/					
type	extension of <a href="#">tns:TKodFormularza</a>					
properties	content complex					
facets	Kind enumeration Value FA Annotation					
attributes	Name <a href="#">kodSystemowy</a>	Type <b>xsd:string</b>	Use required	Default	Fixed FA (1)	Annotation
	<a href="#">wersjaSchemu</a>	<b>xsd:string</b>	required		1-0E	
source	<pre>&lt;xsd:element name="KodFormularza"&gt;   &lt;xsd:complexType&gt;     &lt;xsd:simpleContent&gt;       &lt;xsd:extension base="tns:TKodFormularza"&gt;         &lt;xsd:attribute name="kodSystemowy" type="xsd:string" use="required" fixed="FA (1)"/&gt;         &lt;xsd:attribute name="wersjaSchemu" type="xsd:string" use="required" fixed="1-0E"/&gt;       &lt;/xsd:extension&gt;     &lt;/xsd:simpleContent&gt;   &lt;/xsd:complexType&gt; &lt;/xsd:element&gt;</pre>					

#### attribute TNaglowek/KodFormularza/@kodSystemowy

type	<b>xsd:string</b>
properties	use required fixed FA (1)
source	<xsd:attribute name="kodSystemowy" type="xsd:string" use="required" fixed="FA (1)"/>

#### attribute TNaglowek/KodFormularza/@wersjaSchemu

type	<b>xsd:string</b>
properties	use required fixed 1-0E
source	<xsd:attribute name="wersjaSchemu" type="xsd:string" use="required" fixed="1-0E"/>

#### element TNaglowek/WariantFormularza

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <b>xsd:byte</b>
properties	content simple
facets	Kind enumeration Value 1 Annotation
source	<pre>&lt;xsd:element name="WariantFormularza"&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="xsd:byte"&gt;       &lt;xsd:enumeration value="1"/&gt;     &lt;/xsd:restriction&gt;</pre>

	<pre>&lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>
--	---

#### element TNaglowek/DataWytworzeniaFa

diagram	<p><b>tns:DataWytworzeniaFa</b></p> <p>The date and time the invoice was produced</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	restriction of <a href="#">etd:TDataCzas</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>2021-10-01T00:00:00Z</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>collapse</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	2021-10-01T00:00:00Z		whiteSpace	collapse	
Kind	Value	Annotation								
minInclusive	2021-10-01T00:00:00Z									
whiteSpace	collapse									
annotation	<p>documentation</p> <p>The date and time the invoice was produced</p>									
source	<pre>&lt;xsd:element name="DataWytworzeniaFa"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The date and time the invoice was produced&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:simpleType&gt;     &lt;xsd:restriction base="etd:TDataCzas"&gt;       &lt;xsd:minInclusive value="2021-10-01T00:00:00Z"/&gt;     &lt;/xsd:restriction&gt;   &lt;/xsd:simpleType&gt; &lt;/xsd:element&gt;</pre>									

#### element TNaglowek/SystemInfo

diagram	<p><b>tns:SystemInfo</b></p> <p>Name of the IT system used by the taxpayer</p>									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	<table> <thead> <tr> <th>minOcc</th> <th>0</th> </tr> </thead> <tbody> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation</p> <p>Name of the IT system used by the taxpayer</p>									
source	<pre>&lt;xsd:element name="SystemInfo" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Name of the IT system used by the taxpayer&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

## complexType TPodmiot

diagram	<pre> classDiagram     class TPodmiot {         sequenceElement tns:NIP         sequenceElement tns:NrID         sequenceElement tns:BrakID     }     sequenceElement {         sequenceElement tns:ImiePierwsze         sequenceElement tns:Nazwisko         sequenceElement tns:PernaNazwa         sequenceElement tns:NazwaHandlowa     }     note "Optional data for the cases referred to in article 106e(5)(3) of the Act"   </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/08052/
children	<a href="#">tns:NIP</a> <a href="#">tns:NrID</a> <a href="#">tns:BrakID</a> <a href="#">tns:ImiePierwsze</a> <a href="#">tns:Nazwisko</a> <a href="#">tns:PernaNazwa</a> <a href="#">tns:NazwaHandlowa</a>
used by	elements <a href="#">Faktura/Podmiot2/Daneldentyfikacyjne Faktura/Podmiot3/Daneldentyfikacyjne</a> <a href="#">Faktura/PodmiotUpowazniony/Daneldentyfikacyjne Faktura/Fa/Podmiot2K/Daneldentyfikacyjne</a> <a href="#">Faktura/Fa/WarunkiTransakcji/Transport/Przewoznik/Daneldentyfikacyjne</a>
annotation	documentation A set of identification data and address data of the buyer and third parties
source	<pre> &lt;xsd:complexType name="TPodmiot"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;A set of identification data and address data of the buyer and third parties&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:sequence&gt;     &lt;xsd:choice&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;The number by which the buyer of goods or services is identified for the tax or value added tax under which he received the goods or services, subject to article 106(1)(24)(b) of the Act. Optional field for the case specified in article 106e(5)(2) of the Act. In the case of invoices issued in the simplified procedure by the second taxpayer referred to in article 135(1)(4)(b) and (c) and (2) of the Act, the number referred to in article 136(1)(4) of the Act&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;       &lt;xsd:element name="NIP" type="etd:TNrNIP"&gt;     &lt;/xsd:choice&gt;     &lt;xsd:element name="NrID" type="string"&gt;     &lt;xsd:element name="BrakID" type="string"&gt;   &lt;/xsd:sequence&gt; </pre>

```

<xsd:annotation>
  <xsd:documentation>Tax identification number (NIP)</xsd:documentation>
</xsd:annotation>
</xsd:element>
<xsd:element name="NrID" type="etd:TNrIdentyfikacjiPodatkowej">
  <xsd:annotation>
    <xsd:documentation>Tax identifier other than NIP</xsd:documentation>
  </xsd:annotation>
</xsd:element>
<xsd:element name="BrakID" type="etd:TWybor1">
  <xsd:annotation>
    <xsd:documentation>The entity does not have a tax ID: 1- yes</xsd:documentation>
  </xsd:annotation>
</xsd:element>
</xsd:choice>
<xsd:sequence minOccurs="0">
  <xsd:annotation>
    <xsd:documentation>Optional data for the cases referred to in article 106e(5)(3) of the Act</xsd:documentation>
  </xsd:annotation>
  <xsd:choice>
    <xsd:sequence>
      <xsd:element name="ImiePierwsze" type="etd:TImie">
        <xsd:annotation>
          <xsd:documentation>First name</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="Nazwisko" type="etd:TNazwisko">
        <xsd:annotation>
          <xsd:documentation>Surname</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
    <xsd:element name="PelnaNazwa" type="tns:TZnakowy">
      <xsd:annotation>
        <xsd:documentation>Full name</xsd:documentation>
      </xsd:annotation>
    </xsd:element>
  </xsd:choice>
  <xsd:element name="NazwaHandlowa" type="tns:TZnakowy" minOccurs="0">
    <xsd:annotation>
      <xsd:documentation>Trade name</xsd:documentation>
    </xsd:annotation>
  </xsd:element>
</xsd:sequence>
</xsd:sequence>
</xsd:complexType>

```

#### element TPodmiot/NIP


diagram	 Tax identification number (NIP)
---------	--

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	<b>etd:TNrNIP</b>		
properties	content simple		
facets	Kind	Value	Annotation
	pattern	[1-9]((\d[1-9]) ([1-9]\d))\d{7}	
annotation	documentation Tax identification number (NIP)		
source	<pre>&lt;xsd:element name="NIP" type="etd:TNrNIP"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax identification number (NIP)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>		

#### element TPodmiot/NrID

diagram	 Tax identifier other than NIP
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TNrIdentyfikacjiPodatkowej</b>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 50 whiteSpace replace
annotation	documentation Tax identifier other than NIP
source	<pre>&lt;xsd:element name="NrID" type="etd:TNrIdentyfikacjiPodatkowej"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax identifier other than NIP&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element TPodmiot/BrakID

diagram	 The entity does not have a tax ID: 1- yes
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TWybor1</b>
properties	content simple
facets	Kind Value Annotation enumeration 1
annotation	documentation The entity does not have a tax ID: 1- yes
source	<pre>&lt;xsd:element name="BrakID" type="etd:TWybor1"&gt;   &lt;xsd:annotation&gt;</pre>

	<pre> &lt;xsd:documentation&gt;The entity does not have a tax ID: 1- yes&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>
--	--

#### element TPodmiot/ImiePierwsze

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;"> <b>tns:ImiePierwsze</b> </div> First name									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<b>etd:TImie</b>									
properties	content simple									
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Kind</th> <th style="text-align: left;">Value</th> <th style="text-align: left;">Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30	
Kind	Value	Annotation								
minLength	1									
maxLength	30									
annotation	documentation First name									
source	<pre> &lt;xsd:element name="ImiePierwsze" type="etd:TImie"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;First name&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

#### element TPodmiot/Nazwisko

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;"> <b>tns:Nazwisko</b> </div> Surname									
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<b>etd:TNazwisko</b>									
properties	content simple									
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">Kind</th> <th style="text-align: left;">Value</th> <th style="text-align: left;">Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>81</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	81	
Kind	Value	Annotation								
minLength	1									
maxLength	81									
annotation	documentation Surname									
source	<pre> &lt;xsd:element name="Nazwisko" type="etd:TNazwisko"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Surname&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>									

#### element TPodmiot/PelnaNazwa

diagram	<div style="border: 1px solid black; padding: 2px; display: inline-block;"> <b>tns:PełnaNazwa</b> </div> Full name
---------	---

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	<a href="#"><b>tns:TZnakowy</b></a>		
properties	content simple		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
annotation	documentation Full name		
source	<pre>&lt;xsd:element name="PelnaNazwa" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Full name&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>		

#### element TPodmiot/NazwaHandlowa

diagram	
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<a href="#"><b>tns:TZnakowy</b></a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 256
annotation	documentation Trade name
source	<pre>&lt;xsd:element name="NazwaHandlowa" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Trade name&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

## complexType TPodmiot1

diagram	<pre> classDiagram     class TPodmiot1 {         &lt;&lt;A set of identification data and address data of the taxpayer&gt;&gt;     }     class tns:NIP {         &lt;&lt;Tax identification number (NIP)&gt;&gt;     }     class tns:ImiePierwsze {         &lt;&lt;First name&gt;&gt;     }     class tns:Nazwisko {         &lt;&lt;Surname&gt;&gt;     }     class tns:PernaNazwa {         &lt;&lt;Full name&gt;&gt;     }     class tns:NazwaHandlowa {         &lt;&lt;Trade name&gt;&gt;     }      TPodmiot1 --&gt; tns:NIP     TPodmiot1 --&gt; tns:ImiePierwsze     TPodmiot1 --&gt; tns:Nazwisko     tns:NIP --&gt; tns:PernaNazwa     tns:PernaNazwa --&gt; tns:NazwaHandlowa   </pre>
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>
children	<a href="#">tns:NIP</a> <a href="#">tns:ImiePierwsze</a> <a href="#">tns:Nazwisko</a> <a href="#">tns:PernaNazwa</a> <a href="#">tns:NazwaHandlowa</a>
used by	elements <a href="#">Faktura/Podmiot1/Daneldentyfikacyjne</a> <a href="#">Faktura/Fa/Podmiot1K/Daneldentyfikacyjne</a>
annotation	documentation A set of identification data and address data of the taxpayer
source	<pre> &lt;xsd:complexType name="TPodmiot1"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;A set of identification data and address data of the taxpayer&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:sequence&gt;     &lt;xsd:element name="NIP" type="etd:TNrNIP"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Tax identification number (NIP)&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;     &lt;xsd:sequence&gt;       &lt;xsd:choice&gt;         &lt;xsd:sequence&gt;           &lt;xsd:element name="ImiePierwsze" type="etd:TImie"&gt;             &lt;xsd:annotation&gt;               &lt;xsd:documentation&gt;First name&lt;/xsd:documentation&gt;             &lt;/xsd:annotation&gt;           &lt;/xsd:element&gt;         &lt;/xsd:sequence&gt;         &lt;xsd:element name="Nazwisko" type="etd:TNazwisko"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Surname&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;       &lt;/xsd:choice&gt;     &lt;/xsd:sequence&gt;     &lt;xsd:element name="PernaNazwa" type="tns:TZnakowy"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Full name&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:element&gt;   &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt;   </pre>

	<pre> &lt;xsd:element name="NazwaHandlowa" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Trade name&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; </pre>
--	--

#### element TPodmiot1/NIP

diagram	 <b>tns:NIP</b> Tax identification number (NIP)
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TNrNIP</b>
properties	content simple
facets	Kind Value Annotation pattern [1-9]((\d[1-9]) ([1-9]\d))\d{7}
annotation	documentation Tax identification number (NIP)
source	<pre> &lt;xsd:element name="NIP" type="etd:TNrNIP"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax identification number (NIP)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

#### element TPodmiot1/ImiePierwsze

diagram	 <b>tns:ImiePierwsze</b> First name
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	<b>etd:TImie</b>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 30
annotation	documentation First name
source	<pre> &lt;xsd:element name="ImiePierwsze" type="etd:TImie"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;First name&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>

#### element TPodmiot1/Nazwisko

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">etd:TNazwisko</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>81</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	81	
Kind	Value	Annotation								
minLength	1									
maxLength	81									
annotation	documentation Surname									
source	<pre>&lt;xsd:element name="Nazwisko" type="etd:TNazwisko"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Surname&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element TPodmiot1/PelnaNazwa

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	documentation Full name									
source	<pre>&lt;xsd:element name="PelnaNazwa" type="tns:TZnakowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Full name&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### element TPodmiot1/NazwaHandlowa

diagram							
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#">tns:TZnakowy</a>						
properties	<table> <tbody> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple
minOcc	0						
maxOcc	1						
content	simple						

facets	Kind minLength maxLength	Value 1 256	Annotation
annotation	documentation	Trade name	
source		<xsd:element name="NazwaHandlowa" type="tns:TZnakowy" minOccurs="0"> <xsd:annotation> <xsd:documentation>Trade name</xsd:documentation> </xsd:annotation> </xsd:element>	

### complexType TRachunekBankowy

diagram	<pre> classDiagram     class TRachunekBankowy {         &lt;&lt;Bank account information&gt;&gt;     }     class NrRBPL {         &lt;&lt;Full account number in the NRB standard&gt;&gt;     }     class NrRBZagr {         &lt;&lt;Full foreign account number&gt;&gt;     }     class SWIFT {         &lt;&lt;SWIFT code&gt;&gt;     }     class RachunekWlasnyBanku {         &lt;&lt;Bank's own account&gt;&gt;     }     class NazwaBanku {         &lt;&lt;The name of the bank&gt;&gt;     }      TRachunekBankowy "3" --&gt; NrRBPL :      TRachunekBankowy "3" --&gt; NrRBZagr :      TRachunekBankowy "3" --&gt; SWIFT :      RachunekWlasnyBanku "3" --&gt; NazwaBanku :    </pre>
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
children	<a href="#">tns:NrRBPL</a> <a href="#">tns:NrRBZagr</a> <a href="#">tns:SWIFT</a> <a href="#">tns:RachunekWlasnyBanku</a> <a href="#">tns:NazwaBanku</a>
used by	elements <a href="#">Faktura/Fa/Platnosc/RachunekBankowy</a> <a href="#">Faktura/Fa/Platnosc/RachunekBankowyFaktora</a>
annotation	documentation Bank account information
source	<pre> &lt;xsd:complexType name="TRachunekBankowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Bank account information&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:sequence&gt;     &lt;xsd:choice&gt;       &lt;xsd:element name="NrRBPL" type="tns:TNrNRB"&gt;         &lt;xsd:annotation&gt;           &lt;xsd:documentation&gt;Full account number in the NRB standard&lt;/xsd:documentation&gt;         &lt;/xsd:annotation&gt;       &lt;/xsd:element&gt;       &lt;xsd:sequence&gt;         &lt;xsd:element name="NrRBZagr" type="tns:TNrRBZagr"&gt;           &lt;xsd:annotation&gt;             &lt;xsd:documentation&gt;Full foreign account number&lt;/xsd:documentation&gt;           &lt;/xsd:annotation&gt;         &lt;/xsd:element&gt;       &lt;/xsd:sequence&gt;       &lt;xsd:element name="SWIFT" type="tns:SWIFT_Type"&gt;     &lt;/xsd:choice&gt;   &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt;   </pre>

	<pre> &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;SWIFT code&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:choice&gt; &lt;xsd:element name="RachunekWlasnyBanku" type="tns:TRachunekWlasnyBanku" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Bank's own account&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;xsd:element name="NazwaBanku" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The name of the bank&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; &lt;/xsd:sequence&gt; &lt;/xsd:complexType&gt; </pre>
--	--

#### element **TRachunekBankowy/NrRBPL**

diagram	 <b>tns:NrRBPL</b>						
	Full account number in the NRB standard						
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>						
type	<a href="#">tns:TNrNRB</a>						
properties	content simple						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[0-9]{26}</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	[0-9]{26}	
Kind	Value	Annotation					
pattern	[0-9]{26}						
annotation	<p>documentation</p> <p>Full account number in the NRB standard</p>						
source	<pre> &lt;xsd:element name="NrRBPL" type="tns:TNrNRB"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Full account number in the NRB standard&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt; </pre>						

#### element **TRachunekBankowy/NrRBZagr**


diagram	 <b>tns:NrRBZagr</b>						
	Full foreign account number						
namespace	<a href="http://ksef.mf.gov.pl/wzor/2021/08/05/08052/">http://ksef.mf.gov.pl/wzor/2021/08/05/08052/</a>						
type	<a href="#">tns:TNrRBZagr</a>						
properties	content simple						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[0-9A-Z]{10,30}</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	[0-9A-Z]{10,30}	
Kind	Value	Annotation					
pattern	[0-9A-Z]{10,30}						

annotation	documentation Full foreign account number
source	<pre>&lt;xsd:element name="NrRBZagr" type="tns:TNrRBZagr"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Full foreign account number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>

#### element TRachunekBankowy/SWIFT


diagram							
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/						
type	<a href="#">tns:SWIFT Type</a>						
properties	content simple						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[A-Z]{6}[A-Z0-9]{2}([A-Z0-9]{3}){0,1}</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	[A-Z]{6}[A-Z0-9]{2}([A-Z0-9]{3}){0,1}	
Kind	Value	Annotation					
pattern	[A-Z]{6}[A-Z0-9]{2}([A-Z0-9]{3}){0,1}						
annotation	documentation SWIFT code						
source	<pre>&lt;xsd:element name="SWIFT" type="tns:SWIFT_Type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;SWIFT code&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>						

#### element TRachunekBankowy/RachunekWlasnyBanku

diagram																			
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																		
type	<a href="#">tns:TRachunekWlasnyBanku</a>																		
properties	<table> <thead> <tr> <th>minOcc</th> <td>0</td> </tr> <tr> <th>maxOcc</th> <td>1</td> </tr> <tr> <th>content</th> <td>simple</td> </tr> </thead> </table>	minOcc	0	maxOcc	1	content	simple												
minOcc	0																		
maxOcc	1																		
content	simple																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation a bank account or a cooperative savings and credit union account used to make settlements on account of cash receivables purchased by this bank or this union</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation a bank account or an account of a cooperative savings and credit union used by this bank or this union to collect receivables from the buyer of goods or service recipients for the supply of goods or services, confirmed by an invoice, and to transfer it in whole or in part to the supplier of goods or service provider</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation a bank account or an account of a cooperative savings and credit union kept by this bank or this union as part of its own economy, other than a settlement account</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	documentation a bank account or a cooperative savings and credit union account used to make settlements on account of cash receivables purchased by this bank or this union	enumeration	2	documentation a bank account or an account of a cooperative savings and credit union used by this bank or this union to collect receivables from the buyer of goods or service recipients for the supply of goods or services, confirmed by an invoice, and to transfer it in whole or in part to the supplier of goods or service provider	enumeration	3	documentation a bank account or an account of a cooperative savings and credit union kept by this bank or this union as part of its own economy, other than a settlement account
Kind	Value	Annotation																	
minLength	1																		
maxLength	256																		
enumeration	1	documentation a bank account or a cooperative savings and credit union account used to make settlements on account of cash receivables purchased by this bank or this union																	
enumeration	2	documentation a bank account or an account of a cooperative savings and credit union used by this bank or this union to collect receivables from the buyer of goods or service recipients for the supply of goods or services, confirmed by an invoice, and to transfer it in whole or in part to the supplier of goods or service provider																	
enumeration	3	documentation a bank account or an account of a cooperative savings and credit union kept by this bank or this union as part of its own economy, other than a settlement account																	
annotation	documentation Bank's own account																		

source	<pre>&lt;xsd:element name="RachunekWlasnyBanku" type="tns:TRachunekWlasnyBanku" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Bank's own account&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>
--------	---

#### element TRachunekBankowy/NazwaBanku

diagram										
namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/									
type	<a href="#">tns:TZnakowy</a>									
properties	<table> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple			
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256	
Kind	Value	Annotation								
minLength	1									
maxLength	256									
annotation	<p>documentation The name of the bank</p>									
source	<pre>&lt;xsd:element name="NazwaBanku" type="tns:TZnakowy" minOccurs="0"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The name of the bank&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:element&gt;</pre>									

#### simpleType currCode\_Type

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																										
type	restriction of <a href="#">xsd:string</a>																																										
properties	base xsd:string																																										
used by	elements <a href="#">Fatura/Fa/KodWaluty Fatura/Fa/WarunkiTransakcji/WalutaUmowna</a>																																										
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AED</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AFN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ALL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AMD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ANG</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AOA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ARS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AUD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AWG</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AZN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BAM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BBD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BDT</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AED		enumeration	AFN		enumeration	ALL		enumeration	AMD		enumeration	ANG		enumeration	AOA		enumeration	ARS		enumeration	AUD		enumeration	AWG		enumeration	AZN		enumeration	BAM		enumeration	BBD		enumeration	BDT	
Kind	Value	Annotation																																									
enumeration	AED																																										
enumeration	AFN																																										
enumeration	ALL																																										
enumeration	AMD																																										
enumeration	ANG																																										
enumeration	AOA																																										
enumeration	ARS																																										
enumeration	AUD																																										
enumeration	AWG																																										
enumeration	AZN																																										
enumeration	BAM																																										
enumeration	BBD																																										
enumeration	BDT																																										

	enumeration	BGN
	enumeration	BHD
	enumeration	BIF
	enumeration	BMD
	enumeration	BND
	enumeration	BOB
	enumeration	BOV
	enumeration	BRL
	enumeration	BSD
	enumeration	BTN
	enumeration	BWP
	enumeration	BYN
	enumeration	BYR
	enumeration	BZD
	enumeration	CAD
	enumeration	CDF
	enumeration	CHE
	enumeration	CHF
	enumeration	CHW
	enumeration	CLF
	enumeration	CLP
	enumeration	CNY
	enumeration	COP
	enumeration	COU
	enumeration	CRC
	enumeration	CUC
	enumeration	CUP
	enumeration	CVE
	enumeration	CZK
	enumeration	DJF
	enumeration	DKK
	enumeration	DOP
	enumeration	DZD
	enumeration	EEK
	enumeration	EGP
	enumeration	ERN
	enumeration	ETB
	enumeration	EUR
	enumeration	FJD
	enumeration	FKP
	enumeration	GBP
	enumeration	GEL
	enumeration	GHS
	enumeration	GIP
	enumeration	GMD
	enumeration	GNF

	enumeration	GTQ
	enumeration	GWP
	enumeration	GYD
	enumeration	HKD
	enumeration	HNL
	enumeration	HRK
	enumeration	HTG
	enumeration	HUF
	enumeration	IDR
	enumeration	ILS
	enumeration	INR
	enumeration	IQD
	enumeration	IRR
	enumeration	ISK
	enumeration	JMD
	enumeration	JOD
	enumeration	JPY
	enumeration	KES
	enumeration	KGS
	enumeration	KHR
	enumeration	KMF
	enumeration	KPW
	enumeration	KRW
	enumeration	KWD
	enumeration	KYD
	enumeration	KZT
	enumeration	LAK
	enumeration	LBP
	enumeration	LKR
	enumeration	LRD
	enumeration	LSL
	enumeration	LTL
	enumeration	LVL
	enumeration	LYD
	enumeration	MAD
	enumeration	MDL
	enumeration	MGA
	enumeration	MKD
	enumeration	MMK
	enumeration	MNT
	enumeration	MOP
	enumeration	MRO
	enumeration	MRU
	enumeration	MTL
	enumeration	MUR
	enumeration	MVR

	enumeration	MWK
	enumeration	MXN
	enumeration	MXV
	enumeration	MYR
	enumeration	MZN
	enumeration	NAD
	enumeration	NGN
	enumeration	NIO
	enumeration	NOK
	enumeration	NPR
	enumeration	NZD
	enumeration	OMR
	enumeration	PAB
	enumeration	PEN
	enumeration	PGK
	enumeration	PHP
	enumeration	PKR
	enumeration	PLN
	enumeration	PYG
	enumeration	QAR
	enumeration	RON
	enumeration	RSD
	enumeration	RUB
	enumeration	RWF
	enumeration	SAR
	enumeration	SBD
	enumeration	SCR
	enumeration	SDG
	enumeration	SEK
	enumeration	SGD
	enumeration	SHP
	enumeration	SLL
	enumeration	SOS
	enumeration	SRD
	enumeration	SSP
	enumeration	STD
	enumeration	STN
	enumeration	SVC
	enumeration	SYP
	enumeration	SZL
	enumeration	THB
	enumeration	TJS
	enumeration	TMT
	enumeration	TND
	enumeration	TOP
	enumeration	TRY

	enumeration TTD enumeration TWD enumeration TZS enumeration UAH enumeration UGX enumeration USD enumeration USN enumeration USS enumeration UYI enumeration UYU enumeration UYW enumeration UZS enumeration VEF enumeration VES enumeration VND enumeration VUV enumeration WST enumeration XAF enumeration XAG enumeration XAU enumeration XBA enumeration XBB enumeration XBC enumeration XBD enumeration XCD enumeration XDR enumeration XFU enumeration XOF enumeration XPD enumeration XPF enumeration XPT enumeration XSU enumeration XUA enumeration XXX enumeration YER enumeration ZAR enumeration ZMW enumeration ZWL
annotation	<p>documentation</p> <p>The appropriate currency code from the ISO 4217 three-byte alpha version for the currency in which a monetary amount is expressed.</p> <p>AED United Arab Emirates, UAE Dirham  AFN Afghanistan, Afghani  ALL Albania, Lek  AMD Armenia, Armenian Dram  ANG Netherlands Antilles, Netherlands Antillean Guilder  AOA Angola, Kwanza  ARS Argentina, Argentine Peso  AUD Australia, Australian Dollar  AWG Aruba, Aruban Florin</p>

	AZN Azerbaijan, Azerbaijan Manat BAM Bosnia and Herzegovina, Convertible Mark BBD Barbados, Barbados Dollar BDT Bangladesh, Taka BGN Bulgaria, Leva BHD Bahrain, Bahraini Dinar BIF Burundi, Burundi Franc BMD Bermuda, Bermudian Dollar BND Brunei Darussalam, Brunei Dollar BOB Bolivia, Plurinational State of, Boliviano BOV Bolivia, Plurinational State of, Mvdol BRL Brazil, Brazilian Real BSD Bahamas, Bahamian Dollar BTN Bhutan, Ngultrum BWP Botswana, Pula BYN Belarus, Belarusian Ruble BYR Belarus, Historic use: Belarussian Ruble BZD Belize, Belize Dollar CAD Canada, Canadian Dollar CDF Congo, the Democratic Republic of, Congolese Francs CHE Switzerland, WIR Euro CHF Switzerland, Swiss Franc CHW Switzerland, WIR Franc CLF Chile, Unidad de Fomento CLP Chile, Chilean Peso CNY China, Yuan Renminbi COP Colombia, Colombian Peso COU Colombia, Unidad de Valor Real CRC Costa Rica, Costa Rican Colon CUC Cuba, Convertible Pesos CUP Cuba, Cuban Peso CVE Cabo Verde, Cabo Verde Escudo CZK Czechia, Czech Koruna DJF Djibouti, Djibouti Franc DKK Denmark; Faroe Islands; Greenland, Danish Krone DOP Dominican Republic, Dominican Peso DZD Algeria, Algerian Dinar EEK Estonia, Historic use: Krooni EGP Egypt, Egyptian Pound ERN Eritrea, Nakfa ETB Ethiopia, Ethiopian Birr EUR Euro Member Countries, Euro FJD Fiji, Fiji Dollar FKP Falkland Islands (Malvinas), Falkland Islands Pound GBP United Kingdom of Great Britain and Northern Ireland, Pound Sterling GEL Georgia, Lari GHS Ghana, Ghana Cedi GIP Gibraltar, Gibraltar Pound GMD Gambia, Dalasi GNF Guinea, Guinean Franc GTQ Guatemala, Quetzal GWP Guinea-Bissau, Historic use: Peso GYD Guyana, Guyana Dollar HKD Hong Kong, Hong Kong Dollar HNL Honduras, Lempira HRK Croatia, Kuna HTG Haiti, Gourde HUF Hungary, Forint IDR Indonesia, Rupiah ILS Israel, New Israeli Sheqel INR India, Indian Rupee IQD Iraq, Iraqi Dinar IRR Iran, Islamic Republic of, Iranian Rial ISK Iceland, Iceland Krona JMD Jamaica, Jamaican Dollar JOD Jordan, Jordanian Dinar JPY Japan, Yen KES Kenya, Kenyan Shilling KGS Kyrgyzstan, Som KHR Cambodia, Riel
--	--

	KMF Comoros, Comorian Franc KPW Korea, Democratic People's Republic of Korea, North Korean Won KRW Korea, Republic of, Won KWD Kuwait, Kuwaiti Dinar KYD Cayman Islands, Cayman Islands Dollar KZT Kazakstan, Tenge LAK Lao People's Democratic Republic (Laos), Lao Kip LBP Lebanon, Lebanese Pound LKR Sri Lanka, Sri Lanka Rupee LRD Liberia, Liberian Dollar LSL Lesotho, Loti LTL Lithuania, Historic use: Lithuanian Litas LVL Latvia, Historic use: Latvian Lats LYD Libya, Libyan Dinar MAD Morocco; Western Sahara, Moroccan Dirham MDL Moldova, Republic of, Moldovan Leu MGA Madagascar, Malagasy Ariary MKD Macedonia, Denar MMK Myanmar, Kyat MNT Mongolia, Tugrik MOP Macau, Pataca MRO Mauritania, Historic use: Ouguiya MRU Mauritania, Ouguiya MTL Malta, Historic use: Liri MUR Mauritius, Mauritius Rupee MVR Maldives, Rufiyaa MWK Malawi, Malawi Kwacha MXN Mexico, Mexican Peso MXV Mexico, Mexican Unidad de Inversion (UDI) MYR Malaysia, Malaysian Ringgit MZN Mozambique, Mozambique Metical NAD Namibia, Namibia Dollar NGN Nigeria, Naira NIO Nicaragua, Cordoba Oro NOK Bouvet Island; Norway; Svalbard and Jan Mayen, Norwegian Krone NPR Nepal, Nepalese Rupee NZD New Zealand, New Zealand Dollar OMR Oman, Rial Omani PAB Panama, Balboa PEN Peru, Sol PGK Papua New Guinea, Kina PHP Philippines, Philippine Peso PKR Pakistan, Pakistan Rupee PLN Poland, Zloty PYG Paraguay, Guarani QAR Qatar, Qatari Rial RON Romania, Romanian Leu RSD Serbia, Serbian Dinar RUB Russian Federation, Russian Ruble RWF Rwanda, Rwanda Franc SAR Saudi Arabia, Saudi Riyal SBD Solomon Islands, Solomon Islands Dollar SCR Seychelles, Seychelles Rupee SDG Sudan, Sudanese Pound SEK Sweden, Swedish Krona SGD Singapore, Singapore Dollar SHP Saint Helena, Ascension and Tristan da Cunha, Saint Helena Pound SLL Sierra Leone, Leone SOS Somalia, Somali Shilling SRD Suriname, Surinam Dollar SSP South Sudan, South Sudanese Pound STD São Tome and Principe, Historic use: Dobra STN São Tome and Principe, Dobra SVC El Salvador, El Salvador Colon SYP Syrian Arab Republic, Syrian Pound SZL Eswatini, Lilangeni THB Thailand, Baht TJS Tajikistan, Somoni TMT Turkmenistan, Turkmenistan New Manat TND Tunisia, Tunisian Dinar
--	--

	TOP Tonga, Pa'anga TRY Turkey, Turkish Lira TTD Trinidad and Tobago, Trinidad and Tobago Dollar TWD Taiwan, Province of China, New Taiwan Dollar TZS Tanzania, United Republic of, Tanzanian Shilling UAH Ukraine, Hryvnia UGX Uganda, Uganda Shilling USD United States, US Dollar USN United States, US Dollar (Next day) USS United States, Historic use: US Dollar (Same day) UYI Uruguay, Uruguay Peso en Unidades Indexadas (UI) UYU Uruguay, Pesos UYW Uruguay, Unidad Previsional UZS Uzbekistan, Uzbekistan Sum VEF Venezuela, Bolivarian Republic of, Historic use: Bolívar VES Venezuela, Bolivarian Republic of, Bolívar Soberano VND Viet Nam, Dong VUV Vanuatu, Vatu WST Samoa, Tala XAF Communauté Financière Africaine BEAC, CFA Franc BEAC XAG ZZ11_Silver, Silver XAU ZZ08_Gold, Gold XBA ZZ01_Bond Markets Unit European_EURCO, Bond Markets Unit European Composite Unit (EURCO) XBB ZZ02_Bond Markets Unit European_EMU-6, Bond Markets Unit European Monetary Unit (E.M.U.-6) XBC ZZ03_Bond Markets Unit European_EUA-9, Bond Markets Unit European Unit of Account 9 (E.U.A.-9) XBD ZZ04_Bond Markets Unit European_EUA-17, Bond Markets Unit European Unit of Account 17 (E.U.A.-17) XCD Organisation of Eastern Caribbean States (OECS), East Caribbean Dollar XDR SDR (Special Drawing Right), International Monetary Fund (IMF) XFU ZZ05_UIC-Franc, Historic use: UIC-Franc XOF Communauté Financière Africaine BCEAO, CFA Franc BCEAO XPD ZZ09_Palladium, Palladium XPF Comptoirs Français du Pacifique, CFP Franc XPT ZZ10_Platinum, Platinum XSU Sistema Unitario de Compensacion Regional de Pagos "Sucre", Sucre XUA Member Countries of the African Development Bank Group, ADB Unit of Account XXX ZZ07_No_Currency, the codes assigned for transactions where no currency is involved YER Yemen, Yemeni Rial ZAR Lesotho; Namibia; South Africa, Rand ZMW Zambia, Zambian Kwacha ZWL Zimbabwe, Zimbabwe Dollar
source	<pre> &lt;xsd:simpleType name="currCode_Type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation xml:lang="en"&gt; The appropriate currency code from the ISO 4217 three-byte alpha version for the currency in which a monetary amount is expressed. AED United Arab Emirates, UAE Dirham AFN Afghanistan, Afghani ALL Albania, Lek AMD Armenia, Armenian Dram ANG Netherlands Antilles, Netherlands Antillean Guilder AOA Angola, Kwanza ARS Argentina, Argentine Peso AUD Australia, Australian Dollar AWG Aruba, Aruban Florin AZN Azerbaijan, Azerbaijan Manat BAM Bosnia and Herzegovina, Convertible Mark BBD Barbados, Barbados Dollar BDT Bangladesh, Taka BGN Bulgaria, Leva BHD Bahrain, Bahraini Dinar BIF Burundi, Burundi Franc BMD Bermuda, Bermudian Dollar </pre>

	BND Brunei Darussalam, Brunei Dollar BOB Bolivia, Plurinational State of, Boliviano BOV Bolivia, Plurinational State of, Mvdol BRL Brazil, Brazilian Real BSD Bahamas, Bahamian Dollar BTN Bhutan, Ngultrum BWP Botswana, Pula BYN Belarus, Belarusian Ruble BYR Belarus, Historic use: Belarussian Ruble BZD Belize, Belize Dollar CAD Canada, Canadian Dollar CDF Congo, the Democratic Republic of, Congolese Francs CHE Switzerland, WIR Euro CHF Switzerland, Swiss Franc CHW Switzerland, WIR Franc CLF Chile, Unidad de Fomento CLP Chile, Chilean Peso CNY China, Yuan Renminbi COP Colombia, Colombian Peso COU Colombia, Unidad de Valor Real CRC Costa Rica, Costa Rican Colon CUC Cuba, Convertible Pesos CUP Cuba, Cuban Peso CVE Cabo Verde, Cabo Verde Escudo CZK Czechia, Czech Koruna DJF Djibouti, Djibouti Franc DKK Denmark; Faroe Islands; Greenland, Danish Krone DOP Dominican Republic, Dominican Peso DZD Algeria, Algerian Dinar EEK Estonia, Historic use: Krooni EGP Egypt, Egyptian Pound ERN Eritrea, Nakfa ETB Ethiopia, Ethiopian Birr EUR Euro Member Countries, Euro FJD Fiji, Fiji Dollar FKP Falkland Islands (Malvinas), Falkland Islands Pound GBP United Kingdom of Great Britain and Northern Ireland, Pound Sterling GEL Georgia, Lari GHS Ghana, Ghana Cedi GIP Gibraltar, Gibraltar Pound GMD Gambia, Dalasi GNF Guinea, Guinean Franc GTQ Guatemala, Quetzal GWP Guinea-Bissau, Historic use: Peso GYD Guyana, Guyana Dollar HKD Hong Kong, Hong Kong Dollar HNL Honduras, Lempira HRK Croatia, Kuna HTG Haiti, Gourde HUF Hungary, Forint IDR Indonesia, Rupiah ILS Israel, New Israeli Sheqel INR India, Indian Rupee IQD Iraq, Iraqi Dinar IRR Iran, Islamic Republic of, Iranian Rial ISK Iceland, Iceland Krona
--	---

	JMD Jamaica, Jamaican Dollar JOD Jordan, Jordanian Dinar JPY Japan, Yen KES Kenya, Kenyan Shilling KGS Kyrgyzstan, Som KHR Cambodia, Riel KMF Comoros, Comorian Franc KPW Korea, Democratic People's Republic of Korea, North Korean Won KRW Korea, Republic of, Won KWD Kuwait, Kuwaiti Dinar KYD Cayman Islands, Cayman Islands Dollar KZT Kazakstan, Tenge LAK Lao People's Democratic Republic (Laos), Lao Kip LBP Lebanon, Lebanese Pound LKR Sri Lanka, Sri Lanka Rupee LRD Liberia, Liberian Dollar LSL Lesotho, Loti LTL Lithuania, Historic use: Lithuanian Litas LVL Latvia, Historic use: Latvian Lats LYD Libya, Libyan Dinar MAD Morocco; Western Sahara, Moroccan Dirham MDL Moldova, Republic of, Moldovan Leu MGA Madagascar, Malagasy Ariary MKD Macedonia, Denar MMK Myanmar, Kyat MNT Mongolia, Tugrik MOP Macau, Pataca MRO Mauritania, Historic use: Ouguiya MRU Mauritania, Ouguiya MTL Malta, Historic use: Liri MUR Mauritius, Mauritijs Rupee MVR Maldives, Rufiyaa MWK Malawi, Malawi Kwacha MXN Mexico, Mexican Peso MXV Mexico, Mexican Unidad de Inversion (UDI) MYR Malaysia, Malaysian Ringgit MZN Mozambique, Mozambique Metical NAD Namibia, Namibia Dollar NGN Nigeria, Naira NIO Nicaragua, Cordoba Oro NOK Bouvet Island; Norway; Svalbard and Jan Mayen, Norwegian Krone NPR Nepal, Nepalese Rupee NZD New Zealand, New Zealand Dollar OMR Oman, Rial Omani PAB Panama, Balboa PEN Peru, Sol PGK Papua New Guinea, Kina PHP Philippines, Philippine Peso PKR Pakistan, Pakistan Rupee PLN Poland, Zloty PYG Paraguay, Guarani QAR Qatar, Qatari Rial RON Romania, Romanian Leu RSD Serbia, Serbian Dinar RUB Russian Federation, Russian Ruble RWF Rwanda, Rwanda Franc
--	---

	SAR Saudi Arabia, Saudi Riyal SBD Solomon Islands, Solomon Islands Dollar SCR Seychelles, Seychelles Rupee SDG Sudan, Sudanese Pound SEK Sweden, Swedish Krona SGD Singapore, Singapore Dollar SHP Saint Helena, Ascension and Tristan da Cunha, Saint Helena Pound SLL Sierra Leone, Leone SOS Somalia, Somali Shilling SRD Suriname, Surinam Dollar SSP South Sudan, South Sudanese Pound STD São Tome and Principe, Historic use: Dobra STN São Tome and Principe, Dobra SVC El Salvador, El Salvador Colon SYP Syrian Arab Republic, Syrian Pound SZL Eswatini, Lilangeni THB Thailand, Baht TJS Tajikistan, Somoni TMT Turkmenistan, Turkmenistan New Manat TND Tunisia, Tunisian Dinar TOP Tonga, Pa'anga TRY Turkey, Turkish Lira TTD Trinidad and Tobago, Trinidad and Tobago Dollar TWD Taiwan, Province of China, New Taiwan Dollar TZS Tanzania, United Republic of, Tanzanian Shilling UAH Ukraine, Hryvnia UGX Uganda, Uganda Shilling USD United States, US Dollar USN United States, US Dollar (Next day) USS United States, Historic use: US Dollar (Same day) UYI Uruguay, Uruguay Peso en Unidades Indexadas (UI) UYU Uruguay, Pesos UYW Uruguay, Unidad Previsional UZS Uzbekistan, Uzbekistan Sum VEF Venezuela, Bolivarian Republic of, Historic use: Bolívar VES Venezuela, Bolivarian Republic of, Bolívar Soberano VND Viet Nam, Dong VUV Vanuatu, Vatu WST Samoa, Tala XAF Communauté Financière Africaine BEAC, CFA Franc BEAC XAG ZZ11_Silver, Silver XAU ZZ08_Gold, Gold XBA ZZ01_Bond Markets Unit European_EURCO, Bond Markets Unit European Composite Unit (EURCO) XBB ZZ02_Bond Markets Unit European_EMU-6, Bond Markets Unit European Monetary Unit (E.M.U.-6) XBC ZZ03_Bond Markets Unit European_EUA-9, Bond Markets Unit European Unit of Account 9 (E.U.A.-9) XBD ZZ04_Bond Markets Unit European_EUA-17, Bond Markets Unit European Unit of Account 17 (E.U.A.-17) XCD Organisation of Eastern Caribbean States (OECS), East Caribbean Dollar XDR SDR (Special Drawing Right), International Monetary Fund (IMF) XFU ZZ05_UIC-Franc, Historic use: UIC-Franc XOF Communauté Financière Africaine BCEAO, CFA Franc BCEAO XPD ZZ09_Palladium, Palladium XPF Comptoirs Français du Pacifique, CFP Franc
--	--

	<p>XPT ZZ10_Platinum, Platinum</p> <p>XSU Sistema Unitario de Compensacion Regional de Pagos "Sucre", Sucre</p> <p>XUA Member Countries of the African Development Bank Group, ADB Unit of Account</p> <p>XXX ZZ07_No_Currency, the codes assigned for transactions where no currency is involved</p> <p>YER Yemen, Yemeni Rial</p> <p>ZAR Lesotho; Namibia; South Africa, Rand</p> <p>ZMW Zambia, Zambian Kwacha</p> <p>ZWL Zimbabwe, Zimbabwe Dollar</p> <p style="color:red;">&lt;/xsd:documentation&gt;</p> <p>&lt;/xsd:annotation&gt;</p> <pre style="color:red;"> &lt;xsd:restriction base="xsd:string"&gt;   &lt;xsd:enumeration value="AED"/&gt;   &lt;xsd:enumeration value="AFN"/&gt;   &lt;xsd:enumeration value="ALL"/&gt;   &lt;xsd:enumeration value="AMD"/&gt;   &lt;xsd:enumeration value="ANG"/&gt;   &lt;xsd:enumeration value="AOA"/&gt;   &lt;xsd:enumeration value="ARS"/&gt;   &lt;xsd:enumeration value="AUD"/&gt;   &lt;xsd:enumeration value="AWG"/&gt;   &lt;xsd:enumeration value="AZN"/&gt;   &lt;xsd:enumeration value="BAM"/&gt;   &lt;xsd:enumeration value="BBD"/&gt;   &lt;xsd:enumeration value="BDT"/&gt;   &lt;xsd:enumeration value="BGN"/&gt;   &lt;xsd:enumeration value="BHD"/&gt;   &lt;xsd:enumeration value="BIF"/&gt;   &lt;xsd:enumeration value="BMD"/&gt;   &lt;xsd:enumeration value="BND"/&gt;   &lt;xsd:enumeration value="BOB"/&gt;   &lt;xsd:enumeration value="BOV"/&gt;   &lt;xsd:enumeration value="BRL"/&gt;   &lt;xsd:enumeration value="BSD"/&gt;   &lt;xsd:enumeration value="BTN"/&gt;   &lt;xsd:enumeration value="BWP"/&gt;   &lt;xsd:enumeration value="BYN"/&gt;   &lt;xsd:enumeration value="BYR"/&gt;   &lt;xsd:enumeration value="BZD"/&gt;   &lt;xsd:enumeration value="CAD"/&gt;   &lt;xsd:enumeration value="CDF"/&gt;   &lt;xsd:enumeration value="CHE"/&gt;   &lt;xsd:enumeration value="CHF"/&gt;   &lt;xsd:enumeration value="CHW"/&gt;   &lt;xsd:enumeration value="CLF"/&gt;   &lt;xsd:enumeration value="CLP"/&gt;   &lt;xsd:enumeration value="CNY"/&gt;   &lt;xsd:enumeration value="COP"/&gt;   &lt;xsd:enumeration value="COU"/&gt;   &lt;xsd:enumeration value="CRC"/&gt;   &lt;xsd:enumeration value="CUC"/&gt;   &lt;xsd:enumeration value="CUP"/&gt;   &lt;xsd:enumeration value="CVE"/&gt;   &lt;xsd:enumeration value="CZK"/&gt;   &lt;xsd:enumeration value="DJF"/&gt;   &lt;xsd:enumeration value="DKK"/&gt;   &lt;xsd:enumeration value="DOP"/&gt;</pre>
--	--

	<pre>&lt;xsd:enumeration value="DZD"/&gt; &lt;xsd:enumeration value="EEK"/&gt; &lt;xsd:enumeration value="EGP"/&gt; &lt;xsd:enumeration value="ERN"/&gt; &lt;xsd:enumeration value="ETB"/&gt; &lt;xsd:enumeration value="EUR"/&gt; &lt;xsd:enumeration value="FJD"/&gt; &lt;xsd:enumeration value="FKP"/&gt; &lt;xsd:enumeration value="GBP"/&gt; &lt;xsd:enumeration value="GEL"/&gt; &lt;xsd:enumeration value="GHS"/&gt; &lt;xsd:enumeration value="GIP"/&gt; &lt;xsd:enumeration value="GMD"/&gt; &lt;xsd:enumeration value="GNF"/&gt; &lt;xsd:enumeration value="GTQ"/&gt; &lt;xsd:enumeration value="GWP"/&gt; &lt;xsd:enumeration value="GYD"/&gt; &lt;xsd:enumeration value="HKD"/&gt; &lt;xsd:enumeration value="HNL"/&gt; &lt;xsd:enumeration value="HRK"/&gt; &lt;xsd:enumeration value="HTG"/&gt; &lt;xsd:enumeration value="HUF"/&gt; &lt;xsd:enumeration value="IDR"/&gt; &lt;xsd:enumeration value="ILS"/&gt; &lt;xsd:enumeration value="INR"/&gt; &lt;xsd:enumeration value="IQD"/&gt; &lt;xsd:enumeration value="IRR"/&gt; &lt;xsd:enumeration value="ISK"/&gt; &lt;xsd:enumeration value="JMD"/&gt; &lt;xsd:enumeration value="JOD"/&gt; &lt;xsd:enumeration value="JPY"/&gt; &lt;xsd:enumeration value="KES"/&gt; &lt;xsd:enumeration value="KGS"/&gt; &lt;xsd:enumeration value="KHR"/&gt; &lt;xsd:enumeration value="KMF"/&gt; &lt;xsd:enumeration value="KPW"/&gt; &lt;xsd:enumeration value="KRW"/&gt; &lt;xsd:enumeration value="KWD"/&gt; &lt;xsd:enumeration value="KYD"/&gt; &lt;xsd:enumeration value="KZT"/&gt; &lt;xsd:enumeration value="LAK"/&gt; &lt;xsd:enumeration value="LBP"/&gt; &lt;xsd:enumeration value="LKR"/&gt; &lt;xsd:enumeration value="LRD"/&gt; &lt;xsd:enumeration value="LSL"/&gt; &lt;xsd:enumeration value="LTL"/&gt; &lt;xsd:enumeration value="LVL"/&gt; &lt;xsd:enumeration value="LYD"/&gt; &lt;xsd:enumeration value="MAD"/&gt; &lt;xsd:enumeration value="MDL"/&gt; &lt;xsd:enumeration value="MGA"/&gt; &lt;xsd:enumeration value="MKD"/&gt; &lt;xsd:enumeration value="MMK"/&gt; &lt;xsd:enumeration value="MNT"/&gt; &lt;xsd:enumeration value="MOP"/&gt; &lt;xsd:enumeration value="MRO"/&gt;</pre>
--	--

	<pre>&lt;xsd:enumeration value="MRU"/&gt; &lt;xsd:enumeration value="MTL"/&gt; &lt;xsd:enumeration value="MUR"/&gt; &lt;xsd:enumeration value="MVR"/&gt; &lt;xsd:enumeration value="MWK"/&gt; &lt;xsd:enumeration value="MXN"/&gt; &lt;xsd:enumeration value="MXV"/&gt; &lt;xsd:enumeration value="MYR"/&gt; &lt;xsd:enumeration value="MZN"/&gt; &lt;xsd:enumeration value="NAD"/&gt; &lt;xsd:enumeration value="NGN"/&gt; &lt;xsd:enumeration value="NIO"/&gt; &lt;xsd:enumeration value="NOK"/&gt; &lt;xsd:enumeration value="NPR"/&gt; &lt;xsd:enumeration value="NZD"/&gt; &lt;xsd:enumeration value="OMR"/&gt; &lt;xsd:enumeration value="PAB"/&gt; &lt;xsd:enumeration value="PEN"/&gt; &lt;xsd:enumeration value="PGK"/&gt; &lt;xsd:enumeration value="PHP"/&gt; &lt;xsd:enumeration value="PKR"/&gt; &lt;xsd:enumeration value="PLN"/&gt; &lt;xsd:enumeration value="PYG"/&gt; &lt;xsd:enumeration value="QAR"/&gt; &lt;xsd:enumeration value="RON"/&gt; &lt;xsd:enumeration value="RSS"/&gt; &lt;xsd:enumeration value="RUB"/&gt; &lt;xsd:enumeration value="RWF"/&gt; &lt;xsd:enumeration value="SAR"/&gt; &lt;xsd:enumeration value="SBD"/&gt; &lt;xsd:enumeration value="SCR"/&gt; &lt;xsd:enumeration value="SDG"/&gt; &lt;xsd:enumeration value="SEK"/&gt; &lt;xsd:enumeration value="SGD"/&gt; &lt;xsd:enumeration value="SHP"/&gt; &lt;xsd:enumeration value="SLL"/&gt; &lt;xsd:enumeration value="SOS"/&gt; &lt;xsd:enumeration value="SRD"/&gt; &lt;xsd:enumeration value="SSP"/&gt; &lt;xsd:enumeration value="STD"/&gt; &lt;xsd:enumeration value="STN"/&gt; &lt;xsd:enumeration value="SVC"/&gt; &lt;xsd:enumeration value="SYP"/&gt; &lt;xsd:enumeration value="SZL"/&gt; &lt;xsd:enumeration value="THB"/&gt; &lt;xsd:enumeration value="TJS"/&gt; &lt;xsd:enumeration value="TMT"/&gt; &lt;xsd:enumeration value="TND"/&gt; &lt;xsd:enumeration value="TOP"/&gt; &lt;xsd:enumeration value="TRY"/&gt; &lt;xsd:enumeration value="TTD"/&gt; &lt;xsd:enumeration value="TWD"/&gt; &lt;xsd:enumeration value="TZS"/&gt; &lt;xsd:enumeration value="UAH"/&gt; &lt;xsd:enumeration value="UGX"/&gt; &lt;xsd:enumeration value="USD"/&gt;</pre>
--	--

	<pre> &lt;xsd:enumeration value="USN"/&gt; &lt;xsd:enumeration value="USS"/&gt; &lt;xsd:enumeration value="UYI"/&gt; &lt;xsd:enumeration value="UYU"/&gt; &lt;xsd:enumeration value="UYW"/&gt; &lt;xsd:enumeration value="UZS"/&gt; &lt;xsd:enumeration value="VEF"/&gt; &lt;xsd:enumeration value="VES"/&gt; &lt;xsd:enumeration value="VND"/&gt; &lt;xsd:enumeration value="VUV"/&gt; &lt;xsd:enumeration value="WST"/&gt; &lt;xsd:enumeration value="XAF"/&gt; &lt;xsd:enumeration value="XAG"/&gt; &lt;xsd:enumeration value="XAU"/&gt; &lt;xsd:enumeration value="XBA"/&gt; &lt;xsd:enumeration value="XBB"/&gt; &lt;xsd:enumeration value="XBC"/&gt; &lt;xsd:enumeration value="XBD"/&gt; &lt;xsd:enumeration value="XCD"/&gt; &lt;xsd:enumeration value="XDR"/&gt; &lt;xsd:enumeration value="XFU"/&gt; &lt;xsd:enumeration value="XOF"/&gt; &lt;xsd:enumeration value="XPD"/&gt; &lt;xsd:enumeration value="XPF"/&gt; &lt;xsd:enumeration value="XPT"/&gt; &lt;xsd:enumeration value="XSU"/&gt; &lt;xsd:enumeration value="XUA"/&gt; &lt;xsd:enumeration value="XXX"/&gt; &lt;xsd:enumeration value="YER"/&gt; &lt;xsd:enumeration value="ZAR"/&gt; &lt;xsd:enumeration value="ZMW"/&gt; &lt;xsd:enumeration value="ZWL"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	---

#### simpleType **SWIFT\_Type**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <b>xsd:string</b>		
properties	base xsd:string		
used by	element <a href="#">TRachunekBankowy/SWIFT</a>		
facets	Kind pattern	Value [A-Z]{6}[A-Z0-9]{2}{[A-Z0-9]{3}}{0,1}	Annotation
annotation	documentation SWIFT code		
source	<pre> &lt;xsd:simpleType name="SWIFT_Type"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;SWIFT code&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="xsd:string"&gt;     &lt;xsd:pattern value="[A-Z]{6}[A-Z0-9]{2}{[A-Z0-9]{3}}{0,1}" /&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>		

### simpleType TData

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of etd:TData		
properties	base etd:TData		
used by	<a href="#">Faktura/Fa/WarunkiTransakcji/DataZamowienia</a> <a href="#">Faktura/Fa/Platnosc/DataZaplaty</a> <a href="#">Faktura/Fa/Platnosc/DataZaplatyCzesciowej</a> <a href="#">Faktura/Fa/Platnosc/TerminPlatnosci</a>		
facets	Kind	Value	Annotation
	minInclusive	2016-07-01	
	maxInclusive	2050-01-01	
	pattern	((\d{4})-(\d{2})-(\d{2}))	
annotation	documentation Date of the transaction or event in the period from 01/07/2016 to 01/01/2050		
source	<pre>&lt;xsd:simpleType name="TData"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Date of the transaction or event in the period from 01/07/2016 to 01/01/2050&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="etd:TData"&gt;     &lt;xsd:minInclusive value="2016-07-01"/&gt;     &lt;xsd:maxInclusive value="2050-01-01"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>		

### simpleType TDataT

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of etd:TData		
properties	base etd:TData		
used by	<a href="#">Faktura/Fa/DataWystFaKorygowanej</a> <a href="#">Faktura/Fa/P_1 Faktura/Fa/Adnotacje/P_22A</a> <a href="#">Faktura/Fa/P_6</a> <a href="#">Faktura/Fa/OkresFa/P_6 Do Faktura/Fa/OkresFa/P_6 Od Faktura/Fa/FaWiersze/FaWiersz/P_6A</a>		
facets	Kind	Value	Annotation
	minInclusive	2006-01-01	
	maxInclusive	2050-01-01	
	pattern	((\d{4})-(\d{2})-(\d{2}))	
annotation	documentation Date of the transaction or event in the period 01/01/2006 to 01/01/2050		
source	<pre>&lt;xsd:simpleType name="TDataT"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Date of the transaction or event in the period 01/01/2006 to 01/01/2050&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="etd:TData"&gt;     &lt;xsd:minInclusive value="2006-01-01"/&gt;     &lt;xsd:maxInclusive value="2050-01-01"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>		

simpleType **TFormaPlatnosci**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																
type	restriction of <a href="#">tns:TZnakowy</a>																																
properties	base tns:TZnakowy																																
used by	element <a href="#">Faktura/Fa/Platnosc/FormaPlatnosci</a>																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation cash</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation card</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation voucher</td> </tr> <tr> <td>enumeration</td> <td>4</td> <td>documentation check</td> </tr> <tr> <td>enumeration</td> <td>5</td> <td>documentation credit</td> </tr> <tr> <td>enumeration</td> <td>6</td> <td>documentation bank transfer</td> </tr> <tr> <td>enumeration</td> <td>7</td> <td>documentation mobile</td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	documentation cash	enumeration	2	documentation card	enumeration	3	documentation voucher	enumeration	4	documentation check	enumeration	5	documentation credit	enumeration	6	documentation bank transfer	enumeration	7	documentation mobile
Kind	Value	Annotation																															
minLength	1																																
maxLength	256																																
enumeration	1	documentation cash																															
enumeration	2	documentation card																															
enumeration	3	documentation voucher																															
enumeration	4	documentation check																															
enumeration	5	documentation credit																															
enumeration	6	documentation bank transfer																															
enumeration	7	documentation mobile																															
annotation	documentation <i>Types of payment methods</i>																																
source	<pre>&lt;xsd:simpleType name="TFormaPlatnosci"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Types of payment methods&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="1"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;cash&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="2"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;card&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="3"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;voucher&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="4"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;check&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="5"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;credit&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="6"&gt;       &lt;xsd:annotation&gt;</pre>																																

	<pre> &lt;xsd:documentation&gt;bank transfer&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="7"&gt; &lt;xsd:annotation&gt; &lt;xsd:documentation&gt;mobile&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	---

#### simpleType **TGTU**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <a href="#">tns:TZnakowy</a>		
properties	base tns:TZnakowy		
used by	elements <a href="#">Faktura/Fa/FaWiersze/FaWiersz/GTU</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/GTuz</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	enumeration	GTU_01	documentation Delivery of the goods referred to in § 10(3)(1)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_02	documentation Delivery of the goods referred to in § 10(3)(1)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_03	documentation Delivery of the goods referred to in § 10(3)(1)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_04	documentation Delivery of the goods referred to in § 10(3)(1)(d) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_05	documentation Delivery of the goods referred to in § 10(3)(1)(e) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_06	documentation Delivery of the goods referred to in § 10(3)(1)(f) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_07	documentation Delivery of the goods referred to in § 10(3)(1)(g) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_08	documentation Delivery of the goods referred to in § 10(3)(1)(h) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_09	documentation Delivery of the goods referred to in § 10(3)(1)(i) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_10	documentation Delivery of the goods referred to in § 10(3)(1)(j) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_11	documentation Provision of services referred to in § 10(3)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_12	documentation Provision of services referred to in § 10(3)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
	enumeration	GTU_13	documentation Provision of services referred to in § 10(3)(2)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services documentation
annotation	documentation Codes for the supply of goods and services		



	<pre> &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;Delivery of the goods referred to in § 10(3)(1)(h) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="GTU_09"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Delivery of the goods referred to in § 10(3)(1)(i) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="GTU_10"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Delivery of the goods referred to in § 10(3)(1)(j) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="GTU_11"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Provision of services referred to in § 10(3)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="GTU_12"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Provision of services referred to in § 10(3)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="GTU_13"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Provision of services referred to in § 10(3)(2)(c) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	--

### simpleType **Tlosci**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <b>xsd:decimal</b>		
properties	base xsd:decimal		
used by	elements <a href="#">Faktura/Fa/WarunkiTransakcji/KursUmowny Faktura/Fa/FaWiersze/FaWiersz/KursWaluty</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/KursWalutyZ Faktura/Fa/FaWiersze/FaWiersz/P_8B</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/P_8BZ</a>		
facets	Kind totalDigits	Value 22	Annotation

	fractionDigits 6
annotation	documentation Used to describe a quantity. Monetary amount. 22 digits max, of which 6 can be fractional digits
source	<pre>&lt;xsd:simpleType name="TIlosci"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Used to describe a quantity. Monetary amount. 22 digits max, of which 6 can be fractional digits&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="xsd:decimal"&gt;     &lt;xsd:totalDigits value="22"/&gt;     &lt;xsd:fractionDigits value="6"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>

#### simpleType TKodFormularza

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <b>xsd:string</b>
properties	base xsd:string
used by	element <a href="#">TNaglowek/KodFormularza</a>
facets	Kind Value Annotation enumeration FA
annotation	documentation Form template symbol
source	<pre>&lt;xsd:simpleType name="TKodFormularza"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Form template symbol&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="xsd:string"&gt;     &lt;xsd:enumeration value="FA"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>

#### simpleType TKodPocztowyPL

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <b>etd:TKodPocztowy</b>
properties	base etd:TKodPocztowy
used by	element <a href="#">TAdresPolski/KodPocztowy</a>
facets	Kind Value Annotation minLength 1 maxLength 8 pattern [0-9]{2}-[0-9]{3}
annotation	documentation Polish postal code
source	<pre>&lt;xsd:simpleType name="TKodPocztowyPL"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Polish postal code&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="etd:TKodPocztowy"&gt;</pre>

	<pre>&lt;xsd:pattern value="[0-9]{2}-[0-9]{3}" /&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>
--	---

### simpleType TKodyKrajowUE

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																																																																							
type	restriction of xsd:string																																																																																							
properties	base xsd:string																																																																																							
used by	elements <a href="#">Faktura/Podmiot2/PrefiksNabywcy Faktura/Fa/Podmiot2K/PrefiksNabywcy</a> <a href="#">Faktura/Podmiot1/PrefiksPodatnika Faktura/Fa/Podmiot1K/PrefiksPodatnika</a>																																																																																							
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>AT</td><td></td></tr> <tr><td>enumeration</td><td>BE</td><td></td></tr> <tr><td>enumeration</td><td>BG</td><td></td></tr> <tr><td>enumeration</td><td>CY</td><td></td></tr> <tr><td>enumeration</td><td>CZ</td><td></td></tr> <tr><td>enumeration</td><td>DK</td><td></td></tr> <tr><td>enumeration</td><td>EE</td><td></td></tr> <tr><td>enumeration</td><td>FI</td><td></td></tr> <tr><td>enumeration</td><td>FR</td><td></td></tr> <tr><td>enumeration</td><td>DE</td><td></td></tr> <tr><td>enumeration</td><td>EL</td><td></td></tr> <tr><td>enumeration</td><td>HR</td><td></td></tr> <tr><td>enumeration</td><td>HU</td><td></td></tr> <tr><td>enumeration</td><td>IE</td><td></td></tr> <tr><td>enumeration</td><td>IT</td><td></td></tr> <tr><td>enumeration</td><td>LV</td><td></td></tr> <tr><td>enumeration</td><td>LT</td><td></td></tr> <tr><td>enumeration</td><td>LU</td><td></td></tr> <tr><td>enumeration</td><td>MT</td><td></td></tr> <tr><td>enumeration</td><td>NL</td><td></td></tr> <tr><td>enumeration</td><td>PL</td><td></td></tr> <tr><td>enumeration</td><td>PT</td><td></td></tr> <tr><td>enumeration</td><td>RO</td><td></td></tr> <tr><td>enumeration</td><td>SK</td><td></td></tr> <tr><td>enumeration</td><td>SI</td><td></td></tr> <tr><td>enumeration</td><td>ES</td><td></td></tr> <tr><td>enumeration</td><td>SE</td><td></td></tr> <tr><td>enumeration</td><td>XI</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AT		enumeration	BE		enumeration	BG		enumeration	CY		enumeration	CZ		enumeration	DK		enumeration	EE		enumeration	FI		enumeration	FR		enumeration	DE		enumeration	EL		enumeration	HR		enumeration	HU		enumeration	IE		enumeration	IT		enumeration	LV		enumeration	LT		enumeration	LU		enumeration	MT		enumeration	NL		enumeration	PL		enumeration	PT		enumeration	RO		enumeration	SK		enumeration	SI		enumeration	ES		enumeration	SE		enumeration	XI	
Kind	Value	Annotation																																																																																						
enumeration	AT																																																																																							
enumeration	BE																																																																																							
enumeration	BG																																																																																							
enumeration	CY																																																																																							
enumeration	CZ																																																																																							
enumeration	DK																																																																																							
enumeration	EE																																																																																							
enumeration	FI																																																																																							
enumeration	FR																																																																																							
enumeration	DE																																																																																							
enumeration	EL																																																																																							
enumeration	HR																																																																																							
enumeration	HU																																																																																							
enumeration	IE																																																																																							
enumeration	IT																																																																																							
enumeration	LV																																																																																							
enumeration	LT																																																																																							
enumeration	LU																																																																																							
enumeration	MT																																																																																							
enumeration	NL																																																																																							
enumeration	PL																																																																																							
enumeration	PT																																																																																							
enumeration	RO																																																																																							
enumeration	SK																																																																																							
enumeration	SI																																																																																							
enumeration	ES																																																																																							
enumeration	SE																																																																																							
enumeration	XI																																																																																							
annotation	<p>documentation</p> <p>The appropriate country code two-byte alpha version for the state in which the party concerned is a resident.  This list includes only Member States of the European Union</p> <p>AT - AUSTRIA  BE - BELGIUM  BG - BULGARIA  HR - CROATIA  CY - CYPRUS  CZ - CZECHIA  DK - DENMARK</p>																																																																																							

	EE - ESTONIA FI - FINLAND FR - FRANCE DE - GERMANY EL - GREECE HU - HUNGARY IE - IRELAND IT - ITALY LV - LATVIA LT - LITHUANIA LU - LUXEMBOURG MT - MALTA NL - NETHERLANDS PL - POLAND PT - PORTUGAL RO - ROMANIA SK - SLOVAKIA SI - SLOVENIA ES - SPAIN SE - SWEDEN XI - NORTHERN IRELAND
source	<p><code>&lt;xsd:simpleType name="TKodyKrajowUE"&gt;</code></p> <p><code>&lt;xsd:annotation&gt;</code></p> <p><code>&lt;xsd:documentation xml:lang="en"&gt;</code></p> <p>The appropriate country code two-byte alpha version for the state in which the party concerned is a resident.</p> <p>This list includes only Member States of the European Union</p> AT - AUSTRIA BE - BELGIUM BG - BULGARIA HR - CROATIA CY - CYPRUS CZ - CZECHIA DK - DENMARK EE - ESTONIA FI - FINLAND FR - FRANCE DE - GERMANY EL - GREECE HU - HUNGARY IE - IRELAND IT - ITALY LV - LATVIA LT - LITHUANIA LU - LUXEMBOURG MT - MALTA NL - NETHERLANDS PL - POLAND PT - PORTUGAL RO - ROMANIA SK - SLOVAKIA SI - SLOVENIA ES - SPAIN SE - SWEDEN XI - NORTHERN IRELAND <p><code>&lt;/xsd:documentation&gt;</code></p> <p><code>&lt;/xsd:annotation&gt;</code></p> <p><code>&lt;xsd:restriction base="xsd:string"&gt;</code></p>

	<pre> &lt;xsd:enumeration value="AT"/&gt; &lt;xsd:enumeration value="BE"/&gt; &lt;xsd:enumeration value="BG"/&gt; &lt;xsd:enumeration value="CY"/&gt; &lt;xsd:enumeration value="CZ"/&gt; &lt;xsd:enumeration value="DK"/&gt; &lt;xsd:enumeration value="EE"/&gt; &lt;xsd:enumeration value="FI"/&gt; &lt;xsd:enumeration value="FR"/&gt; &lt;xsd:enumeration value="DE"/&gt; &lt;xsd:enumeration value="EL"/&gt; &lt;xsd:enumeration value="HR"/&gt; &lt;xsd:enumeration value="HU"/&gt; &lt;xsd:enumeration value="IE"/&gt; &lt;xsd:enumeration value="IT"/&gt; &lt;xsd:enumeration value="LV"/&gt; &lt;xsd:enumeration value="LT"/&gt; &lt;xsd:enumeration value="LU"/&gt; &lt;xsd:enumeration value="MT"/&gt; &lt;xsd:enumeration value="NL"/&gt; &lt;xsd:enumeration value="PL"/&gt; &lt;xsd:enumeration value="PT"/&gt; &lt;xsd:enumeration value="RO"/&gt; &lt;xsd:enumeration value="SK"/&gt; &lt;xsd:enumeration value="SI"/&gt; &lt;xsd:enumeration value="ES"/&gt; &lt;xsd:enumeration value="SE"/&gt; &lt;xsd:enumeration value="XI"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	---

### simpleType TKwotowy

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/	
type	restriction of <b>xsd:decimal</b>	
properties	base xsd:decimal	
used by	elements <a href="#">Faktura/Fa/Rozliczenie/DoRozliczenia Faktura/Fa/Rozliczenie/DoZaplaty</a> <a href="#">Faktura/Fa/Rozliczenie/Odliczenia/Kwota Faktura/Fa/Rozliczenie/Obciacenia/Kwota</a> <a href="#">Faktura/Fa/FaWiersze/FaWiersz/KwotaAkcyzy</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/KwotaAkcyzyZ</a> <a href="#">Faktura/Fa/Platnosc/KwotaZaplatyCzesiowej Faktura/Fa/FaWiersze/FaWiersz/P 10</a> <a href="#">Faktura/Fa/FaWiersze/FaWiersz/P 11 Faktura/Fa/FaWiersze/FaWiersz/P 11A</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/P 11NettoZ</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/P 11VatZ Faktura/Fa/P 13_1 Faktura/Fa/P 13_2</a> <a href="#">Faktura/Fa/P 13_3 Faktura/Fa/P 13_4 Faktura/Fa/P 13_5 Faktura/Fa/P 13_6 Faktura/Fa/P 13_7</a> <a href="#">Faktura/Fa/P 14_1 Faktura/Fa/P 14_1W Faktura/Fa/P 14_2 Faktura/Fa/P 14_2W Faktura/Fa/P 14_3</a> <a href="#">Faktura/Fa/P 14_3W Faktura/Fa/P 14_4 Faktura/Fa/P 14_4W Faktura/Fa/P 14_5 Faktura/Fa/P 15</a> <a href="#">Faktura/Fa/FaWiersze/FaWiersz/P 9A Faktura/Fa/Zamowienie/ZamowienieWiersz/P 9AZ</a> <a href="#">Faktura/Fa/FaWiersze/FaWiersz/P 9B Faktura/Fa/Rozliczenie/SumaObciaczen</a> <a href="#">Faktura/Fa/Rozliczenie/SumaOdliczen Faktura/Fa/FaWiersze/WartoscWierszyFaktury1</a> <a href="#">Faktura/Fa/FaWiersze/WartoscWierszyFaktury2 Faktura/Fa/Zamowienie/WartoscZamowienia</a> <a href="#">Faktura/Fa/ZwrotAkcyzy</a>	
facets	Kind	Value Annotation
	totalDigits	18
	fractionDigits	2
annotation	documentation Monetary amount.18 digits max, of which 2 can be fractional digits	

source	<pre> &lt;xsd:simpleType name="TKwotowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Monetary amount.18 digits max, of which 2 can be fractional digits&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="xsd:decimal"&gt;     &lt;xsd:totalDigits value="18"/&gt;     &lt;xsd:fractionDigits value="2"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--------	--

### simpleType **TLadunek**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																																																							
type	restriction of <a href="#">tns:TZnakowy</a>																																																																							
properties	base tns:TZnakowy																																																																							
used by	element <a href="#">Faktura/Fa/WarunkiTransakcji/Transport/OpisLadunku</a>																																																																							
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation Churn</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation Barrel</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation Cylinder</td> </tr> <tr> <td>enumeration</td> <td>4</td> <td>documentation Carton</td> </tr> <tr> <td>enumeration</td> <td>5</td> <td>documentation Canister</td> </tr> <tr> <td>enumeration</td> <td>6</td> <td>documentation Cage</td> </tr> <tr> <td>enumeration</td> <td>7</td> <td>documentation Container</td> </tr> <tr> <td>enumeration</td> <td>8</td> <td>documentation Basket</td> </tr> <tr> <td>enumeration</td> <td>9</td> <td>documentation Punnet</td> </tr> <tr> <td>enumeration</td> <td>10</td> <td>documentation Collective packaging</td> </tr> <tr> <td>enumeration</td> <td>11</td> <td>documentation Pack</td> </tr> <tr> <td>enumeration</td> <td>12</td> <td>documentation Package</td> </tr> <tr> <td>enumeration</td> <td>13</td> <td>documentation Palette</td> </tr> <tr> <td>enumeration</td> <td>14</td> <td>documentation Container</td> </tr> <tr> <td>enumeration</td> <td>15</td> <td>documentation Container for solid bulk cargo</td> </tr> <tr> <td>enumeration</td> <td>16</td> <td>documentation Container for bulk cargo in liquid form</td> </tr> <tr> <td>enumeration</td> <td>17</td> <td>documentation Box</td> </tr> <tr> <td>enumeration</td> <td>18</td> <td>documentation Can</td> </tr> <tr> <td>enumeration</td> <td>19</td> <td>documentation Chest</td> </tr> <tr> <td>enumeration</td> <td>20</td> <td>documentation Bag</td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	2		enumeration	1	documentation Churn	enumeration	2	documentation Barrel	enumeration	3	documentation Cylinder	enumeration	4	documentation Carton	enumeration	5	documentation Canister	enumeration	6	documentation Cage	enumeration	7	documentation Container	enumeration	8	documentation Basket	enumeration	9	documentation Punnet	enumeration	10	documentation Collective packaging	enumeration	11	documentation Pack	enumeration	12	documentation Package	enumeration	13	documentation Palette	enumeration	14	documentation Container	enumeration	15	documentation Container for solid bulk cargo	enumeration	16	documentation Container for bulk cargo in liquid form	enumeration	17	documentation Box	enumeration	18	documentation Can	enumeration	19	documentation Chest	enumeration	20	documentation Bag
Kind	Value	Annotation																																																																						
minLength	1																																																																							
maxLength	2																																																																							
enumeration	1	documentation Churn																																																																						
enumeration	2	documentation Barrel																																																																						
enumeration	3	documentation Cylinder																																																																						
enumeration	4	documentation Carton																																																																						
enumeration	5	documentation Canister																																																																						
enumeration	6	documentation Cage																																																																						
enumeration	7	documentation Container																																																																						
enumeration	8	documentation Basket																																																																						
enumeration	9	documentation Punnet																																																																						
enumeration	10	documentation Collective packaging																																																																						
enumeration	11	documentation Pack																																																																						
enumeration	12	documentation Package																																																																						
enumeration	13	documentation Palette																																																																						
enumeration	14	documentation Container																																																																						
enumeration	15	documentation Container for solid bulk cargo																																																																						
enumeration	16	documentation Container for bulk cargo in liquid form																																																																						
enumeration	17	documentation Box																																																																						
enumeration	18	documentation Can																																																																						
enumeration	19	documentation Chest																																																																						
enumeration	20	documentation Bag																																																																						

annotation	documentation Types of loads
source	<pre> &lt;xsd:simpleType name="TLadunek"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Types of loads&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:maxLength value="2"/&gt;     &lt;xsd:enumeration value="1"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Churn&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="2"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Barrel&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="3"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Cylinder&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="4"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Carton&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="5"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Canister&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="6"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Cage&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="7"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Container&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="8"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Basket&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="9"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Punnet&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="10"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Collective packaging&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>

```
</xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="11">
  <xsd:annotation>
    <xsd:documentation>Pack</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="12">
  <xsd:annotation>
    <xsd:documentation>Package</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="13">
  <xsd:annotation>
    <xsd:documentation>Palette</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="14">
  <xsd:annotation>
    <xsd:documentation>Container</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="15">
  <xsd:annotation>
    <xsd:documentation>Container for solid bulk cargo</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="16">
  <xsd:annotation>
    <xsd:documentation>Container for bulk cargo in liquid form</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="17">
  <xsd:annotation>
    <xsd:documentation>Box</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="18">
  <xsd:annotation>
    <xsd:documentation>Can</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="19">
  <xsd:annotation>
    <xsd:documentation>Chest</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
<xsd:enumeration value="20">
  <xsd:annotation>
    <xsd:documentation>Bag</xsd:documentation>
  </xsd:annotation>
</xsd:enumeration>
</xsd:restriction>
</xsd:simpleType>
```

### simpleType TNaturalny

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <b>etd:TNaturalny</b>		
properties	base etd:TNaturalny		
used by	elements <a href="#">Faktura/Fa/FaWiersze/LiczbaWierszyFaktury</a> <a href="#">Faktura/Fa/Zamowienie/LiczbaWierszyZamowienia</a> <a href="#">Faktura/Fa/FaWiersze/FaWiersz/NrWierszaFa</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/NrWierszaZam</a>		
facets	Kind minExclusive	Value 0	Annotation
	totalDigits	14	
	whiteSpace	collapse	
annotation	documentation Natural numbers greater than zero		
source	<pre>&lt;xsd:simpleType name="TNaturalny"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Natural numbers greater than zero&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="etd:TNaturalny"&gt;     &lt;xsd:minExclusive value="0"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>		

### simpleType TNrNRB

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <b>xsd:string</b>		
properties	base xsd:string		
used by	element <a href="#">TRachunekBankowy/NrRBPL</a>		
facets	Kind pattern	Value [0-9]{26}	Annotation
annotation	documentation Bank account number		
source	<pre>&lt;xsd:simpleType name="TNrNRB"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Bank account number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="xsd:string"&gt;     &lt;xsd:pattern value="[0-9]{26}" /&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>		

### simpleType TNrRBZagr

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <b>xsd:string</b>		
properties	base xsd:string		
used by	element <a href="#">TRachunekBankowy/NrRBZagr</a>		

facets	Kind pattern [0-9A-Z]{10,30}	Value Annotation
annotation	documentation Foreign bank account number	
source	<xsd:simpleType name="TNrRBZagr"> <xsd:annotation> <xsd:documentation>Foreign bank account number</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:string"> <xsd:pattern value="[0-9A-Z]{10,30}" /> </xsd:restriction> </xsd:simpleType>	

#### simpleType TNumerKSeF

name space	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/	
type	restriction of <b>xsd:token</b>	
proper ties	base xsd:token	
used by	element <a href="#">Faktura/Fa/NrKSeFFaKorygowanej</a>	
facets	Kind Value patt ([1-9]((\d[1-9]) ([1-9]\d))\d{7} M\d{9} [A-Z]{3}\d{7})-(20[2-9][0-9] 2[1-9][0-9]{2} [3-9][0-9]{3})(0[1-9] 1[1-2])(0[1-9] 1[1-2])[0-9] 3[0-1])-([0-9A-F]{6})-([0-9A-F]{6})-([0-9A-F]{2})	Annotation
annotation	documentation Invoice identification number in the National System of e-Invoices (KSeF)	
source	<xsd:simpleType name="TNumerKSeF"> <xsd:annotation> <xsd:documentation>Invoice identification number in the National System of e-Invoices (KSeF)</xsd:documentation> </xsd:annotation> <xsd:restriction base="xsd:token"> <xsd:pattern value="([1-9]((\d[1-9]) ([1-9]\d))\d{7} M\d{9} [A-Z]{3}\d{7})-(20[2-9][0-9] 2[1-9][0-9]{2} [3-9][0-9]{3})(0[1-9] 1[1-2])(0[1-9] 1[1-2])[0-9] 3[0-1])-([0-9A-F]{6})-([0-9A-F]{6})-([0-9A-F]{2})"/> </xsd:restriction> </xsd:simpleType>	

#### simpleType TNumerTelefonu

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/	
type	restriction of <a href="#">tns:TZnakowy</a>	
properties	base tns:TZnakowy	
used by	elements <a href="#">Faktura/Podmiot1/Telefon</a> <a href="#">Faktura/Podmiot2/Telefon</a> <a href="#">Faktura/Podmiot3/Telefon</a> <a href="#">Faktura/PodmiotUpowazniony/TelefonPU</a>	
facets	Kind minLength maxLength 1	Value Annotation
annotation	documentation Phone number	

source	<pre>&lt;xsd:simpleType name="TNumerTelefonu"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Phone number&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:maxLength value="16"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>
--------	---

### simpleType **TOznaczenieProcedury**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																			
type	restriction of <a href="#">tns:TZnakowy</a>																																			
properties	base tns:TZnakowy																																			
used by	element <a href="#">Faktura/Fa/FaWiersze/FaWiersz/Procedura</a>																																			
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>WSTO_EE</td> <td>           documentation            Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services         </td> </tr> <tr> <td>enumeration</td> <td>IED</td> <td>           documentation            Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services         </td> </tr> <tr> <td>enumeration</td> <td>TT_D</td> <td>           documentation            Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services         </td> </tr> <tr> <td>enumeration</td> <td>I_42</td> <td>           documentation            Designation of the procedure referred to in § 10(4)(8) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services         </td> </tr> <tr> <td>enumeration</td> <td>I_63</td> <td>           documentation            Designation of the procedure referred to in § 10(4)(9) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services         </td> </tr> <tr> <td>enumeration</td> <td>B_SPV</td> <td>           documentation            Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services         </td> </tr> <tr> <td>enumeration</td> <td>B_SPV_DOSTAWA</td> <td>           documentation            Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services         </td> </tr> <tr> <td>enumeration</td> <td>B_MPV_PROWIZJA</td> <td>           documentation            Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services         </td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	WSTO_EE	documentation Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services	enumeration	IED	documentation Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services	enumeration	TT_D	documentation Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services	enumeration	I_42	documentation Designation of the procedure referred to in § 10(4)(8) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services	enumeration	I_63	documentation Designation of the procedure referred to in § 10(4)(9) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services	enumeration	B_SPV	documentation Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services	enumeration	B_SPV_DOSTAWA	documentation Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services	enumeration	B_MPV_PROWIZJA	documentation Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services
Kind	Value	Annotation																																		
minLength	1																																			
maxLength	256																																			
enumeration	WSTO_EE	documentation Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
enumeration	IED	documentation Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
enumeration	TT_D	documentation Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
enumeration	I_42	documentation Designation of the procedure referred to in § 10(4)(8) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
enumeration	I_63	documentation Designation of the procedure referred to in § 10(4)(9) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
enumeration	B_SPV	documentation Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
enumeration	B_SPV_DOSTAWA	documentation Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
enumeration	B_MPV_PROWIZJA	documentation Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services																																		
annotation	documentation <b>Indications of the procedure for invoices</b>																																			
source	<pre>&lt;xsd:simpleType name="TOznaczenieProcedury"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indications of the procedure for invoices&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="WSTO_EE"&gt;       &lt;xsd:annotation&gt;</pre>																																			



	<code>&lt;/xsd:simpleType&gt;</code>
--	--------------------------------------

### simpleType **TOznaczenieProceduryZ**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																													
type	restriction of <a href="#">tns:TZnakowy</a>																													
properties	base tns:TZnakowy																													
used by	element <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/ProceduraZ</a>																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>WSTO_EE</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>IED</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>TT_D</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>B_SPV</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>B_SPV_DOSTAWA</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> <tr> <td>enumeration</td> <td>B_MPV_PROWIZJA</td> <td> <p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p> </td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	WSTO_EE	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	IED	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	TT_D	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	B_SPV	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	B_SPV_DOSTAWA	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>	enumeration	B_MPV_PROWIZJA	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>
Kind	Value	Annotation																												
minLength	1																													
maxLength	256																													
enumeration	WSTO_EE	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																												
enumeration	IED	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																												
enumeration	TT_D	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																												
enumeration	B_SPV	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																												
enumeration	B_SPV_DOSTAWA	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																												
enumeration	B_MPV_PROWIZJA	<p>documentation</p> <p>Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services</p>																												
annotation	<p>documentation</p> <p>Indication of the procedure for orders</p>																													
source	<pre> &lt;xsd:simpleType name="TOznaczenieProceduryZ"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indication of the procedure for orders&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="WSTO_EE"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Designation of the procedure referred to in § 10(4)(2)(a) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="IED"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Designation of the procedure referred to in § 10(4)(2)(b) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="TT_D"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services &lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>																													

	<p>&lt;xsd:documentation&gt;Designation of the procedure referred to in § 10(4)(5) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;</p> <pre> &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="B_SPV"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Designation of the procedure referred to in § 10(4)(10) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="B_SPV_DOSTAWA"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Designation of the procedure referred to in § 10(4)(11) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="B_MPV_PROWIZJA"&gt;     &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Designation of the procedure referred to in § 10(4)(12) of the Regulation on the detailed scope of data contained in tax declarations and records in the field of tax on goods and services&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>
--	--

#### simpleType TProceduraFa

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <a href="#">tns:TZnakowy</a>		
properties	base tns:TZnakowy		
used by	element <a href="#">Faktura/Fa/FaWiersze/FaWiersz/P_12_Procedura</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	enumeration	1	documentation 0% rate applied for domestic sales
	enumeration	2	documentation 0% rate - intra-community delivery of goods
	enumeration	3	documentation 0% rate - export of goods
	enumeration	4	documentation Supply of goods and services taxed outside the territory of the country
	enumeration	5	documentation Provision of services under article 100(1)(4) of the Act
	enumeration	6	documentation Goods / service listed in Annex 15
	enumeration	7	documentation Other domestic sales
annotation	documentation Indication of the procedure for the invoice line		
source	<xsd:simpleType name="TProceduraFa"> <xsd:annotation>		

	<pre> &lt;xsd:documentation&gt;Indication of the procedure for the invoice line&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;xsd:restriction base="tns:TZnakowy"&gt;   &lt;xsd:enumeration value="1"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;0% rate applied for domestic sales&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="2"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;0% rate - intra-community delivery of goods&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="3"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;0% rate - export of goods&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="4"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Supply of goods and services taxed outside the territory of the country&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="5"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Provision of services under article 100(1)(4) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="6"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Goods / service listed in Annex 15&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="7"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Other domestic sales&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>
--	---

#### simpleType TProceduraZamowienie

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <a href="#">tns:TZnakowy</a>		
properties	base tns:TZnakowy		
used by	element <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/P_12Z_Procedura</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	enumeration	1	documentation

	enumeration 3 enumeration 4 enumeration 5 enumeration 6 enumeration 7	0% rate applied for domestic sales documentation 0% rate - export of goods documentation Supply of goods and services taxed outside the territory of the country documentation Provision of services under article 100(1)(4) of the Act documentation Goods / service listed in Annex 15 documentation Other domestic sales
annotation	documentation Indication of the procedure for the order line	
source		<pre>&lt;xsd:simpleType name="TProceduraZamowienie"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Indication of the procedure for the order line&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="1"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;0% rate applied for domestic sales&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="3"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;0% rate - export of goods&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="4"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Supply of goods and services taxed outside the territory of the country&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="5"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Provision of services under article 100(1)(4) of the Act&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="6"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Goods / service listed in Annex 15&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="7"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Other domestic sales&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>

#### simpleType TProcentowy

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
-----------	--

type	restriction of <b>xsd:decimal</b>																		
properties	base <b>xsd:decimal</b>																		
used by	elements <a href="#">Faktura/Fa/FaWiersze/FaWiersz/P_12 XII Faktura/Fa/Zamowienie/ZamowienieWiersz/P_12Z XII</a> <a href="#">Faktura/Podmiot3/Udzial</a>																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>100</td> <td></td> </tr> <tr> <td>totalDigits</td> <td>9</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>collapse</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	0		maxInclusive	100		totalDigits	9		fractionDigits	6		whiteSpace	collapse	
Kind	Value	Annotation																	
minInclusive	0																		
maxInclusive	100																		
totalDigits	9																		
fractionDigits	6																		
whiteSpace	collapse																		
annotation	<p>documentation Percentage value 9 digits max, of which 6 can be fractional digits</p>																		
source	<pre>&lt;xsd:simpleType name="TProcentowy"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Percentage value 9 digits max, of which 6 can be fractional digits&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="xsd:decimal"&gt;     &lt;xsd:totalDigits value="9"/&gt;     &lt;xsd:fractionDigits value="6"/&gt;     &lt;xsd:minInclusive value="0"/&gt;     &lt;xsd:maxInclusive value="100"/&gt;     &lt;xsd:whiteSpace value="collapse"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>																		

#### simpleType **TRachunekWlasnyBanku**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																		
type	restriction of <a href="#"><b>tns:TZnakowy</b></a>																		
properties	base <a href="#">tns:TZnakowy</a>																		
used by	element <a href="#"><b>TRachunekBankowy/RachunekWlasnyBanku</b></a>																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td> <p>documentation a bank account or a cooperative savings and credit union account used to make settlements on account of cash receivables purchased by this bank or this union</p> </td> </tr> <tr> <td>enumeration</td> <td>2</td> <td> <p>documentation a bank account or an account of a cooperative savings and credit union used by this bank or this union to collect receivables from the buyer of goods or service recipients for the supply of goods or services, confirmed by an invoice, and to transfer it in whole or in part to the supplier of goods or service provider</p> </td> </tr> <tr> <td>enumeration</td> <td>3</td> <td> <p>documentation a bank account or an account of a cooperative savings and credit union kept by this bank or this union as part of its own economy, other than a settlement account</p> </td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	<p>documentation a bank account or a cooperative savings and credit union account used to make settlements on account of cash receivables purchased by this bank or this union</p>	enumeration	2	<p>documentation a bank account or an account of a cooperative savings and credit union used by this bank or this union to collect receivables from the buyer of goods or service recipients for the supply of goods or services, confirmed by an invoice, and to transfer it in whole or in part to the supplier of goods or service provider</p>	enumeration	3	<p>documentation a bank account or an account of a cooperative savings and credit union kept by this bank or this union as part of its own economy, other than a settlement account</p>
Kind	Value	Annotation																	
minLength	1																		
maxLength	256																		
enumeration	1	<p>documentation a bank account or a cooperative savings and credit union account used to make settlements on account of cash receivables purchased by this bank or this union</p>																	
enumeration	2	<p>documentation a bank account or an account of a cooperative savings and credit union used by this bank or this union to collect receivables from the buyer of goods or service recipients for the supply of goods or services, confirmed by an invoice, and to transfer it in whole or in part to the supplier of goods or service provider</p>																	
enumeration	3	<p>documentation a bank account or an account of a cooperative savings and credit union kept by this bank or this union as part of its own economy, other than a settlement account</p>																	
annotation	<p>documentation Types of the bank's own accounts</p>																		
source	<pre>&lt;xsd:simpleType name="TRachunekWlasnyBanku"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Types of the bank's own accounts&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="1"&gt;</pre>																		

	<pre> &lt;xsd:annotation&gt;   &lt;xsd:documentation&gt;a bank account or a cooperative savings and credit union account used to make settlements on account of cash receivables purchased by this bank or this union&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;a bank account or an account of a cooperative savings and credit union used by this bank or this union to collect receivables from the buyer of goods or service recipients for the supply of goods or services, confirmed by an invoice, and to transfer it in whole or in part to the supplier of goods or service provider&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;a bank account or an account of a cooperative savings and credit union kept by this bank or this union as part of its own economy, other than a settlement account&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	---

#### simpleType **TRodzajFaktury**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																																
type	restriction of <a href="#">tns:TZnakowy</a>																																
properties	base tns:TZnakowy																																
used by	element <a href="#">Fakтура/Fa/RodzajFaktury</a>																																
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>VAT</td> <td>documentation The basic invoice</td> </tr> <tr> <td>enumeration</td> <td>KOR</td> <td>documentation Correction invoice</td> </tr> <tr> <td>enumeration</td> <td>ZAL</td> <td>documentation The invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act</td> </tr> <tr> <td>enumeration</td> <td>ROZ</td> <td>documentation The invoice issued in connection with article 106f(3) of the Act</td> </tr> <tr> <td>enumeration</td> <td>UPR</td> <td>documentation The invoice referred to in article 106e(5)(3) of the Act</td> </tr> <tr> <td>enumeration</td> <td>KOR_ZAL</td> <td>documentation The invoice correcting the invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act</td> </tr> <tr> <td>enumeration</td> <td>KOR_ROZ</td> <td>documentation Invoice correcting the invoice issued in connection with article 106f(3) of the Act</td> </tr> </table>			Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	VAT	documentation The basic invoice	enumeration	KOR	documentation Correction invoice	enumeration	ZAL	documentation The invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act	enumeration	ROZ	documentation The invoice issued in connection with article 106f(3) of the Act	enumeration	UPR	documentation The invoice referred to in article 106e(5)(3) of the Act	enumeration	KOR_ZAL	documentation The invoice correcting the invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act	enumeration	KOR_ROZ	documentation Invoice correcting the invoice issued in connection with article 106f(3) of the Act
Kind	Value	Annotation																															
minLength	1																																
maxLength	256																																
enumeration	VAT	documentation The basic invoice																															
enumeration	KOR	documentation Correction invoice																															
enumeration	ZAL	documentation The invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act																															
enumeration	ROZ	documentation The invoice issued in connection with article 106f(3) of the Act																															
enumeration	UPR	documentation The invoice referred to in article 106e(5)(3) of the Act																															
enumeration	KOR_ZAL	documentation The invoice correcting the invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act																															
enumeration	KOR_ROZ	documentation Invoice correcting the invoice issued in connection with article 106f(3) of the Act																															
annotation	documentation Type of invoice																																
source	<pre> &lt;xsd:simpleType name="TRodzajFaktury"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Type of invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; </pre>																																

	<pre> &lt;xsd:restriction base="tns:TZnakowy"&gt;   &lt;xsd:enumeration value="VAT"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;The basic invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="KOR"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Correction invoice&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="ZAL"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;The invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="ROZ"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;The invoice issued in connection with article 106f(3) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="UPR"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;The invoice referred to in article 106e(5)(3) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="KOR_ZAL"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;The invoice correcting the invoice documenting the receipt of the payment or its part before performing the activity and the invoice issued in connection with article 106f(4) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="KOR_ROZ"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Invoice correcting the invoice issued in connection with article 106f(3) of the Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	--

#### simpleType **TRodzajTransportu**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/
type	restriction of <a href="#">tns:TZnakowy</a>
properties	base tns:TZnakowy
used by	element <a href="#">Faktura/Fa/WarunkiTransakcji/Transport/RodzajTransportu</a>
facets	Kind Value Annotation

	<pre> minLength    1 maxLength    1 enumeration  1      documentation                            Sea transport enumeration  2      documentation                            Rail transport enumeration  3      documentation                            Road transport enumeration  4      documentation                            Air transport enumeration  5      documentation                            Postal consignment enumeration  7      documentation                            Fixed transport installations enumeration  8      documentation                            Inland waterway transport </pre>
annotation	documentation Transport type
source	<pre> &lt;xsd:simpleType name="TRodzajTransportu"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Transport type&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:maxLength value="1"/&gt;     &lt;xsd:enumeration value="1"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Sea transport&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="2"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Rail transport&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="3"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Road transport&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="4"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Air transport&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="5"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Postal consignment&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="7"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Fixed transport installations&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="8"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Inland waterway transport&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>

	<pre>&lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>
--	--

### simpleType TRolaPodmiotu3

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																														
type	restriction of <a href="#">tns:TZnakowy</a>																														
properties	base tns:TZnakowy																														
used by	element <a href="#">Faktura/Podmiot3/Rola</a>																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation Factor - when the invoice contains the data of the factor</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation Recipient - if the invoice contains data of internal units, branches, budgetary units separated within the buyer, which do not themselves constitute the buyer within the meaning of the Act</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation Primary entity - if the invoice contains the data of the entity that is the acquired or transformed entity in relation to the taxpayer, who provided the service or made the delivery. With the exception of the cases referred to in article 106j(2)(3) when the data is presented in the section Podmiot1K</td> </tr> <tr> <td>enumeration</td> <td>4</td> <td>documentation Additional buyer - if the invoice contains data of subsequent buyers (other than those listed in the section Podmiot2)</td> </tr> <tr> <td>enumeration</td> <td>5</td> <td>documentation Invoice issuer - if the invoice contains the data of the entity issuing the invoice on behalf of the taxpayer. It does not apply if the issuer of the invoice is the buyer</td> </tr> <tr> <td>enumeration</td> <td>6</td> <td>documentation Entity making the payment - if the invoice contains the data of the entity regulating the liability in place of the buyer</td> </tr> <tr> <td>enumeration</td> <td>7</td> <td>documentation Other entity - reserve role in cases of data of third parties appearing in the invoice in other cases than provided for</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	documentation Factor - when the invoice contains the data of the factor	enumeration	2	documentation Recipient - if the invoice contains data of internal units, branches, budgetary units separated within the buyer, which do not themselves constitute the buyer within the meaning of the Act	enumeration	3	documentation Primary entity - if the invoice contains the data of the entity that is the acquired or transformed entity in relation to the taxpayer, who provided the service or made the delivery. With the exception of the cases referred to in article 106j(2)(3) when the data is presented in the section Podmiot1K	enumeration	4	documentation Additional buyer - if the invoice contains data of subsequent buyers (other than those listed in the section Podmiot2)	enumeration	5	documentation Invoice issuer - if the invoice contains the data of the entity issuing the invoice on behalf of the taxpayer. It does not apply if the issuer of the invoice is the buyer	enumeration	6	documentation Entity making the payment - if the invoice contains the data of the entity regulating the liability in place of the buyer	enumeration	7	documentation Other entity - reserve role in cases of data of third parties appearing in the invoice in other cases than provided for
Kind	Value	Annotation																													
minLength	1																														
maxLength	256																														
enumeration	1	documentation Factor - when the invoice contains the data of the factor																													
enumeration	2	documentation Recipient - if the invoice contains data of internal units, branches, budgetary units separated within the buyer, which do not themselves constitute the buyer within the meaning of the Act																													
enumeration	3	documentation Primary entity - if the invoice contains the data of the entity that is the acquired or transformed entity in relation to the taxpayer, who provided the service or made the delivery. With the exception of the cases referred to in article 106j(2)(3) when the data is presented in the section Podmiot1K																													
enumeration	4	documentation Additional buyer - if the invoice contains data of subsequent buyers (other than those listed in the section Podmiot2)																													
enumeration	5	documentation Invoice issuer - if the invoice contains the data of the entity issuing the invoice on behalf of the taxpayer. It does not apply if the issuer of the invoice is the buyer																													
enumeration	6	documentation Entity making the payment - if the invoice contains the data of the entity regulating the liability in place of the buyer																													
enumeration	7	documentation Other entity - reserve role in cases of data of third parties appearing in the invoice in other cases than provided for																													
annotation	documentation The role of a third party																														
source	<pre>&lt;xsd:simpleType name="TRolaPodmiotu3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;The role of a third party&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="1"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Factor - when the invoice contains the data of the factor&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="2"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Recipient - if the invoice contains data of internal units, branches, budgetary units separated within the buyer, which do not themselves constitute the buyer within the meaning of the Act&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;     &lt;xsd:enumeration value="3"&gt;       &lt;xsd:annotation&gt;</pre>																														

	<p>&lt;xsd:documentation&gt;Primary entity - if the invoice contains the data of the entity that is the acquired or transformed entity in relation to the taxpayer, who provided the service or made the delivery. With the exception of the cases referred to in article 106j(2)(3) when the data is presented in the section Podmiot1K&lt;/xsd:documentation&gt;</p> <pre> &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="4"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Additional buyer - if the invoice contains data of subsequent buyers (other than those listed in the section Podmiot2)&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="5"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Invoice issuer - if the invoice contains the data of the entity issuing the invoice on behalf of the taxpayer. It does not apply if the issuer of the invoice is the buyer&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="6"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Entity making the payment - if the invoice contains the data of the entity regulating the liability in place of the buyer&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="7"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Other entity - reserve role in cases of data of third parties appearing in the invoice in other cases than provided for&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>
--	--

#### simpleType **TRolaPodmiotuUpowaznionego**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <a href="#">tns:TZnakowy</a>		
properties	base tns:TZnakowy		
used by	element <a href="#">Faktura/PodmiotUpowazniony/RolaPU</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	enumeration	1	documentation Enforcement authority - in the case referred to in article 106c(1) of the VAT Act
	enumeration	2	documentation Court bailiff - in the case referred to in article 106c(2) of the VAT Act
	enumeration	3	documentation Tax representative - if the invoice contains the data of the tax representative referred to in the provisions of article 18a - 18d of the VAT Act
annotation	documentation The role of the authorized entity		
source	<xsd:simpleType name="TRolaPodmiotuUpowaznionego"> <xsd:annotation>		

	<pre> &lt;xsd:documentation&gt;The role of the authorized entity&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;xsd:restriction base="tns:TZnakowy"&gt;   &lt;xsd:enumeration value="1"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Enforcement authority - in the case referred to in article 106c(1) of the VAT Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="2"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Court bailiff - in the case referred to in article 106c(2) of the VAT Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt;   &lt;xsd:enumeration value="3"&gt;     &lt;xsd:annotation&gt;       &lt;xsd:documentation&gt;Tax representative - if the invoice contains the data of the tax representative referred to in the provisions of article 18a - 18d of the VAT Act&lt;/xsd:documentation&gt;     &lt;/xsd:annotation&gt;   &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	---

#### simpleType **TStatusInfoPodatnika**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																					
type	restriction of <a href="#">tns:TZnakowy</a>																					
properties	base tns:TZnakowy																					
used by	element <a href="#">Faktura/Podmiot1/StatusInfoPodatnika</a>																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation an invoice documenting the sale by a taxpayer in liquidation</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation an invoice documenting a sale by a taxpayer that is under restructuring</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation an invoice documenting the sale by a taxpayer in bankruptcy</td> </tr> <tr> <td>enumeration</td> <td>4</td> <td>documentation an invoice documenting the sale made by the company inheritance</td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	documentation an invoice documenting the sale by a taxpayer in liquidation	enumeration	2	documentation an invoice documenting a sale by a taxpayer that is under restructuring	enumeration	3	documentation an invoice documenting the sale by a taxpayer in bankruptcy	enumeration	4	documentation an invoice documenting the sale made by the company inheritance
Kind	Value	Annotation																				
minLength	1																					
maxLength	256																					
enumeration	1	documentation an invoice documenting the sale by a taxpayer in liquidation																				
enumeration	2	documentation an invoice documenting a sale by a taxpayer that is under restructuring																				
enumeration	3	documentation an invoice documenting the sale by a taxpayer in bankruptcy																				
enumeration	4	documentation an invoice documenting the sale made by the company inheritance																				
annotation	documentation Taxpayer status																					
source	<pre> &lt;xsd:simpleType name="TStatusInfoPodatnika"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Taxpayer status&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="1"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;an invoice documenting the sale by a taxpayer in liquidation&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>																					

	<pre> &lt;xsd:enumeration value="2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;an invoice documenting a sale by a taxpayer that is under restructuring&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;an invoice documenting the sale by a taxpayer in bankruptcy&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="4"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;an invoice documenting the sale made by the company inheritance&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	--

#### simpleType TStawkaPodatku

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <a href="#">tns:TZnakowy</a>		
properties	base tns:TZnakowy		
used by	elements <a href="#">Faktura/Fa/FaWiersze/FaWiersz/P_12</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/P_12Z</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	256	
	enumeration	23	
	enumeration	22	
	enumeration	8	
	enumeration	7	
	enumeration	5	
	enumeration	4	
	enumeration	3	
	enumeration	0	
	enumeration	zw	documentation exempt from taxation
	enumeration	oo	documentation reverse charge
	enumeration	np	documentation non-taxable - transactions of supply of goods and services outside the territory of the country
annotation	documentation Tax rate		
source	<pre> &lt;xsd:simpleType name="TStawkaPodatku"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Tax rate&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="23"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>		

	<pre> &lt;xsd:enumeration value="22"/&gt; &lt;xsd:enumeration value="8"/&gt; &lt;xsd:enumeration value="7"/&gt; &lt;xsd:enumeration value="5"/&gt; &lt;xsd:enumeration value="4"/&gt; &lt;xsd:enumeration value="3"/&gt; &lt;xsd:enumeration value="0"/&gt; &lt;xsd:enumeration value="zw"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;exempt from taxation&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="oo"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;reverse charge&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="np"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;non-taxable - transactions of supply of goods and services outside the territory of the country&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	---

#### simpleType **TTypKorekty**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/																				
type	restriction of <a href="#">tns:TZnakowy</a>																				
properties	base tns:TZnakowy																				
used by	element <a href="#">Fatura/Fa/TypKorekty</a>																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td>documentation Correction effective on the date of the original invoice</td> </tr> <tr> <td>enumeration</td> <td>2</td> <td>documentation Correction effective on the date of issuing the correcting invoice</td> </tr> <tr> <td>enumeration</td> <td>3</td> <td>documentation Correction resulting in a different date, including when the dates are different for different items of the correcting invoice</td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	256		enumeration	1	documentation Correction effective on the date of the original invoice	enumeration	2	documentation Correction effective on the date of issuing the correcting invoice	enumeration	3	documentation Correction resulting in a different date, including when the dates are different for different items of the correcting invoice
Kind	Value	Annotation																			
minLength	1																				
maxLength	256																				
enumeration	1	documentation Correction effective on the date of the original invoice																			
enumeration	2	documentation Correction effective on the date of issuing the correcting invoice																			
enumeration	3	documentation Correction resulting in a different date, including when the dates are different for different items of the correcting invoice																			
annotation	documentation Correction effect type																				
source	<pre> &lt;xsd:simpleType name="TTypKorekty"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Correction effect type&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="tns:TZnakowy"&gt;     &lt;xsd:enumeration value="1"&gt;       &lt;xsd:annotation&gt;         &lt;xsd:documentation&gt;Correction effective on the date of the original invoice&lt;/xsd:documentation&gt;       &lt;/xsd:annotation&gt;     &lt;/xsd:enumeration&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>																				

	<pre> &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="2"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Correction effective on the date of issuing the correcting invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;xsd:enumeration value="3"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;Correction resulting in a different date, including when the dates are different for different items of the correcting invoice&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt; &lt;/xsd:enumeration&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt; </pre>
--	--

### simpleType Tznakowy

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/			
type	restriction of <b>xsd:token</b>			
properties	base xsd:token			
used by	elements	<a href="#">Faktura/Fa/FaWiersze/FaWiersz/CN Faktura/Fa/Zamowienie/ZamowienieWiersz/CNZ</a> <a href="#">Faktura/Fa/FaWiersze/FaWiersz/GTIN Faktura/Fa/Zamowienie/ZamowienieWiersz/GTINZ</a> <a href="#">Faktura/Fa/WarunkiTransakcji/Transport/JednostkaOpakowania TKluczWartosc/Klucz</a> <a href="#">TRachunekBankowy/NazwaBanku TPodmiot/NazwaHandlowa TPodmiot1/NazwaHandlowa</a> <a href="#">Faktura/Podmiot1/NrEORI Faktura/Podmiot2/NrEORI Faktura/Podmiot3/NrEORI</a> <a href="#">Faktura/PodmiotUpowazniony/NrEORI Faktura/Fa/NrFaKorygowanej Faktura/Fa/NrFaKorygowany</a> <a href="#">Faktura/Fa/NrFaZaliczkowej Faktura/Podmiot2/NrKlienta Faktura/Podmiot3/NrKlienta</a> <a href="#">Faktura/Fa/WarunkiTransakcji/NrPartiiTowaru Faktura/Fa/WarunkiTransakcji/NrUmowy</a> <a href="#">Faktura/Fa/WarunkiTransakcji/NrZamowienia</a> <a href="#">Faktura/Fa/WarunkiTransakcji/Transport/NrZleceniaTransportu Faktura/Fa/OkresFaKorygowanej</a> <a href="#">Faktura/Fa/Platnosc/OpisPlatnosc Faktura/Podmiot3/OpisRoli Faktura/Fa/Adnotacje/P_19A</a> <a href="#">Faktura/Fa/Adnotacje/P_19B Faktura/Fa/Adnotacje/P_19C Faktura/Fa/P_1M Faktura/Fa/P_2</a> <a href="#">Faktura/Fa/Adnotacje/P_22B Faktura/Fa/Adnotacie/P_22B1 Faktura/Fa/Adnotacie/P_22B2</a> <a href="#">Faktura/Fa/Adnotacie/P_22B3 Faktura/Fa/Adnotacie/P_22B4 Faktura/Fa/Adnotacie/P_22BK</a> <a href="#">Faktura/Fa/Adnotacie/P_22BMD Faktura/Fa/Adnotacie/P_22BMK Faktura/Fa/Adnotacie/P_22BNR</a> <a href="#">Faktura/Fa/Adnotacie/P_22BRP Faktura/Fa/Adnotacie/P_22BT Faktura/Fa/Adnotacie/P_22C</a> <a href="#">Faktura/Fa/Adnotacie/P_22C1 Faktura/Fa/Adnotacie/P_22D Faktura/Fa/Adnotacie/P_22D1</a> <a href="#">Faktura/Fa/FaWiersze/FaWiersz/P_7 Faktura/Fa/Zamowienie/ZamowienieWiersz/P_7Z</a> <a href="#">Faktura/Fa/FaWiersze/FaWiersz/P_8A Faktura/Fa/Zamowienie/ZamowienieWiersz/P_8AZ</a> <a href="#">TPodmiot/PelnaNazwa TPodmiot1/PelnaNazwa Faktura/Fa/FaWiersze/FaWiersz/PKOB</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/PKOBZ Faktura/Fa/FaWiersze/FaWiersz/PKWiu</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/PKWiuZ Faktura/Fa/Rozliczenie/Obciazenia/Powod</a> <a href="#">Faktura/Fa/Rozliczenie/Odliczenia/Powod Faktura/Fa/PrzyczynaKorekty TNaglowek/SystemInfo</a> <a href="#">Faktura/Fa/Platnosc/TerminPlatnosc/Opis Faktura/Fa/FaWiersze/FaWiersz/UU_ID</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/UU_IDZ TKluczWartosc/Wartosc</a> <a href="#">Faktura/Fa/WarunkiTransakcji/WarunkiDostawy Faktura/Fa/Platnosc/Skonto/WarunkiSkonta</a> <a href="#">Faktura/Fa/Platnosc/Skonto/WysokoscSkonta Faktura/Fa/WZ</a> <a href="#">TFormaPlatnoscis TGTU TLadunek TNumerTelefonu TOznaczenieProcedury</a> <a href="#">TOznaczenieProceduryZ TProceduraFa TProceduraZamowienie TRachunekWlasnyBanku</a> <a href="#">TRodzajFaktury TRodzajTransportu TRolaPodmiotu3 TRolaPodmiotuUpowaznionego</a> <a href="#">TStatusInfoPodatnika TStawkaPodatku TTypKorekty</a>		
facets	Kind	Value	Annotation	
	minLength	1		
	maxLength	256		
annotation	documentation 256 character text			
source	<pre> &lt;xsd:simpleType name="Tznakowy"&gt;   &lt;xsd:annotation&gt; </pre>			

	<pre> &lt;xsd:documentation&gt;256 character text&lt;/xsd:documentation&gt; &lt;/xsd:annotation&gt; &lt;xsd:restriction base="xsd:token"&gt;   &lt;xsd:minLength value="1"/&gt;   &lt;xsd:maxLength value="256"/&gt; &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>
--	---

### simpleType **TZnakowy50**

namespace	http://ksef.mf.gov.pl/wzor/2021/08/05/08052/		
type	restriction of <b>xsd:token</b>		
properties	base xsd:token		
used by	elements <a href="#">Faktura/Fa/FaWiersze/FaWiersz/DodatkoweInfo</a> <a href="#">Faktura/Fa/Zamowienie/ZamowienieWiersz/DodatkoweInfoZ</a> <a href="#">Faktura/Fa/WarunkiTransakcji/Transport/OpisInnegoLadunku</a> <a href="#">Faktura/Fa/WarunkiTransakcji/Transport/OpisInnegoTransportu</a>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	50	
annotation	documentation 50 character text		
source	<pre> &lt;xsd:simpleType name="TZnakowy50"&gt;   &lt;xsd:annotation&gt;     &lt;xsd:documentation&gt;50 character text&lt;/xsd:documentation&gt;   &lt;/xsd:annotation&gt;   &lt;xsd:restriction base="xsd:token"&gt;     &lt;xsd:minLength value="1"/&gt;     &lt;xsd:maxLength value="50"/&gt;   &lt;/xsd:restriction&gt; &lt;/xsd:simpleType&gt;</pre>		