

**Pakiet: V/2022**

PAKIET	Leśnictwo	Grupa czynności	Adres leśny	Odległość zrywki całkowita	Odległość zrywki po lesie	Odległość zrywki poza lasem	Typ nawierzchni	Nachylenie terenu %
V/2022	11.Kalety	CSS	02-16-1-11-679 -f -01	300	200	100	twarda	1
V/2022	11.Kalety	CSS	02-16-1-11-750 -a -01	300	200	100	twarda	1
V/2022	11.Kalety	CSS	02-16-1-11-750 -b -01	300	200	100	twarda	1
V/2022	11.Kalety	CSS	02-16-1-11-753 -c -00	300	200	100	twarda	1
V/2022	11.Kalety	CSS	02-16-1-11-753 -j -00	600	500	100	twarda	1
V/2022	11.Kalety	IB	02-16-1-11-719 -g -00	300	200	100	twarda	1
V/2022	11.Kalety	IB	02-16-1-11-729 -f -00	500	400	100	gruntowa ulepszona	1
V/2022	11.Kalety	IB	02-16-1-11-730 -b -00	200	100	100	gruntowa ulepszona	1
V/2022	11.Kalety	IB	02-16-1-11-730 -d -00	300	200	100	gruntowa ulepszona	1
V/2022	11.Kalety	IB	02-16-1-11-730 -f -00	200	100	100	gruntowa ulepszona	1
V/2022	11.Kalety	IB	02-16-1-11-749 -j -00	400	300	100	twarda	1
V/2022	11.Kalety	IB	02-16-1-11-749 -l -00	400	300	100	twarda	1
V/2022	11.Kalety	IB	02-16-1-11-750 -d -00	500	400	100	twarda	2
V/2022	11.Kalety	IIIA	02-16-1-11-728 -j -00	300	200	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-684 -a -00	300	200	100	gruntowa ulepszona	1
V/2022	11.Kalety	TPP	02-16-1-11-684 -c -00	200	100	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-684 -f -00	300	200	100	gruntowa ulepszona	1
V/2022	11.Kalety	TPP	02-16-1-11-685 -k -00	200	100	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-691 -a -00	200	100	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-691 -b -00	400	300	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-720 -d -00	400	300	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-720 -j -00	300	200	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-723 -a -00	400	300	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-723 -b -00	200	100	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-723 -d -00	200	100	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-725 -i -00	400	300	100	twarda	1
V/2022	11.Kalety	TPP	02-16-1-11-726 -h -00	300	200	100	gruntowa ulepszona	1
V/2022	11.Kalety	TPP	02-16-1-11-754 -d -00	300	200	100	gruntowa ulepszona	1
V/2022	11.Kalety	TPP	02-16-1-11-754 -f -00	300	200	100	gruntowa ulepszona	1
V/2022	11.Kalety	TPP	02-16-1-11-755 -d -00	300	200	100	gruntowa ulepszona	2
V/2022	11.Kalety	TPP	02-16-1-11-755 -h -00	200	100	100	gruntowa ulepszona	2
V/2022	11.Kalety	TWP	02-16-1-11-684 -d -00	300	200	100	twarda	1
V/2022	11.Kalety	TWP	02-16-1-11-685 -i -00	200	100	100	twarda	1
V/2022	11.Kalety	TWP	02-16-1-11-685 -l -00	300	200	100	twarda	1
V/2022	11.Kalety	TWP	02-16-1-11-720 -f -00	300	200	100	twarda	1
V/2022	11.Kalety	TWP	02-16-1-11-720 -g -00	300	200	100	twarda	1
V/2022	11.Kalety	TWP	02-16-1-11-725 -h -00	400	300	100	twarda	1
V/2022	11.Kalety	TWP	02-16-1-11-725 -j -00	400	300	100	twarda	1
V/2022	11.Kalety	TWP	02-16-1-11-755 -a -00	300	200	100	gruntowa ulepszona	1
V/2022	11.Kalety	TWP	02-16-1-11-755 -b -00	200	100	100	gruntowa ulepszona	1
V/2022	11.Kalety	TWP	02-16-1-11-755 -i -00	400	300	100	twarda	2

**Pakiet: VII/2022**

PAKIET	Leśnictwo	Grupa czynności	Adres leśny	Odległość zrywki całkowita	Odległość zrywki po lesie	Odległość zrywki poza lasem	Typ nawierzchni	Nachylenie terenu %
VII/2022	12.Dyrdy	CSS	02-16-1-12-534 -b -01	400	100	300	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	CSS	02-16-1-12-624 -c -01	300	100	200	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	CSS	02-16-1-12-625 -a -01	300	100	200	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	IB	02-16-1-12-487 -b -00	1500	400	1100	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	IB	02-16-1-12-526 -h -00	200	200	0		
VII/2022	12.Dyrdy	IB	02-16-1-12-579 -g -00	400	300	100	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	IB	02-16-1-12-579 -i -00	300	200	100	gruntowa nieulepszona	0

VII/2022	12.Dyrdy	IIIAU	02-16-1-12-526 -c -00	100	100	0		
VII/2022	12.Dyrdy	IIIAU	02-16-1-12-529 -b -00	500	300	200	gruntowa nieulepszona	1
VII/2022	12.Dyrdy	IIIAU	02-16-1-12-583 -a -00	200	100	100	gruntowa ulepszona	0
VII/2022	12.Dyrdy	TPN	02-16-1-12-534 -b -99	400	100	300	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPN	02-16-1-12-624 -c -99	300	100	200	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPN	02-16-1-12-625 -a -99	400	100	300	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-529 -g -00	600	400	200	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-530 -d -00	400	100	300	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-532 -c -00	700	200	500	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-532 -d -00	500	200	300	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-534 -c -00	400	300	100	gruntowa nieulepszona	1
VII/2022	12.Dyrdy	TPP	02-16-1-12-538 -c -00	800	400	400	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-622 -f -00	200	200	0		
VII/2022	12.Dyrdy	TPP	02-16-1-12-622 -g -00	400	300	100	gruntowa nieulepszona	1
VII/2022	12.Dyrdy	TPP	02-16-1-12-622 -h -00	400	200	200	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-659 -a -00	700	500	200	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-659 -b -00	600	500	100	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-659 -f -00	600	400	200	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-659 -g -00	700	400	300	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-667 -a -00	400	100	300	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-667 -c -00	300	300	0		
VII/2022	12.Dyrdy	TPP	02-16-1-12-667 -h -00	300	300	0		
VII/2022	12.Dyrdy	TPP	02-16-1-12-670 -d -00	700	400	300	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-670 -g -00	200	100	100	gruntowa ulepszona	0
VII/2022	12.Dyrdy	TPP	02-16-1-12-672 -a -00	200	200	0		
VII/2022	12.Dyrdy	TWP	02-16-1-12-528 -j -00	700	500	200	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TWP	02-16-1-12-532 -h -00	100	100	0		
VII/2022	12.Dyrdy	TWP	02-16-1-12-535 -b -00	500	300	200	gruntowa nieulepszona	1
VII/2022	12.Dyrdy	TWP	02-16-1-12-537 -d -00	500	400	100	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TWP	02-16-1-12-538 -a -00	600	500	100	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TWP	02-16-1-12-538 -b -00	400	200	200	gruntowa nieulepszona	1
VII/2022	12.Dyrdy	TWP	02-16-1-12-538 -h -00	400	400	0		
VII/2022	12.Dyrdy	TWP	02-16-1-12-576 -f -00	200	200	0		
VII/2022	12.Dyrdy	TWP	02-16-1-12-583 -f -00	200	100	100	gruntowa nieulepszona	1
VII/2022	12.Dyrdy	TWP	02-16-1-12-585 -d -00	600	100	500	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TWP	02-16-1-12-620 -c -00	500	100	400	gruntowa nieulepszona	0
VII/2022	12.Dyrdy	TWP	02-16-1-12-621 -d -00	200	200	0		

## Pakiet: VIII/2022

PAKIET	Leśnictwo	Grupa czynności	Adres leśny	Odległość zrywki całkowita	Odległość zrywki po lesie	Odległość zrywki poza lasem	Typ nawierzchni	Nachylenie terenu %
VIII/2022	13.Zielona	CSS	02-16-1-13-770 -a -00	300	200	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	IB	02-16-1-13-703 -l -00	300	200	100	twarda	0
VIII/2022	13.Zielona	IB	02-16-1-13-703 -m -00	200	100	100	twarda	0
VIII/2022	13.Zielona	IB	02-16-1-13-704 -f -01	200	100	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	IB	02-16-1-13-733 -i -00	200	100	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	IB	02-16-1-13-735 -m -00	200	100	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	IB	02-16-1-13-760 -d -00	400	300	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	IB	02-16-1-13-760 -j -00	100	100	0		
VIII/2022	13.Zielona	IB	02-16-1-13-760 -k -00	100	100	0		
VIII/2022	13.Zielona	TPP	02-16-1-13-656 -a -00	200	100	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-656 -c -00	400	300	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-657 -d -00	600	500	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-700 -a -00	300	200	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-712 -h -00	100	100	0		
VIII/2022	13.Zielona	TPP	02-16-1-13-733 -a -00	100	100	0		
VIII/2022	13.Zielona	TPP	02-16-1-13-742 -a -00	200	100	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-742 -b -00	200	100	100	gruntowa ulepszona	0

VIII/2022	13.Zielona	TPP	02-16-1-13-742 -g -00	100	100	0		
VIII/2022	13.Zielona	TPP	02-16-1-13-742 -l -00	300	200	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-742 -m -00	200	100	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-766 -c -00	300	200	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-767 -a -00	100	100	0		
VIII/2022	13.Zielona	TPP	02-16-1-13-767 -b -00	300	200	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TPP	02-16-1-13-767 -d -00	300	200	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-657 -g -00	100	100	0		
VIII/2022	13.Zielona	TWP	02-16-1-13-657 -h -00	100	100	0		
VIII/2022	13.Zielona	TWP	02-16-1-13-699 -h -00	300	200	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-700 -b -00	300	200	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-700 -c -00	100	100	0		
VIII/2022	13.Zielona	TWP	02-16-1-13-709 -f -00	300	200	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-712 -i -00	200	100	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-712 -j -00	300	200	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-732 -h -00	200	100	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-733 -b -00	200	100	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-733 -h -00	100	100	0		
VIII/2022	13.Zielona	TWP	02-16-1-13-733 -k -00	200	100	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-766 -g -00	300	200	100	gruntowa nieulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-767 -f -00	200	100	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-769 -d -00	300	200	100	gruntowa ulepszona	0
VIII/2022	13.Zielona	TWP	02-16-1-13-769 -f -00	200	100	100	gruntowa ulepszona	0