

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 11

SDS No.: 737297

V001.0

Revision: 26.04.2023 printing date: 10.05.2023

Fa AP RO Inv. Fresh Cocoon MOD

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Fa AP RO Inv. Fresh Cocoon MOD

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

AP Roll-on

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

Düsseldorf Germany

Henkelstr. 67

40191 Düsseldorf Phone: +49 211-797-0

E-mail address of person responsible for Safety Data Sheet:

Henkel Consumer Brands, e-mail: Andrea.Saettler@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Flammable liquids Category 3

Flammable liquid and vapour.

Serious eye irritation Category 2

Causes serious eye irritation.

2.2. Label elements (CLP)

Hazard pictogram:



SDS No.: 737297 V001.0 Fa AP RO Inv. Fresh Cocoon MOD

Page 2 of 11

Signal word: Warning

Hazard statement: H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statement: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Prevention P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement: P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

ResponseRinse skin with water [or shower].
P337+P313 If eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

Precautionary statement:

Storage

P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards

Following substances are present in a concentration \geq the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration ≥ the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components CAS-No. EC Number REACH-Reg No.	Concentration	Classification	Specific Conc. Limits, M- factors and ATEs	Add. Information
Ethanol denatured 64-17-5 200-578-6 01-2119457610-43	>= 20-< 30 %	Flam. Liq. 2, H225 Eye Irrit. 2, H319	Eye Irrit. 2; H319; C >= 50 %	
Aluminium chlorohydrate 12042-91-0 234-933-1 01-2119533142-53	>= 1-< 10 %	Met. Corr. 1, H290		
Fatty alcohol ethoxylate C16-18 68439-49-6	>= 1-< 3 %	Eye Dam. 1, H318 Acute Tox. 4, Oral, H302		

For full text of the H - statements and other abbreviations see section 16 "Other information". Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Remove casualty immediately from danger zone. Take off immediately all contaminated clothing.

Inhalation:

Move to fresh air.

Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

Eve contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion:

Rinse the mouth. Drink 1-2 glasses of water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Carbon dioxide.

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

The release of following substances is possible in case of fire:

Carbon dioxide

carbon monoxide

Hydrogen chloride.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

Additional information:

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations.

Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No information.

6.2. Environmental precautions

Do not allow to enter drainage system, surface or ground water of not diluted product.

Do not dispose of in wastepaper bin or trash-can.

6.3. Methods and material for containment and cleaning up

Dilute small quantities with large amount of water and rinse.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling advice:

No particular measures required.

Fire and explosion protection information:

Take measures to prevent the build-up of electrostatic charges.

Keep away from sources of ignition - no smoking.

Hygiene measures:

Do not eat, drink or smoke while working. Immediately remove soiled or soaked clothing. Wash hands before work breaks and after finishing work. Keep away from food, beverages and animal feed.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container protected against moisture. Store far from foodstuffs.

7.3. Specific end use(s)

AP Roll-on

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for

Germany

Ingredient [Regulated substance]	ppm	mg/m ³	Value type	Short term exposure limit category / Remarks	Remarks
Ethanol 64-17-5			Short Term Exposure Classification:	Category II: substances with a resorptive effect.	TRGS 900
Ethanol 64-17-5	200	380	Exposure limit(s):	4 If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900

8.2. Exposure controls

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Manufacturer e.g. German company KCL, type Dermatril.

Eye protection:

Protective goggles

Skin protection:

Suitable protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance liquid

low viscosity

colourless/light yellow

Odor floral, fruity, musky

Physical state liquid

Melting pointCurrently under determinationInitial boiling pointCurrently under determinationFlammabilityCurrently under determinationExplosive limitsCurrently under determination

Flash point 25 °C (77 °F); DIN EN ISO 13736: Flash point, Abel, low

viscosity::1876500

Auto-ignition temperature Currently under determination
Decomposition temperature Currently under determination
pH 3,7 - 4,1 pH value::47300

(20 °C (68 °F))

Viscosity (kinematic) Currently under determination

Viscosity, dynamic 300 - 800 mPa.s Viscosity (Brookfield)::49200

(Brookfield; Instrument: RVF; 20 °C (68 °F); speed of rotation: 20 min-1; Spindle No: 3)

Solubility (qualitative) Soluble

(20 °C (68 °F); Solvent: Water)

Partition coefficient: n-octanol/water Currently under determination Vapour pressure Currently under determination

Density 0,990 - 1,010 g/cm3 Density and Specific Gravity by Digital

Density Meter::50000

Relative vapour density: Currently under determination Particle characteristics Currently under determination

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Corrosive to metals Expert judgementNot corrosive to metals

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

None known.

10.3. Possibility of hazardous reactions

See section reactivity None known.

10.4. Conditions to avoid

Keep away from sources of ignition and naked flames.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

General toxicological information:

The present product is a chemical preparation within the meaning of the chemicals act. The following evaluation has been made on the basis of the toxicological data and content by weight of the individual ingredients.

No information exists about acute toxic, irritative or otherwise harmful effects caused by the product.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Ethanol denatured	LD50	10.470 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
64-17-5				-
Aluminium chlorohydrate	LD50	9.187 mg/kg	rat	equivalent or similar to OECD Guideline 401 (Acute Oral
12042-91-0				Toxicity)
Fatty alcohol ethoxylate	LD50	1.500 mg/kg	rat	not specified
C16-18				
68439-49-6				

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Ethanol denatured 64-17-5	LD50	> 2.000 mg/kg	rabbit	OECD Guideline 402 (Acute Dermal Toxicity)
Aluminium chlorohydrate 12042-91-0	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Test atmosphere	Exposure	Species	Method
CAS-No.	type			time		
Ethanol denatured	LC50	124,7 mg/l	vapour	4 h	rat	OECD Guideline 403 (Acute
64-17-5		_	_			Inhalation Toxicity)

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Aluminium chlorohydrate 12042-91-0	not irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Ethanol denatured 64-17-5	irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Ethanol denatured 64-17-5	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Aluminium chlorohydrate 12042-91-0	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result	Test type	Species	Method
CAS-No.				
Aluminium chlorohydrate	not sensitising	Guinea pig maximisation	guinea pig	OECD Guideline 406 (Skin Sensitisation)
12042-91-0		test		
Fatty alcohol ethoxylate	not sensitising	Guinea pig maximisation	guinea pig	Magnusson and Kligman Method
C16-18		test		
68439-49-6				

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Aluminium chlorohydrate 12042-91-0	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Aluminium chlorohydrate 12042-91-0	negative	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
Aluminium chlorohydrate 12042-91-0	negative	in vitro mammalian cell micronucleus test	with and without		OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test)
Fatty alcohol ethoxylate C16-18 68439-49-6	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		not specified
Aluminium chlorohydrate 12042-91-0	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

Carcinogenicity

No data available.

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Test type	Route of application	Species	Method
Aluminium chlorohydrate 12042-91-0	NOAEL P 1.000 mg/kg NOAEL F1 1.000 mg/kg		oral: gavage	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

STOT-single exposure:

No data available.

STOT-repeated exposure:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
Aluminium chlorohydrate 12042-91-0	NOAEL 1.000 mg/kg	oral: gavage	once daily	rat	OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SECTION 12: Ecological information

General ecological information:

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Ethanol denatured	LC50	> 12.000 - 16.000 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish,
64-17-5					Acute Toxicity Test)
Aluminium chlorohydrate	LC50	> 100 mg/l	96 h	Danio rerio	OECD Guideline 203 (Fish,
12042-91-0		-			Acute Toxicity Test)
Fatty alcohol ethoxylate C16-	LC50	2,8 mg/l	48 h	Leuciscus idus	DIN 38412-15
18					
68439-49-6					

Toxicity (aquatic invertebrates):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Fatty alcohol ethoxylate C16-	EC50	2,5 mg/l	24 h	Daphnia magna	OECD Guideline 202
18					(Daphnia sp. Acute
68439-49-6					Immobilisation Test)

Chronic toxicity (aquatic invertebrates):

No data available.

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Ethanol denatured	EC50	> 100 mg/l	24 h	Chlorella pyrenoidosa	OECD Guideline 201 (Alga,
64-17-5					Growth Inhibition Test)
Fatty alcohol ethoxylate C16-	EC10	9,5 mg/l			OECD Guideline 201 (Alga,
18					Growth Inhibition Test)
68439-49-6					·

Toxicity (microorganisms):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Ethanol denatured	IC50	> 1.000 mg/l	3 h	activated sludge	OECD Guideline 209
64-17-5				_	(Activated Sludge,
					Respiration Inhibition Test)
Fatty alcohol ethoxylate C16-	EC0	1.000 mg/l	30 min	Pseudomonas putida	DIN 38412, part 27
18				_	(Bacterial oxygen
68439-49-6					consumption test)

12.2. Persistence and degradability

The table below presents the data of the classified substances present in the mixture.

Hazardous substances	Result	Test type	Degradability	Exposure	Method
CAS-No.				time	
Fatty alcohol ethoxylate C16-	readily biodegradable	aerobic	82 - 92 %	30 d	EU Method C.4-E (Determination
18					of the "Ready"
68439-49-6					BiodegradabilityClosed Bottle
					Test)

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	PBT / vPvB
Ethanol denatured	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
64-17-5	Bioaccumulative (vPvB) criteria.
Aluminium chlorohydrate	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not
12042-91-0	be conducted for inorganic substances.

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal: Consider national regulations.

SECTION 14: Transport information

14.1. UN number or ID number

ADR	1170
RID	1170
ADN	1170
IMDG	1170
IATA	1170

14.2. UN proper shipping name

ADR	ETHANOL SOLUTION
RID	ETHANOL SOLUTION
ADN	ETHANOL SOLUTION
IMDG	ETHANOL SOLUTION
IATA	Ethanol solution

14.3. Transport hazard class(es)

ADR	3
RID	3
ADN	3
IMDG	3
IATA	3

14.4. Packing group

III
III
III
III
III

14.5. Environmental hazards

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.6. Special precautions for user

ADR	not applicable
	Tunnelcode: (D/E)
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations/information (Germany):

WGK: WGK 2: obviously hazardous to water (Germany. Ordinance on Facilities

Handling Substances that are Hazardous to Water, ((AwSV of 21 April 2017),

UBA, BAnz AT), as amended)

Classification in conformity with the calculation method

Storage class according to TRGS 510: 3

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Further information:

This information is not related to the use of the product, it is based on our current level of knowledge.

ED: Substance identified as having endocrine disrupting properties

EU OEL: Substance with a Union workplace exposure limit
EU EXPLD 1: Substance listed in Annex I, Reg (EC) No. 2019/1148
EU EXPLD 2 Substance listed in Annex II, Reg (EC) No. 2019/1148
SVHC: Substance of very high concern (REACH Candidate List)
PBT: Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria