

FINAL REGISTRATION REPORT

Part B

Section 6

Mammalian Toxicology

Detailed summary of the risk assessment

Product code: SHA 105000 A

Product name(s): FERROCIOUS

Chemical active substance:

Ferric phosphate, 29.7 g/kg

Central Zone

Zonal Rapporteur Member State: Poland

CORE ASSESSMENT

Applicant: SHARDA Cropchem España S.L.

Submission date: November 2020

MS Finalisation date: July 2021; October 2021

Version history

When	What
July 2021	Assessment by expert
September 2021	Application update
October 2021	Assessment after an update

Table of Contents

6	Mammalian Toxicology (KCP 7)	5
6.1	Summary	5
6.2	Toxicological Information on Active Substance(s)	6
6.3	Toxicological Evaluation of Plant Protection Product.....	7
6.4	Toxicological Evaluation of Groundwater Metabolites.....	8
6.5	Dermal Absorption (KCP 7.3)	8
6.5.1	Justification for proposed values - Ferric phosphate	8
6.6	Exposure Assessment of Plant Protection Product (KCP 7.2).....	9
6.6.1	Selection of critical use(s) and justification	9
6.6.2	Operator exposure (KCP 7.2.1)	9
6.6.2.1	Estimation of operator exposure	9
6.6.2.2	Measurement of operator exposure.....	10
6.6.3	Worker exposure (KCP 7.2.3)	10
6.6.3.1	Estimation of worker exposure	10
6.6.3.2	Refinement of generic DFR value (KCP 7.2).....	11
6.6.3.3	Measurement of worker exposure.....	11
6.6.4	Resident and bystander exposure (KCP 7.2.2)	11
6.6.4.1	Estimation of resident and bystander exposure	11
6.6.4.2	Measurement of resident and/or bystander exposure.....	12
6.6.5	Combined exposure	12
Appendix 1	Lists of data considered in support of the evaluation	13
Appendix 2	Detailed evaluation of the studies relied upon	15
A 2.1	Statement on bridging possibilities.....	15
A 2.2	Acute oral toxicity (KCP 7.1.1)	15
A 2.3	Acute percutaneous (dermal) toxicity (KCP 7.1.2)	17
A 2.4	Acute inhalation toxicity (KCP 7.1.3)	17
A 2.5	Skin irritation (KCP 7.1.4).....	18
A 2.6	Eye irritation (KCP 7.1.5).....	18
A 2.7	Skin sensitisation (KCP 7.1.6).....	18
A 2.8	Supplementary studies for combinations of plant protection products (KCP 7.1.7)	19
A 2.9	Data on co-formulants (KCP 7.4)	19
A 2.9.1	Material safety data sheet for each co- formulant.....	19
A 2.9.2	Available toxicological data for each co-formulant.....	19
A 2.10	Studies on dermal absorption (KCP 7.3)	19
A 2.11	Other/Special Studies	19
Appendix 3	Exposure calculations	20
A 3.1	Operator exposure calculations (KCP 7.2.1.1)	20
A 3.1.1	Calculations for Ferric phosphate	20
A 3.2	Worker exposure calculations (KCP 7.2.3.1)	22
A 3.3	Resident and bystander exposure calculations (KCP 7.2.2.1)	22
A 3.3.1	Calculations for Ferric phosphate	22

Appendix 4	Detailed evaluation of exposure and/or DFR studies relied upon (KCP 7.2, KCP 7.2.1.1, KCP 7.2.2.1, KCP 7.2.3.1)	24
-------------------	--	-----------

6 Mammalian Toxicology (KCP 7)

6.1 Summary

Table 6.1-1: Information on SHA 105000 A/FERROCIOUS*

Product name and code	SHA 105000 A/FERROCIOUS
Formulation type	Granular bait [Code: GB]
Active substance(s) (incl. content)	Ferric phosphate; 29.7 g/kg
Function	Molluscicide
Product already evaluated as the 'representative formulation' during the approval of the active substance(s)	No
Product previously evaluated in another MS according to Uniform Principles	No

* Information on the detailed composition of SHA 105000 A/FERROCIOUS can be found in the confidential dRR Part C.

Justified proposals for classification and labelling

According to the criteria given in Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008, the following classification and labelling with regard to toxicological data is proposed for the preparation:

Table 6.1-2: Justified proposals for classification and labelling for SHA 105000 A/FERROCIOUS according to Regulation (EC) No 1272/2008

Hazard class(es), categories	None
Hazard pictograms or Code(s) for hazard pictogram(s)	None
Signal word	None
Hazard statement(s)	None
Precautionary statement(s)	P280
Additional labelling phrases	To avoid risks to man and the environment, comply with the instructions for use. [EUH401]

Table 6.1-3: Summary of risk assessment for operators, workers, residents and bystanders for SHA 105000 A/FERROCIOUS

	Result	PPE / Risk mitigation measures
Operators	Acceptable	Broadcast application: certified protective coverall M/L and A Manual application: certified protective coverall + chemical resistant gloves during A
Workers	Acceptable	None
Residents	Acceptable	None
Bystanders	Acceptable	None

No unacceptable risk for workers, residents and bystanders was identified when the product is used as

intended. No specific PPE is necessary.

No unacceptable risk for operators was identified when the product is used as intended and provided that the PPE/ risk mitigation measures stated in Table 6.1-3 are applied.

A summary of the critical uses and the overall conclusion regarding exposure for operators, workers and residents/bystanders is presented in the following table.

Table 6.1-4 Critical uses and overall conclusion of exposure assessment

1	2	3	4		5		6	7	8	9	10			
			Method / Kind (incl. application technique ***)	Max. number (min. interval between applications) a) per use b) per crop/season	Max. application rate kg as/ha a) a.s. 1 b) a.s. 2	Water L/ha min / max					PHI (d)	Remarks: (e.g. safener/synergist (L/ha)) critical gap for operator, worker, resident or bystander exposure based on [Exposure model]	Operator	Worker
1	Fruit crops (from seedling/planting until BBCH 79)	F	Spread to soil surface	4; 14	a) 0.2079	-	-	60-70 granular baits per m ² per application						
2	Vegetable crops (from seedling/planting until BBCH 81)	F	Spread to soil surface	4; 14	a) 0.2079	-	-	Guidance on the assessment of exposure of operators, workers, residents and bystanders in risk assessment for plant protection products; EFSA Journal 2014;12(10):3874						
3	Field crops (from seedling/planting until BBCH 89)	F	Spread to soil surface	4; 14	a) 0.2079	-	-							
4	Grapevine (from seedling/planting until BBCH 81)	F	Spread to soil surface	4; 14	a) 0.2079	-	-							
5	Ornamentals (from seedling/planting until BBCH 69)	F	Spread to soil surface	4; 14	a) 0.2079	-	-							
6	Hop (from seedling/planting until BBCH 82)	F	Spread to soil surface	4; 14	a) 0.2079	-	-							

* Use number(s) in accordance with the list of all intended GAPs in Part B, Section 0 should be given in column 1

** F: professional field use, Fn: non-professional field use, Fpn: professional and non-professional field use, G: professional greenhouse use, Gn: non-professional greenhouse use, Gpn: professional and non-professional greenhouse use, I: indoor application

*** e.g. LC: low crops, HC: high crop, TM: tractor-mounted, HH: hand-held

Explanation for column 10 “Acceptability of exposure assessment”

A	Exposure acceptable without PPE / risk mitigation measures
R	Further refinement and/or risk mitigation measures required
N	Exposure not acceptable/ Evaluation not possible

6.2 Toxicological Information on Active Substance(s)

Information regarding classification of the active substances and on EU endpoints and critical areas of concern identified during the EU review are given in Table 6.2-1.

Table 6.2-1: Information on active substance(s)

Ferric phosphate	
Common Name	Ferric phosphate
CAS-No.	10045-86-0
Classification and proposed labelling	
With regard to toxicological endpoints (according to the criteria in Reg. 1272/2008, as amended)	Not classified
Additional C&L proposal	-
Agreed EU endpoints	
AOEL systemic	0.4 mg/kg bw/d (corrected for 50% oral absorption)
Reference	EFSA Journal 2015;13(1):3973
Conditions to take into account/critical areas of concern with regard to toxicology	
According to EFSA Journal 2015;13(1):3973 for Ferric phosphate	None

6.3 Toxicological Evaluation of Plant Protection Product

The assessment of all acute toxicological properties of Iron phosphate 2.97% GB are derived from the classification of the active compound and co-formulants.

Justification for the proposed classification according the Regulation (EC) No 1272/2008:

Full details of the calculation methodology, co-formulants and their volumes in the product can be found in an appendix to the confidential dossier of this submission (Registration Report, Part C).

Classification for Iron phosphate 2.97% GB was calculated based on classification of co-formulants. Based on those calculations for formulation, no classification is required for the oral, dermal and inhalation toxicity, skin irritation, eye irritation and skin sensitizer.

Table 6.3-1: Additional toxicological information relevant for classification/labelling of SHA 105000 A/FERROCIOUS

	Substance (concentration in product, % w/w)	Classification of the substance (acc. to the criteria in Reg. 1272/2008)	Reference	Classification of product (acc. to the criteria in Reg. 1272/2008)
Toxicological properties of active substance(s) (relevant for classification of product)	Ferric phosphate (2.97% (w/w))	Not classified	Reg. 1272/2008	-
Toxicological properties of non-active substance(s) (relevant for classification of product)	-	-	-	-

	Substance (concentration in product, % w/w)	Classification of the substance (acc. to the criteria in Reg. 1272/2008)	Reference	Classification of product (acc. to the criteria in Reg. 1272/2008)
Further toxicological information	No data – not required			

* Please use concentration range or concentration limit (e.g. 1-10% or > 1%) as provided in MSDS.

** Material safety data sheet by the applicant

6.4 Toxicological Evaluation of Groundwater Metabolites

All metabolite concentrations are predicted to stay below 0.1 µg/L – no groundwater assessment is required.

6.5 Dermal Absorption (KCP 7.3)

A summary of the dermal absorption rates for the active substances in SHA 105000 A/FERROCIOUS are presented in the following table.

Table 6.5-1: Dermal absorption rates for active substances in SHA 105000 A/FERROCIOUS

	Ferric phosphate	
	Value	Reference
Concentrate	10%	EFSA Journal 2015;13(1):3973
Dilution	n/a	n/a

6.5.1 Justification for proposed values - Ferric phosphate

No data on dermal absorption for Ferric phosphate in SHA 105000 A/FERROCIOUS is available. Justifications for default values according to EFSA Journal 2015;13(1):3973 are presented in the following table.

Table 6.5-2: Default dermal absorption rates for Ferric phosphate

	Value	Justification for value	Acceptability of justification
Concentrate	10%	No relevant dermal absorption of FePO ₄ is expected (extremely low solubility in water and lipids). The oral absorption is an active energy dependent process which will not take place in the skin. A dermal absorption value of 10% is proposed as worst-case scenario.	Acceptable
Dilution	n/a	n/a	Acceptable

6.6 Exposure Assessment of Plant Protection Product (KCP 7.2)

Table 6.6-1: Product information and toxicological reference values used for exposure assessment

Product name and code	SHA 105000 A/FERROCIOUS
Formulation type	GB
Category	Molluscicide
Active substance(s) (incl. content)	Ferric phosphate 29.7 g/kg
AOEL systemic	0.4 mg/kg bw/d
Inhalation absorption	100%
Oral absorption	100% 50%
Dermal absorption	Concentrate: 10% Dilution: -

6.6.1 Selection of critical use(s) and justification

The critical GAP used for the exposure assessment of the plant protection product is shown in Table 6.1-4. A list of all intended uses within the zone is given in Part B, Section 0.

Justification

There is only one intended GAP.

6.6.2 Operator exposure (KCP 7.2.1)

6.6.2.1 Estimation of operator exposure

A summary of the exposure models used for estimation of operator exposure to the active substances during application of SHA 105000 A/FERROCIOUS according to the critical use(s) is presented in Table 6.6-2. The outcome of the estimation is presented in Table 6.6-3 (longer term exposure). Detailed calculations are in Appendix 3.

Table 6.6-2: Exposure models for intended uses

Critical use(s)	Fruit crops, vegetable crops, field crops, grapevine, ornamentals, hop broadcast and manual application of granules (max. 7 / kg product/ha)
Model(s)	Guidance on the assessment of exposure of operators, workers, residents and bystanders in risk assessment for plant protection products; EFSA Journal 2014;12(10):3874 calculator version: 30/03/2015

Table 6.6-3: Estimated operator exposure (longer term exposure)

		Ferric phosphate	
Model data	Level of PPE	Total absorbed dose (mg/kg/day)	% of systemic AOEL
Broadcast application of granules outdoors – vegetable crops, field crops			
Application rate		0.2079 kg a.s./ha	
Granule application (PHED model; 95 th percentile) Body weight: 60 kg	Potential exposure	0.0433	11
	Certified protective coverall M/L and A	0.0074	2
Broadcast application of granules outdoors – fruit crops, grapevine, ornamentals, hop			
Application rate		0.2079 kg a.s./ha	
Granule application (PHED model; 95 th percentile) Body weight: 60 kg	Potential exposure	0.0087	2
	Certified protective coverall M/L and A	0.0015	0.37
Manual application of granules outdoors – fruit crops, vegetable crops, field crops, grapevine, ornamentals, hop			
Application rate		0.2079 kg a.s./ha	
Granule application (PHED model; 95 th percentile) Body weight: 60 kg	Potential exposure	3.3766	844
	Certified protective coverall + chemical resistant gloves during A	0.0354	9

According to the EFSA AOEM Model, it can be concluded that the risk to the operator is acceptable without the use of PPE during application with a mechanical applicator.

However, use by hand spreading is acceptable, provided that a certified protective suit and chemical-resistant gloves are used.

Implication for labelling: Gloves during manual application

6.6.2.2 Measurement of operator exposure

Since the operator exposure estimations carried out indicated that the acceptable operator exposure level (AOEL) will not be exceeded under conditions of intended uses and consideration of the above mentioned personal protective equipment (PPE), a study to provide measurements of operator exposure was not necessary and was therefore not performed.

6.6.3 Worker exposure (KCP 7.2.3)

6.6.3.1 Estimation of worker exposure

Since FERROCIOUS is granular bait intended to be spread to soil surface, worker exposure after entry

into the treated area or handling a crop treated is considered negligible and thus acceptable.

Therefore, no estimation of worker exposure was performed.

Acceptable

6.6.3.2 Refinement of generic DFR value (KCP 7.2)

Not required.

6.6.3.3 Measurement of worker exposure

Not required.

6.6.4 Resident and bystander exposure (KCP 7.2.2)

6.6.4.1 Estimation of resident and bystander exposure

The acute exposure assessment for bystanders covers the exposure that a resident could reasonably be expected to incur in a single day. Therefore, there is no need for a separate acute risk assessment for residents.

No bystander risk assessment is required for PPPs that do not have significant acute toxicity or the potential to exert toxic effects after a single exposure. Exposure in this case will be determined by average exposure over a longer duration, and higher exposures on one day will tend to be offset by lower exposures on other days. Therefore, exposure assessment for residents also covers bystander exposure.

Table 6.6-4 shows the exposure model(s) used for estimation of resident and bystander exposure to Ferric phosphate. The outcome of the estimation is presented in Table 6.6-5 (longer term resident exposure). Detailed calculations are in Appendix 3.

Table 6.6-4: Exposure models for intended uses

Critical use(s)	Fruit crops, vegetable crops, field crops, grapevine, ornamentals, hop (max. 4 x 7 kg product/ha)
Model	Guidance on the assessment of exposure of operators, workers, residents and bystanders in risk assessment for plant protection products; EFSA Journal 2014;12(10):3874 calculator version: 30/03/2015

Table 6.6-5: Estimated resident exposure (longer term exposure)

		Ferric phosphate	
Model data		Total absorbed dose (mg/kg bw/day)	% of systemic AOEL
Vehicle-mounted broadcast application of granules outdoors Manual application of granules outdoors Buffer zone: 2-3(m) Drift reduction technology: no			

DT ₅₀ : 30 days DFR: 3 µg/cm ² /kg a.s./ha Interval between treatments: 14 days			
Number of applications and application rate		4 x 0.2079 kg a.s./ha	
Resident child Body weight: 10 kg	Drift (75 th perc.)	-	-
	Vapour (75 th perc.)	0.0010700	0.27
	Deposits (75 th perc.)	0.0001982	0.05
		0.0001417	0.04
	Re-entry (75 th perc.)	-	-
Sum (mean)	-	-	
Resident adult Body weight: 60 kg	Drift (75 th perc.)	-	-
	Vapour (75 th perc.)	0.0002300	0.06
	Deposits (75 th perc.)	0.0000399	0.01
	Re-entry (75 th perc.)	-	-
	Sum (mean)	-	-

According to the EFSA AOEM Model, it can be concluded there is no risk for residents and bystanders after accidental longer-term exposure to FERROCIOUS while maintaining the buffer zones of 2-3m.

6.6.4.2 Measurement of resident and/or bystander exposure

Since the resident and/or bystander exposure estimations carried out indicated that the acceptable operator exposure level (AOEL) for Ferric phosphate will not be exceeded under conditions of intended uses and considering above mentioned risk mitigation measures, a study to provide measurements of resident/bystander exposure was not necessary and was therefore not performed.

6.6.5 Combined exposure

Not relevant. The product contains only one active substance.

Appendix 1 Lists of data considered in support of the evaluation

List of data submitted by the applicant and relied on

Data point	Author(s)	Year	Title Company Report No. Source (where different from company) GLP or GEP status Published or not	Vertebrate study Y/N	Owner
KCP XX	Author	YYYY	Title Company Report N Source GLP/non GLP/GEP/non GEP Published/Unpublished	Y/N	Owner

List of data submitted or referred to by the applicant and relied on, but already evaluated at EU peer review

No additional study submitted.

The following tables are to be completed by MS

List of data submitted by the applicant and not relied on

Data point	Author(s)	Year	Title Company Report No. Source (where different from company) GLP or GEP status Published or not	Vertebrate study Y/N	Owner
KCP XX	Author	YYYY	Title Company Report N Source	Y/N	Owner

Data point	Author(s)	Year	Title Company Report No. Source (where different from company) GLP or GEP status Published or not	Vertebrate study Y/N	Owner
			GLP/non GLP/GEP/non GEP Published/Unpublished		

List of data relied on not submitted by the applicant but necessary for evaluation

Data point	Author(s)	Year	Title Company Report No. Source (where different from company) GLP or GEP status Published or not	Vertebrate study Y/N	Owner
KCP XX	Author	YYYY	Title Company Report N Source GLP/non GLP/GEP/non GEP Published/Unpublished	Y/N	Owner

Appendix 2 Detailed evaluation of the studies relied upon

A 2.1 Statement on bridging possibilities

Not relevant.

Note:

The applicant also attached to the registration documentation the results of acute toxicity studies for the proposed formulation, but did not include it in the Report. the results of these studies confirm the results of the calculations.

1/ IRON PHOSPHATE 2.9% GB: ACUTE ORAL TOXICITY STUDY (ACUTE TOXIC CLASS METHOD) IN WISTAR RATS,2018 „ The test item is classified as “Category 5 or unclassified” as per Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Seventh Revised Edition, United Nations (2017). ST/SG/AC.10/30/Rev.7, as there was no mortality observed at 2000 mg/kg body weight”

2/ IRON PHOSPHATE 2.9% GB: ACUTE DERMAL TOXICITY STUDY IN WISTAR RATS, 2018 „The test item is classified as “Category 5 or unclassified” (the dermal LD50 range of 2000 to 5000 mg/kg) as per Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Seventh Revised Edition, United Nations (2017). ST/SG/AC.10/30/Rev.7, as there was no mortality observed at 2000 mg/kg body weight.

3/ IRON PHOSPHATE 2.9% GB: ACUTE DERMAL IRRITATION/CORROSION STUDY IN NEW ZEALAND WHITE RABBITS,2018 „Based on the present study results, the test item, Iron Phosphate 2. 9%GB is "Non-irritant" to the skin of New Zealand White rabbits.

4/ IRON PHOSPHATE 2.9% GB: ACUTE EYE IRRITATION / CORROSION STUDY IN NEW ZEALAND WHITE RABBITS, 2018 „ Based on the present study results the test item Iron Phosphate 2.9% GB is “Non-Irritant” on the eye of New Zealand white rabbits.

5/ IRON PHOSPHATE 2.9% GB: LOCAL LYMPH NODE ASSAY (LLNA) IN CBA/Ca MICE, 2018 „There were no clinical signs, no local skin reactions at the tested concentrations and treatment had no significant effect on body weight gain. The test item Iron Phosphate 2.9% GB at dose concentrations of 10, 25 and 50% w/v elicited proliferative response with SI of 0.71, 0.69 and 0.89, respectively in comparison with the vehicle-treated mice. The test item Iron Phosphate 2.9% GB did not demonstrate dermal sensitization potential in the mouse LLNA, as the lymph nodes draining the area of topical application did not elicit a proliferative response greater than the 3X threshold.

A 2.2 Acute oral toxicity (KCP 7.1.1)

Comments of zRMS:	The acute oral toxicity of FERROCIOUS was estimated to be > 2000 mg/kg. Therefore, according to the Regulation EC No. 1272/2008, FERROCIOUS is unclassified.
-------------------	--

The classification of Iron phosphate 2.97% GB was performed by calculation. The assessment of all acute toxicological properties of Iron phosphate 2.97% GB is derived from the classification of the active compound and co-formulants as shown below. For obvious confidentiality reasons, the names and percentages of co-formulants are disclosed in Part C:

Formulant	% of formulation	Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Dermal Irritation	Ocular Irritation	Sensitising potential
Ferric phosphate Technical (10045-86-0)	4.22	>2000 mg/kg ¹⁾	>2000 mg/kg ¹⁾	*	Not Irritating ¹⁾	Not Irritating ¹⁾	Not sensitising ¹⁾
Coformulant 1	xxx	500 mg/kg ²⁾ H302	> 2000 mg/kg ¹⁾	1.5 mg/l ²⁾ , H332	Skin Irrit. 2, H315	Eye Irrit. 2, H319	Not sensitising ¹⁾
Coformulant 2	xxx	2100 mg/kg	> 2000 mg/kg ¹⁾	*	Not Irritating ¹⁾	Not Irritating ¹⁾	Not sensitising ¹⁾
Coformulant 3	xxx	>2000 mg/kg ¹⁾	>2000 mg/kg ¹⁾	*	Not Irritating ¹⁾	Not Irritating ¹⁾	Not sensitising ¹⁾
Coformulant 4	xxx	29700 mg/kg	>2000 mg/kg ¹⁾	*	Not Irritating ¹⁾	Not Irritating ¹⁾	Not sensitising ¹⁾
Coformulant 5	xxx	>2000 mg/kg ¹⁾	>2000 mg/kg ¹⁾	*	Not Irritating ¹⁾	Not Irritating ¹⁾	Not sensitising ¹⁾

* No Information / but in their MSDS are not classified acutely inhalation toxic

¹⁾ As co-formulant is not classified

²⁾ According to the Regulation (EC) n°1272/2008, Oral: ATE = 500 mg/kg is used for the calculation for co-formulant classified as Acute Tox. 4: H302; Inhalation: ATE = 1.5 mg/l is used for the calculation for co-formulant classified as Acute Tox. 4; H332.

According to Regulation (EC) No 1272/2008 classification of mixtures based on ingredients of the mixture is determined by calculation from the ATE values:

$$\frac{100}{ATE_{mix}} = \sum_r \frac{C_i}{ATE_i}$$

or

$$\frac{100 - (\sum C_{unknown} if > 10\%)}{ATE_{mix}} = \sum_r \frac{C_i}{ATE_i}$$

where:

C_i = concentration of ingredient i (% w/w or % v/v)

i = the individual ingredient from 1 to n

n = the number of ingredients

ATE_i = Acute Toxicity Estimate of ingredient i.

The acute oral toxicity classification for Iron phosphate 2.97% GB was calculated:

$$ATE_{mix} = \frac{100}{\sum_r \frac{C_i}{ATE_i}}$$
$$ATE_{mix} = \frac{100}{\frac{5.20}{500}} = 9615.38 \text{ mg/kg bw}$$

Details of the co-formulants and their classification and the calculation methodology that was used to assess the acute oral toxicity of Iron phosphate 2.97% GB can be found in an appendix to the confidential dossier of this submission (Registration Report, Part C).

Conclusion

The acute oral toxicity of Iron phosphate 2.97% GB was estimated to be > 2000 mg/kg. Therefore, according to the Regulation EC No. 1272/2008, Iron phosphate 2.97% GB is **not classified**. No signal word or hazard statement is required for this hazard.

A 2.3 Acute percutaneous (dermal) toxicity (KCP 7.1.2)

Comments of zRMS:	There is no co-formulant in the FERROCIOUS recipe classified as danger through dermal contact. According to the Regulation EC No. 1272/2008, FERROCIOUS is unclassified.
-------------------	---

There is no co-formulant in the Iron phosphate 2.97% GB recipe classified as danger through dermal contact.

According to the Regulation EC No. 1272/2008, Iron phosphate 2.97% GB is **not classified**. No signal word or hazard statement is required for this hazard.

A 2.4 Acute inhalation toxicity (KCP 7.1.3)

Comments of zRMS:	The acute inhalation toxicity of FERROCIOUS was estimated to be > 5 mg/l. Therefore, according to the Regulation EC No. 1272/2008, FERROCIOUS is unclassified.
-------------------	--

The acute inhalation toxicity classification for Iron phosphate 2.97% GB was calculated:

$$ATE_{mix} = \frac{100}{\sum_r \frac{C_i}{ATE_i}}$$
$$ATE_{mix} = \frac{100}{\frac{5.20}{1.5}} = 28.85 \text{ mg/l}$$

Details of the co-formulants and their classification and the calculation methodology that was used to assess the acute inhalation toxicity of Iron phosphate 2.97% GB can be found in an appendix to the confi-

dential dossier of this submission (Registration Report, Part C).

Conclusion

The acute inhalation toxicity of Iron phosphate 2.97% GB was estimated to be > 5 mg/l. Therefore, according to the Regulation EC No. 1272/2008, Iron phosphate 2.97% GB is **not classified**. No signal word or hazard statement is required for this hazard.

A 2.5 Skin irritation (KCP 7.1.4)

Comments of zRMS:	According to the Regulation EC No. 1272/2008, FERROCIOUS is unclassified because under the GHS classification system this component is below the additive trigger value of the classification according to Regulation (EC) no. 1272/2008
-------------------	---

The product contains < 10% of co-formulants considered as skin irritant (classified as: Skin Irrit. 2; H315). Under the GHS classification system this component is below the additive trigger value of the classification according to Regulation (EC) no. 1272/2008.

Conclusion

According to the Regulation EC No. 1272/2008, Iron phosphate 2.97% GB is **not classified**. No signal word or hazard statement is required for this hazard.

A 2.6 Eye irritation (KCP 7.1.5)

Comments of zRMS:	According to the Regulation EC No. 1272/2008 FERROCIOUS is unclassified. because under the GHS classification system this component is below the additive trigger value of the classification according to Regulation (EC) no. 1272/2008.
-------------------	--

The product contains < 10% of co-formulants considered as eye irritation (classified as: Eye Irrit. 2, H319). Under the GHS classification system this component is below the additive trigger value of the classification according to Regulation (EC) no. 1272/2008.

Conclusion

According to the Regulation EC No. 1272/2008, Iron phosphate 2.97% GB is **not classified**. No signal word or hazard statement is required for this hazard.

A 2.7 Skin sensitisation (KCP 7.1.6)

Comments of zRMS:	No co-formulant in the FERROCIOUS recipe classified as skin sensitiser. According to the Regulation EC No. 1272/2008, FERROCIOUS is unclassified
-------------------	---

There is no co-formulant in the Iron phosphate 2.97% GB recipe classified as skin sensitiser. According to the Regulation EC No. 1272/2008, Iron phosphate 2.97% GB is **not classified**. No signal word or hazard statement is required for this hazard.

A 2.8 Supplementary studies for combinations of plant protection products (KCP 7.1.7)

No data available.

A 2.9 Data on co-formulants (KCP 7.4)

A 2.9.1 Material safety data sheet for each co-formulant

Information regarding material safety data sheets of the co-formulants can be found in the confidential dossier of this submission (Registration Report - Part C).

A 2.9.2 Available toxicological data for each co-formulant

Available toxicological data for each co-formulant can be found in the confidential dossier of this submission (Registration Report - Part C).

A 2.10 Studies on dermal absorption (KCP 7.3)

According to EFSA Journal 2015;13(1):3973, no relevant dermal absorption of FePO₄ is expected (extremely low solubility in water and lipids). The oral absorption is an active energy dependent process which will not take place in the skin. A dermal absorption value of 10% is proposed as worst-case scenario.

Acceptable

A 2.11 Other/Special Studies

No data submitted.

Appendix 3 Exposure calculations

A 3.1 Operator exposure calculations (KCP 7.2.1.1)

A 3.1.1 Calculations for Ferric phosphate

Table A 1: Input parameters considered for the estimation of operator exposure (broadcast application)

Formulation type	GB		Crop type	Vegetable crops, field crops
Application rate (AR)	0.2079	kg a.s./ha	Application method	Broadcast application of granules
Area treated per day (A)	50	ha	Application equipment	Vehicle-mounted
Dermal absorption (DA)	10	% (concentr.)	Indoor/outdoor	Outdoor
	-	% (dilution)	Closed cabin	No
Inhalation absorption (IA)	100	%	Drift reduction	No
Body weight (BW)	60	kg/person	Cultivation	Normal
AOEL	0.4	mg/kg bw/d	Water soluble bag	No

Table A 2: Estimation of longer term operator exposure towards Ferric phosphate according to EFSA guidance

	Potential		With work wear + PPE/RPE	
Mixing and loading				
<u>Hands</u>			None	
Specific exposure value	0.1510068	µg/person	0.1510068	µg/person
Systemic exposure	0.0025168	mg/kg bw/d	0.0025168	mg/kg bw/d
<u>Body</u>			Certified protective coverall	
Specific exposure value	1.6880798	µg/person	0.0168808	µg/person
Systemic exposure	0.0281347	mg/kg bw/d	0.0002813	mg/kg bw/d
<u>Inhalation</u>			None	
Specific exposure value	0.2163219	µg/person	0.2163219	µg/person
Systemic exposure	0.0036054	mg/kg bw/d	0.0036054	mg/kg bw/d
Application				
<u>Hands</u>			None	
Specific exposure value	0.0424383	µg/person	0.0424383	µg/person
Systemic exposure	0.0007073	mg/kg bw/d	0.0007073	mg/kg bw/d
<u>Body</u>			Certified protective coverall	
Specific exposure value	0.4879728	µg/person	0.0048797	µg/person
Systemic exposure	0.0081329	mg/kg bw/d	0.0000813	mg/kg bw/d
<u>Inhalation</u>			None	
Specific exposure value	0.0123238	µg/person	0.0123238	µg/person
Systemic exposure	0.0002054	mg/kg bw/d	0.0002054	mg/kg bw/d
Total				
Total systemic exposure	0.0433024	mg/kg bw/d	0.0073975	mg/kg bw/d

% of AOEL	10.83	%	1.85	%
-----------	-------	---	------	---

Table A 3: Input parameters considered for the estimation of operator exposure (broadcast application)

Formulation type	GB		Crop type	Fruit crops, grapevine, ornamentals, hop
Application rate (AR)	0.2079	kg a.s./ha	Application method	Broadcast application of granules
Area treated per day (A)	10	ha	Application equipment	Vehicle-mounted
Dermal absorption (DA)	10	% (concentr.)	Indoor/outdoor	Outdoor
	-	% (dilution)	Closed cabin	No
Inhalation absorption (IA)	100	%	Drift reduction	No
Body weight (BW)	60	kg/person	Cultivation	Normal
AOEL	0.4	mg/kg bw/d	Water soluble bag	No

Table A 4: Estimation of longer term operator exposure towards Ferric phosphate according to EFSA guidance

	Potential		With work wear + PPE/RPE	
Mixing and loading				
<u>Hands</u>			None	
Specific exposure value	0.0302014	µg/person	0.0302014	µg/person
Systemic exposure	0.0005034	mg/kg bw/d	0.0005034	mg/kg bw/d
<u>Body</u>			Certified protective coverall	
Specific exposure value	0.3376160	µg/person	0.0033762	µg/person
Systemic exposure	0.0056269	mg/kg bw/d	0.0000563	mg/kg bw/d
<u>Inhalation</u>			None	
Specific exposure value	0.0432644	µg/person	0.0432644	µg/person
Systemic exposure	0.0007211	mg/kg bw/d	0.0007211	mg/kg bw/d
Application				
<u>Hands</u>			None	
Specific exposure value	0.0084877	µg/person	0.0084877	µg/person
Systemic exposure	0.0001415	mg/kg bw/d	0.0001415	mg/kg bw/d
<u>Body</u>			Certified protective coverall	
Specific exposure value	0.0975946	µg/person	0.0009759	µg/person
Systemic exposure	0.0016266	mg/kg bw/d	0.0000163	mg/kg bw/d
<u>Inhalation</u>			None	
Specific exposure value	0.0024648	µg/person	0.0024648	µg/person
Systemic exposure	0.0000411	mg/kg bw/d	0.0000411	mg/kg bw/d
Total				
Total systemic exposure	0.0086605	mg/kg bw/d	0.0014795	mg/kg bw/d
% of AOEL	2.17	%	0.37	%

Table A 5: Input parameters considered for the estimation of operator exposure (manual application)

Formulation type	GB	Crop type	Fruit crops, vegetable crops, field crops, grapevine, ornamentals, hop
------------------	----	-----------	--

Application rate (AR)	0.2079	kg a.s./ha	Application method	Manual application of granules
Area treated per day (A)	1	ha	Application equipment	Manual
Dermal absorption (DA)	10	% (concentr.)	Indoor/outdoor	Outdoor
	-	% (dilution)	Closed cabin	No
Inhalation absorption (IA)	100	%	Drift reduction	No
Body weight (BW)	60	kg/person	Cultivation	Normal
AOEL	0.4	mg/kg bw/d	Water soluble bag	No

Table A 6: Estimation of longer term operator exposure towards Ferric phosphate according to EFSA guidance

	Potential		With work wear + PPE/RPE	
Mixing and loading				
<u>Hands</u>			None	
Specific exposure value	0.0000000	µg/person	0.0000000	µg/person
Systemic exposure	0.0000000	mg/kg bw/d	0.0000000	mg/kg bw/d
<u>Body</u>			Certified protective coverall	
Specific exposure value	0.0000000	µg/person	0.0000000	µg/person
Systemic exposure	0.0000000	mg/kg bw/d	0.0000000	mg/kg bw/d
<u>Inhalation</u>			None	
Specific exposure value	0.0000000	µg/person	0.0000000	µg/person
Systemic exposure	0.0000000	mg/kg bw/d	0.0000000	mg/kg bw/d
Application				
<u>Hands</u>			Chemical resistant gloves	
Specific exposure value	59.3180459	µg/person	0.5931805	µg/person
Systemic exposure	0.9886341	mg/kg bw/d	0.0098863	mg/kg bw/d
<u>Body</u>			Certified protective coverall	
Specific exposure value	143.1822958	µg/person	1.4318230	µg/person
Systemic exposure	2.3863716	mg/kg bw/d	0.0238637	mg/kg bw/d
<u>Inhalation</u>			None	
Specific exposure value	0.0972417	µg/person	0.0972417	µg/person
Systemic exposure	0.0016207	mg/kg bw/d	0.0016207	mg/kg bw/d
Total				
Total systemic exposure	3.3766264	mg/kg bw/d	0.0353708	mg/kg bw/d
% of AOEL	844.16	%	8.84	%

A 3.2 Worker exposure calculations (KCP 7.2.3.1)

Not relevant.

A 3.3 Resident and bystander exposure calculations (KCP 7.2.2.1)

A 3.3.1 Calculations for Ferric phosphate

Table A 7: Input parameters considered for the estimation of longer term resident exposure

Intended use(s)	Fruit crops, vegetable crops, field crops, grapevine, ornamentals, hop, broadcast and manual application of granules		Drift reduction (DR)		%
Application rate (AR)	0.2079	kg a.s./ha	Transfer coefficient surface deposits (TC)	7300	cm ² /h (adult)
				2600	cm ² /h (child)
Minimum water volume (V)	-	L/ha	Drift on surface (D) - 75 th perc.	3.00	%
Buffer strip	2-3	m	Drift on surface (D) - mean	3.00	%
Number of applications (NA)	4		Turf Transferable Residues (TTR)	5	%
Interval between applications	14	days	Exposure duration dermal (H _D)	2	h
Half-life of active substance	30	days	Exposure duration inhal. (H _I)	24	h
Multiple application factor (MAF)	2.6		Exposure duration entry into treated crops (H _E)	0.25	h
Body weight (BW)	60	kg/person (adults)	Airborne Concentration of Vapour (VC)	0.001	mg/m ³
	10	kg/person (children)			
Dermal absorption (DA)	10	% ('worst case')	Dislodgeable foliar residue (DFR)	1	µg/cm ² /kg a.s.
Inhalation absorption (IA)	100	%	Light clothing adjustment factor (CF)	18	%
Oral absorption (OA)	100	%	Saliva Extraction Factor (SE)	50	%
AOEL	0.4	mg/kg bw/d	Surface Area of Hands (SA)	20	cm ²
Spray drift dermal (SD) - 75 th perc.	-	mL spray dilution (adult)	Frequency of Hand to Mouth (Freq)	20	events/h
	-	mL spray dilution (child)			
Spray drift inhal. (SI) - 75 th perc.	-	mL spray dilution (adult)	Dislodgeable residues object to mouth (DR _{OM})	20	%
	-	mL spray dilution (child)			
Spray drift dermal (SD) - mean	-	mL spray dilution (adult)	Ingestion Rate for Mouthing of Grass (IgR)	25	cm ² /d
	-	mL spray dilution (child)			
Spray drift inhal. (SD) - mean	-	mL spray dilution (adult)	TC entry into treated crops - 75 th perc.	7500	cm ² /h (adult)
	-	mL spray dilution (child)		2250	cm ² /h (child)
Inhalation rate (IR)	16.57	m ³ /d (adult)	TC entry into treated crops - mean:	5980	cm ² /h (adult)
	8.31	m ³ /d (child)		1794	cm ² /h (child)

Table A 8: Estimation of longer term resident exposure towards Ferric phosphate according to EFSA guidance

Adult			Child		
Spray drift (75th perc.)					
(SD x DA x (1- CF) + SI) x AR x MAF x V x DR/ BW					
Systemic exposure	-	mg/kg bw/d	Systemic exposure	-	mg/kg bw/d

% of AOEL:	-	%	% of AOEL:	-	%
Vapour (75th perc.)					
(VC x IR x IA) / BW					
Systemic exposure	0.0002300	mg/kg bw/d	Systemic exposure	0.0010700	mg/kg bw/d
% of AOEL:	0.06	%	% of AOEL:	0.27	%
Surface deposits (75th perc.)					
Dermal					
AR x MAF x D x TTR x TC x H _D x DA / BW					
Systemic exposure	0.0000399	mg/kg bw/d	Systemic exposure	0.0000852	mg/kg bw/d
Hand to mouth					
AR x MAF x D x TTR x SE x SA x Freq x H _D x OA / BW					
			Systemic exposure	0.0000311	mg/kg bw/d
Object to mouth					
AR x MAF x D x DR _{OM} x IgR x OA / BW					
			Systemic exposure	0.0000819	mg/kg bw/d
Total					
Systemic exposure	0.0000399	mg/kg bw/d	Systemic exposure	0.0001982	mg/kg bw/d
% of AOEL:	0.01	%	% of AOEL:	0.05	%
Entry into treated crops (75th perc.)					
Dermal					
AR x MAF x TC x H _D x DFR x DA / BW					
Systemic exposure	-	mg/kg bw/d	Systemic exposure	-	mg/kg bw/d
Hand to mouth					
AR x MAF x 100% x TTR x SE x SA x Freq x H _D x OA / BW					
	-		Systemic exposure	-	mg/kg bw/d
Object to mouth					
AR x MAF x 100% x DR _{OM} x IgR x OA / BW					
	-		Systemic exposure	-	mg/kg bw/d
Total					
Systemic exposure	-	mg/kg bw/d	Systemic exposure	-	mg/kg bw/d
% of AOEL:	-	%	% of AOEL:	-	%
All pathways (mean)					
Systemic exposure	-	mg/kg bw/d	Systemic exposure	-	mg/kg bw/d
% of AOEL:	-	%	% of AOEL:	-	%

Appendix 4 Detailed evaluation of exposure and/or DFR studies relied upon (KCP 7.2, KCP 7.2.1.1, KCP 7.2.2.1, KCP 7.2.3.1)

Not relevant.