

No. R. 1013

26 May 1989

**AGRICULTURAL PESTS ACT, 1983(ACT NO. 36 1983)**

**IMPORTATION OF CONTROLLED GOODS WITHOUT A PERMIT**

I, André Isak van Niekerk, Deputy Minister of Agriculture, acting on behalf of the Minister of Agriculture under section 3 (4) of Agricultural Pests Act, 1983 (Act No. 36 of 1983), hereby make the determinations set out in the Schedule.

A. I. VAN NIEKERK

Deputy Minister of Agriculture.

## SCHEDULE

In this Schedule “the Notice” means Government Notice No. R. 1013 of 26 May 1989, as amended by government notices Nos. R. 2252 of 26 November 1993, R. 23 of 8 January 1999 as revoked by, R. 57 of 8 January 1999, R. 306 of 15 March 2002, R. 830 of 21 June 2002, R. 1058 of 27 October 2006 and R. 49 of 5 February 2010.

### Definitions

1. Any word or expression in this Schedule to which a meaning has been assigned in the Act shall have that meaning and, unless the context indicated otherwise-

“**area of production**” means any plot or group of plots that are cultivated as a unit, and on or in which controlled goods are produced;

“**certificate**” means –

(a) the original specimen of a phytosanitary certificate or phytosanitary certificate of re-export, that –

(i) is in the form of the FAO Model Certificate appended to the International Plant Protection Convention, Rome, 1951; and

(ii) has been issued by a recognised empowered authority in the country of production or the country or re-export of the controlled goods to which such certificate relates;

(b) the original specimen of a health certificate that has been issued by a recognised empowered authority in the country of production or the country of re-export of the controlled goods to which such certificate relates;

“**country of production**” means the country in which controlled goods were produced or, in the case of Australia, the United States of

America or any other country with autonomous phytosanitary services in the different states, thereof, the state in which controlled goods were produced;

“**insects and pathogens**” means insects and pathogens of the kinds indicated in numerical sequence in Table 2; and

“**the Act**” means the Agricultural Pests Act, 1983 ( Act No. 36 of 1983).

***Exemption from permit requirements***

2. The classes of controlled goods specified in column 1 of Table 1 may be imported into the Republic without a permit referred to in section 3(1) of the Act.

***Conditions of exemption***

3. (1) The exemption granted in clause 2 shall be subject to the following conditions:
  - (a) The applicable requirements specified in column 2 of Table 1 opposite a particular class of controlled goods shall be complied with in respect of each consignment of that class of controlled goods.
  - (b) The controlled goods concerned may only be imported through a port of entry specified in the Table 3.
  - (c) Each consignment of controlled goods shall be presented to the executive officer at the port of entry thereof for such inspection as he may deem necessary.
  - (d) The certificate that accompanies a consignment of controlled goods shall be retained by the executive officer.
  - (e) No consignment of controlled goods may be removed from the port of entry thereof before the executive officer has consented thereto in writing.
- (2) The symbols used in column 2 of Table 1 shall have the following meanings:

- (a) “AD” and “T” means that each consignment of the class of the controlled goods concerned shall be accompanied by a certificate.
- (b) “D” means the importer of a consignment of class of controlled goods concerned shall submit a declaration on a form obtainable from the executive officer for this purpose, in which he declares that such consignment is intended for immediate re-export or for purposes other than the cultivation thereof in the Republic.
- (c) “AD 1” followed by one or more numbers in brackets, means that the applicable certificate shall contain an additional declaration that insects and pathogens of the kinds represented by the numbers in brackets-
  - (i) as appears from inspections during the active growth of the mother plants concerned, did not occur on those mother plants; or
  - (ii) do not occur in the area of production concerned.
- (d) “AD 2” followed by one or more numbers in brackets, means that the applicable certificate shall contain an additional declaration that insects and pathogens of the kinds represented by the numbers in brackets do not occur in the country of production concerned.
- (e) “AD 3” followed by one or more numbers in brackets, means that the applicable certificate shall contain an additional declaration that insects and pathogens of the kinds represented by numbers in brackets do not occur in the area of production concerned.
- (f) “AD 4” followed by one or more numbers in brackets, means that the applicable certificate shall contain additional declaration that the consignment concerned is free of insects and pathogens of the kinds represented by the numbers in brackets.
- (g) “AD 5” means that the applicable certificate shall contain an additional declaration that the seed comprising the consignment concerned was germinated in or on a sterilised medium and is packed in a sterilised medium.
- (h) “AD 6” means that the applicable certificate shall contain an additional declaration that the plants comprising the consignment concerned were

- rooted and grown in or on a sterilised medium and are packed in a sterilised medium.
- (i) “AD 7” means that the applicable certificate shall contain an additional declaration that the plants comprising the consignment concerned are packed in a sterilised medium.
  - (j) “AD 8” means that the applicable certificate shall contain an additional declaration that the tissue culture or tissue culture transplants comprising the consignment concerned was obtained from mother plants that are practically free from virus and other diseases.
  - (k) “AD 9” means that the applicable certificate shall contain an additional declaration that the timber comprising the consignment concerned has been kiln-dried to a moisture content of 20 per cent or less.
  - (l) “AD 10” followed by one or more numbers in brackets, means that the applicable certificate shall contain a confirmation that the mother plants from which the tissue or tissue culture plants comprising the consignment were obtained, were indexed for and found free from viruses and virus-like organisms of the kinds represented by the numbers in brackets.
  - (m) “AD 11” means that the applicable certificate shall contain an additional declaration that the consignment concerned is free of growth mediums and soil.
  - (n) “T 1” means that the applicable certificate shall contain a confirmation that the consignment concerned was treated with a wide spectrum fungicide, and in cases where it is followed by one or more numbers in brackets, such confirmation shall refer specifically to the pathogens of the kinds represented by the numbers in brackets.
  - (o) “T 2” means that the applicable certificate shall contain a confirmation that the consignment concerned was treated with a wide spectrum insecticide or fumigant, and in cases where it is followed by one or more numbers in brackets, such confirmation shall refer specifically to the insects of the kinds represented by the numbers in brackets.

- (p) "T 3" means that the applicable certificate shall contain a confirmation that the consignment concerned was treated with a wide spectrum acaricide, and in cases where it is followed by one or more numbers in brackets, such confirmation shall refer specifically to the insects of the kinds represented by the numbers in brackets.
- (q) "T 4" means that the applicable certificate shall contain a confirmation that the consignment concerned was treated by immersing it for 10 minutes in an appropriate solution of hydrogen peroxide or for 45 seconds in an appropriate solution of hydroxyquinoline sulphate.
- (r) "T 5" means that the applicable certificate shall contain a confirmation that the consignment concerned has been kiln-dried to a moisture content of less than 20 per cent.
- (s) "T 6" means that the applicable certificate shall contain a confirmation that the consignment concerned was treated with an appropriate hot water treatment
- (t) "T 7" means that the applicable certificate shall contain a confirmation that the consignment concerned was treated by means of an appropriate fumigation with methyl bromide gas.
- (u) "T 8" means that the applicable certificate shall contain a confirmation that the consignment concerned was treated by immersion in an appropriate solution of sodium hypochloride.
- (v) "None" means that no phytosanitary certificate is required

*[Amended by R.57 of 8 January 1999]*

**TABLE 1**  
**CONTROLLED GOODS EXEMPTED FROM PERMITS, AND REQUIREMENTS OF EXEMPTION**

Class of controlled goods Column 1	Requirements Column 2
<p>1. Seed of species of the following genera and families intended for planting:</p> <p><i>Acaena, Acanthus, Achillea, Achimenes, Aciphylla, Aconitum, Actaea, Actinidia, Actinotus, Adenophora, Adenostyles, Aethionema, Agastache, Ageratum, Aglaonema, Agrostemma, Alcea, Alliaria, Alseuosmia, Althaea, Alstroemeria, Alyssoides, Alyssum, Amaranthus, Amaryllis, Ammi, Ammobium, Amorphophallus, Amsonia, Anacyclus, Ananas, Anaphalis, Anchusa, Anemone, Anethum, Angelica, Anigozanthos, Antennaria, Anthemis, Antholyza, Anthriscus, Anthurium, Anthyllis, Antirrhinum, Aphelandra, Apios, Apocynum, Aquilegia, Arctium, Arctotis, Argyroderma, Armeria, Artemisia, Asarina, Asclepias, Aster, Astragalus, Astringia, Asyneuma, Aubrieta, Aurinia, Axonopus, Ballota, Balsamita, Baptisia, Basilicum, Bassia, Begonia, Bergenia, Berlandiera, Beschorneria, Boltonia, Borago, Bouvardia, Brachycome, Brachysema, Brachystelma, Brachystegia, Bromelia, Browallia, Brugmansia, Buphthalmum, Byblis, Calamintha, Calceolaria, Calathea, Calendula, Callistephus, Calocephalus, Caltha, Calycanthus, Campanula, Canavalia, Canna, Caralluma, Carlina, Carludovica, Carpanthea, Carthamus, Cassine, Catananche, Catharanthus, Celosia, Centaurea, Centranthus, Cephalaria, Cerastium, Cerinthe,</i></p>	<p>No phytosanitary certificate required</p>

*Ceropegia, Cheiranthus, Chelone, Chrysopsis, Cimicifuga, Cineraria, Cladanthus, Clarkia, Cleome, Clinopodium, Clivia, Cochlearia, Codonopsis, Coleus, Collinsia, Commiphora, Conophytum, Consolida, Convolvulus, Coriandrum, Coreopsis, Cosmos, Crambe, Crepis, Crescentia, Crossandra, Cryptotaenia, Cuminum, Cuphea, Curculigo, Curcuma, Cyclamen, Cynara, Cynoglossum, Dahlia, Darlingtonia, Diascia, Dicentra, Dichondra, Didelta, Dimorphotheca, Dionaea, Dioscorea, Dipsacus, Dischidia, Dischidia, Dodecatheon, Doronicum, Doryanthes, Draba, Dracocephalum, Drosera, Duvalia, Echeveria, Echinacea, Echinops, Echium, Elettaria, Epilobium, Erigeron, Eriogonum, Eruca, Eryngium, Erysimum, Eschscholzia, Eupatorium, Euphorbia, Euryops, Eustoma, Evolvulus, Exacum, Felicia, Fittonia, Foeniculum, Freesia, Fuchsia, Fumaria, Galega, Galium, Gaura, Gazania, Gentiana, Geranium, Gerbera, Geum, Gilia, Gladiolus, Glaucium, Globularia, Gloxinia, Godetia, Gomphrena, Grindelia, Gypsophila, Hedera, Helenium, Helichrysum, Heliophila, Heliopsis, Heliotropium, Helipterum, Hesperis, Heuchera, Hieracium, Hosta, Hyacinthus, Hydrocotyle, Hyoscyamus, Hypoestes, Hyssopus, Iberis, Incarvillea, Inula, Isatis, Ixodia, Jasione, Jurinea, Kalanchoe, Knautia, Kniphofia, Kochia, Lachnostachys, Lasthenia, Lathyrus, Laurentia, Lavandula, Lavatera, Layia, Loenotis, Leontopodium, Lepidium, Lespedeza, Leucanthemum, Levisticum, Lewisia, Liatris, Ligularia, Lilium, Limnanthes, Limonium, Linanthus, Linaria, Lisianthus, Lobularia, Lomatium, Lonas, Lunaria, Luzula, Lychnis, Lycopodiella, Lycopodium, Lycopus, Lysichiton, Lysimachia, Lythrum, Macarthuria, Macleaya,*



*Macropidia, Malcolmia, Malva, Maranta, Matricaria, Matthiola, Meconopsis, Medusagyne, Melampodium, Melissa, Menyanthes, Mertensia, Mesembryanthemum, Mimulus, Mina, Mirabilis, Moluccella, Monarda, Monstera, Morina, Mundulea, Myosotidium, Myrrhis, Nandina, Nasturtium, Nemesia, Nemophila, Nepenthes, Nepeta, Nertera, Newtonia, Nierembergia, Nigella, Nolana, Ocimum, Oenothera, Olearia, Origanum, Ornithopus, Osteospermum, Oxypetalum, Pachypodium, Paeonia, Parnassia, Parthenium, Pastinaca, Peltiphyllum, Penstemon, Peperomia, Perilla, Petalostemon, Petasites, Petroselinum, Petunia, Peucedanum, Phacelia, Philodendron, Phylloglossum, Physostegia, Phyteuma, Pimpinella, Pinguicula, Platycodon, Polemonium, Pothos, Pratia, Primula, Prunella, Pseudolachnostylis, Psilotum, Psoralea, Pulicaria, Pulmonaria, Reseda, Reyesia, Rhodohypoxis, Rhoeo, Rodgersia, Romneya, Rubia, Rudbeckia, Ruellia, Ryania, Sagina, Salpiglossis, Salvia, Sanvitalia, Saponaria, Sarracenia, Satureja, Saxifraga, Scabiosa, Schizaea, Schizanthus, Scindapsus, Scorzonera, Sempervivum, Shasta, Sidalcea, Silene, Solenostemon, Solidago, Solidaster, Stachys, Stevia, Stizolobium, Stokesia, Streptocarpus, Symphytum, Syngonium, Tacca, Talinum, Tanacetum, Tetragonia, Teucrium, Thalictrum, Thermopsis, Thymophylla, Thymus, Tiarella, Tibouchina, Torenia, Trachelium, Trachymene, Tradescantia, Tragopogon, Trigonella, Tritonia, Tropaeolum, Ursinia, Utricularia, Valerianella, Verbena, Veronica, Villarsia, Vinca, Viscaria, Voandzeia, Wahlenbergia, Wasabia, Xanthisma, Xeranthemum and Zinnia*

*Abrus, Abutilon, Acokanthera, Acrocarpus, Adansonia, Adenanthos, Adenium, Aetoxicon, Agathis, Agave, Agonis, Akebia, Alberta, Alectryon, Aleurites, Alloteropsis, Alluaudia, Alnus, Alocasia, Aloe, Aloysia, Amorpha, Amphicarpaea, Angophora, Anthocleista, Antidesma, Antigonon, Aralia, Arbutus, Arctostaphylos, Ardisia, Arisaema, Aristolochia, Artocarpus, Arum, Asimina, Astartea, Atalaya, Atriplex, Azadirachta, Azanza, Azara, Baeckea, Balanites, Banksia, Bauhinia, Beaufortia, Beaucarnea, Beaumontia, Bignonia, Bischofia, Biserrula, Bossiaea, Botrychium, Bougainvillea, Brachychiton, Brachylaena, Brachystemma, Bridelia, Brighamia, Briza, Brownea, Brunfelsia, Buckinghamia, Buddleia, Bupleurum, Burchellia, Bursaria, Bursera, Cajanus, Caladium, Calamus, Calliandra, Callistemon, Callitris, Calothamnus, Calpurnia, Cananga, Canthium, Capparis, Caragana, Carissa, Carpinus, Carpodetus, Caryocar, Caryopteris, Cassia, Cassiope, Ceanothus, Cecropia, Cedrela, Cedrus, Celtis, Cenchrus, Cephalotaxus, Ceratonia, Ceratopetalum, Cercidium, Cercis, Chamaecytisus, Chamelaucium, Chionathus, Chionochloa, Chloris, Chorizema, Chrysophyllum, Chukrasia, Cichorium, Cinnamomum, Cistus, Cladrastis, Clerodendrum, Clianthus, Clitoria, Cneorum, Cobaea, Coccoloba, Cochlospermum, Codiaeum, Cola, Colchicum, Colubrina, Colutea, Colvillea, Coprosma, Cordyline, Corema, Coriaria, Coronilla, Cortaderia, Corydalis, Corynocarpus, Cotinus, Cotoneaster, Crinodendron, Croton, Cupaniopsis, Cussonia, Cyathea, Cycadales, Cymbopogon, Cynodon, Cytisus, Dais, Dalbergia, Danae, Daphne, Darwinia, Dasylyrion, Davidia,*

Phytosanitary certificate is required but no additional declaration is required.

*Delonix, Dialium, Didierea, Didymaotus, Dieffenbachia, Dillenia, Dimocarpus, Dipterocarpus, Dodonaea, Dombeya, Dorstenia, Dracaena, Dryandra, Dysoxylum, Edgeworthia, Ehretia, Elaeagnus, Elaeocarpus, Eleutherococcus, Enterolobium, Epacris, Ephedra, Eremophila, Eriobotrya, Eriophyllum, Erythrina, Escallonia, Euclea, Eucommia, Eucryphia, Euphorbia, Euptelea, Faucaria, Ficus, Flacourtia, Flindersia, Fremontodendron, Furcraea, Gahnia, Gaillardia, Galphimia, Garcinia, Gardenia, Genista, Ginkgo, Gleditsia, Gliricidia, Gmelina, Goodenia, Gossypium (Acid del), Gossweilerodendron, Gouania, Grevillea, Greyia, Griselinia, Gymnosporia, Haloxylon, Hamamelis, Hardenbergia, Harungana, Hebe, Hebenstretia, Hedysarum, Helinus, Heliocarpus, Helleborus, Helminthostachys, Hemigenia, Hibbertia, Hildegardia, Hippophae, Hoheria, Hovea, Hovenia, Hymenachne, Hymenanthrum, Hymenosporum, Hypocalymma, Ilex, Impatiens, Indigofera, Ixora, Jatropha, Justicia, Kalmia, Kennedia, Khaya, Kiggelaria, Kirengeshoma, Kirkia, Kissenia, Knightia, Koelreuteria, Kolkwitzia, Kunzea, Laburnum, Lagerstroemia, Landolphia, Langsdorffia, Lannea, Laportea, Larix, Laurelia, Laurus, Lechenaultia, Lesquerella, Leucopogon, Leucothoe, Lindera, Liquidambar, Litchi, Lithops, Lobelia, Lophiocarpus, Lophotocarpus, Lotus, Luculia, Luehea, Macfadyena, Macropiper, Macroptilium, Maesa, Magnolia, Mammea, Mandevilla, Manikara, Markhamia, Marrubium, Medinilla, Melaleuca, Melianthus, Memecylon, Mentzelia, Meryta, Metrosideros, Meum, Miconia, Mikania, Millettia, Mimosa, Mimusops, Momordica, Moringa, Mucuna, Myristica, Myrsine, Myrtus, Nerium, Nuxia, Nuytsia, Nymphaea,*

*Nyssa, Oncoba, Ongokea, Onobrychis, Operculicarya, Ophioglossum, Orchidaceae, Ostrya, Osyris, Parinari, Parkinsonia, Paulownia, Pavetta, Peganum, Peltophorum, Pentas, Perovskia, Persoonia, Petrophila, Phalaris, Phleum, Phlomis, Phlox, Phormium, Phygelius, Phyllanthus, Phyllocladus, Phytolacca, Picea, Pieris, Piper, Pisonia, Pithecellobium, Pittosporum, Plagianthus, Plectranthus, Plumbago, Plumeria, Podocarpus, Polyscias, Pouteria, Prieurella, Prumnopitys, Pseudolarix, Pseudotsuga, Psiloxylon, Psophocarpus, Pterocarpus, Pteradiscus, Puccinellia, Puelia, Pultenaea, Pyrostegia, Radermachera, Raphionacme, Ravenala, Rehmannia, Restio, Rhamnus, Rhodochiton, Rhododendron, Rhodosphaera, Rhytidocaulon, Roscoea, Rosmarinus, Rothmannia, Salix, Samanea, Sandoricum, Santalum, Sapium, Saraca, Sarcocephalus, Sarcococca, Scaevola, Schefflera, Schinus, Schizolobium, Schoenocaulon, Schotia, Securidaca, Sesamum, Shepherdia, Sicana, Simmondsia, Sinapsis, Soleirolia, Sollya, Sophora, Sparmannia, Spartium, Spathiphyllum, Spiraea, Spondias, Spyridium, Stenocarpus, Stephanotis, Stereospermum, Strychnos, Stylosanthes, Styphelia, Swainsona, Swartzia, Swietenia, Symphoricarpos, Synsepalum, Syzygium, Tabebuia, Tabernaemontana, Tamarindus, Tamarix, Taxodiaceae, Telopea, Templetonia, Tephrosia, Tetraclinis, Tetrataxis, Thespesia, Thunbergia, Tilia, Tmesipteris, Triaspis, Tristania, Tsuga, Turraea, Umbellularia, Uncarina, Valeriana, Vangueria, Verbascum, Vernonia, Verticordia, Viburnum, Victoria, Vitex, Warburgia, Weinmannia, Welwitschia, Wisteria, Witheringia.*

<b>2. Deleted by R.57 of 8 January 1999]</b>	----
<b>3. Unrooted vegetative propagating material (excluding bulbs, tubers and rhizomes) of species of the following genera and families:</b>	
<i>Abelia</i> .....	T1.T2
<i>Acalypha</i> .....	T1.T2
<i>Acanthus</i> .....	T1.T2
<i>Achillea</i> .....	T1.T2
<i>Acokanthera</i> .....	T1.T2
<i>Actinidia</i> .....	AD 4 (146. 310. 318)
<i>Actinodium</i> .....	T1.T2
<i>Adenanthos</i> .....	T1.T2
<i>Adenia</i> .....	AD 1 (278).T1.T2
<i>Adenium</i> .....	AD 1 (278).T1.T2
<i>Agave</i> .....	AD 4 (9. 360). T1.T2
<i>Aglaonema</i> .....	AD 1 (152, 401), T1, T2
<i>Ajuga</i> .....	T1, T2
<i>Alberta</i> .....	T1, T2
<i>Aleurites</i> .....	AD 1 (297, 345), T1, T2
<i>Aloe</i> .....	AD 1 (290) T1, T2
<i>Amaranthaceae</i> .....	AD 4 ( 44,123, 378, 381, 382)
<i>Amphicarpaea</i> .....	T1, T2
<i>Androsace</i> .....	T1, T2
<i>Angelica</i> .....	T1, T2
<i>Anigozanthos</i> .....	T1, T2
<i>Anthurium</i> .....	AD 4 (321), T1, T2
<i>Antigonon</i> .....	T1, T2

<i>Aphelandra</i> .....	T1, T2
<i>Aquilegia</i> .....	AD 1(44, 123), T1, T2
<i>Arabis</i> .....	AD 1(197, 409)
<i>Aralia</i> .....	AD 1 (401)
<i>Arbutus</i> .....	T1, T2
<i>Ardisia</i> .....	T1, T2
<i>Arisaema</i> .....	T1, T2
<i>Aristolochia</i> .....	AD 1 (123)
<i>Armeria</i> .....	T1, T2
<i>Armoracia</i> .....	AD 1 (44, 60, 270, 366)
<i>Artemisia</i> .....	AD 1 (282, 283)
<i>Artocarpus</i> .....	AD 1 (194, 278)
<i>Asterosperma</i> .....	T1, T2
<i>Atropa</i> .....	AD 1 (251, 377), T1, T2
<i>Azadirachta</i> .....	AD 1 (168, 289)
<i>Azalea</i> .....	AD 1 (88, 234, 346)
<i>Baeckea</i> .....	T1, T2
<i>Banksia</i> .....	T1, T2
<i>Barcena</i> .....	T1, T2
<i>Bauera</i> .....	T1, T2
<i>Bauhinia</i> .....	T1, T2
<i>Beaucarnea</i> .....	T1, T2
<i>Beaufortia</i> .....	T1, T2
<i>Beloperone</i> .....	T1, T2
<i>Bellis</i> .....	AD1 (44)
<i>Bergenia</i> .....	T1, T2
<i>Bignonia</i> .....	T1, T2
<i>Bischofia</i> .....	T1, T2
<i>Bougainvillea</i> .....	AD 1 (278), T1, T2
<i>Bouvardia</i> .....	T1, T2

<i>Brachychiton</i> .....	AD 1 (278 ),T1, T2
<i>Brigharnia</i> .....	AD 1 (44, 123, 317, 401)
<i>Buddleia</i> .....	T1, T2
<i>Calathea</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133)
<i>Callistemon</i> .....	T1, T2
<i>Callitris</i> .....	AD 1 (79, 121, 179, 190, 344)
<i>Callothamnus</i> .....	T1, T2
<i>Calpurnia</i> .....	T1, T2
<i>Calycanthus</i> .....	T1, T2
<i>Calytrix</i> .....	T1, T2
<i>Cameilia</i> .....	AD 2 (54, 160, 161) material is of elite stock. AD 4 (61, 266, 425), T1, T2
<i>Campanula</i> .....	AD 1 ( 44, 123, 317, 401) AD 4 (388)
<i>Cananga</i> .....	T1, T2
<i>Capparis</i> .....	T1, T2
<i>Caragana</i> .....	T1, T2
<i>Carissa</i> .....	T1, T2
<i>Cassia</i> .....	AD 4 (426)
<i>Cassiope</i> .....	T1, T2
<i>Cedrela</i> .....	AD 1 (256), T1, T2
<i>Ceratonia</i> .....	T1, T2
<i>Ceratopetalum</i> .....	T1, T2
<i>Ceropegia</i> .....	T1, T2
<i>Chamaelaucium</i> .....	T1, T2
<i>Cheiranthus</i> .....	AD 1 (281, 409)
<i>Cicer</i> .....	AD 1 (32, 44, 401, 411)
<i>Cistus</i> .....	AD 4 (260), T1, T2
<i>Clematis</i> .....	AD 1 (401), T1, T2
<i>Clerodendrum</i> .....	T1, T2

<i>Cneorum</i> .....	T1, T2
<i>Codonanthe</i> .....	T1, T2
<i>Coleus</i> .....	T1, T2
<i>Cordyline</i> .....	AD 1 (36,269)
<i>Correa</i> .....	T1, T2
<i>Cortaderia</i> .....	T 6
<i>Costus</i> .....	T1, T2
<i>Crescentia</i> .....	T1, T2
<i>Crinodendron</i> .....	T1, T2
<i>Crossandra</i> .....	T1, T2
<i>Ctenanthe</i> .....	T1, T2
<i>Cussonia</i> .....	AD 1 (401)
<i>Cycadales</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Cytissus</i> .....	AD 1 (392, 393)
<i>Dahlia</i> .....	AD 1 (401, 407)
<i>Dalbergia</i> .....	T1, T2
<i>Danae</i> .....	T1, T2
<i>Daphne</i> .....	AD 1 (123)
<i>Dasyilirion</i> .....	T1, T2
<i>Davidia</i> .....	T1, T2
<i>Delonix</i> .....	T1, T2
<i>Delphinium</i> .....	AD 1 (38, 44, 378)
<i>Diascia</i> .....	T1, T2
<i>Dieffenbachia</i> .....	AD 1 (152, 279)
<i>Dionaea</i> .....	T1, T2
<i>Dionysia</i> .....	T1, T2
<i>Dioscorea</i> .....	AD 4 (174, 428), T1, T2
<i>Dipladenia</i> .....	T1, T2
<i>Doryanthes</i> .....	T1, T2



<i>Draba</i> .....	T1, T2
<i>Dracaena</i> .....	AD 1 (36, 269)
<i>Echeveria</i> .....	T1, T2
<i>Edgeworthia</i> .....	T1, T2
<i>Elaeagnus</i> .....	AD 1 (229, 401)
<i>Epacris</i> .....	T1, T2
<i>Ephedra</i> .....	T1, T2
<i>Epipremnum</i> .....	AD 1(152)
<i>Eremea</i> .....	T1, T2
<i>Erica</i> .....	AD 4 (279, 403)
<i>Erigeron</i> .....	AD 1 (38)
<i>Eryngium</i> .....	AD1 (333, AD 4 (8, 9)
<i>Erythrina</i> .....	AD 1 (415), T1, T2
<i>Escallonia</i> .....	T1, T2
<i>Euonymus</i> .....	AD 1 (158, 232)
<i>Euphorbia</i> .....	AD 1 (159, 287)
<i>Euptelea</i> .....	T1, T2
<i>Eustoma</i> .....	T1, T2
<i>Exacum</i> .....	T1, T2
<i>Fittonia</i> .....	T1, T2
<i>Flindersia</i> .....	AD 1 (187), T1, T2
<i>Fremotia</i> .....	AD 1(401), T1, T2
<i>Fuchsia</i> .....	AD 1 (12, 401)
<i>Gardenia</i> .....	T1, T2
<i>Geraniaceae</i> .....	AD 1 (44, 241, 381, 401)
<i>Gleditsia</i> .....	AD 1 (373), T1, T2
<i>Gmelina</i> .....	AD1 (278)
<i>Grevillea</i> .....	T1, T2
<i>Halimocistus</i> .....	T1, T2
<i>Hamamelis</i> .....	AD 1 (142, 289)

<i>Hebe</i> .....	T1, T2
<i>Hedera</i> .....	AD 1 (12)
<i>Helianthemum</i> .....	T1, T2
<i>Hemiandra</i> .....	T1, T2
<i>Hibbertia</i> .....	AD 1 (123), T1, T2
<i>Hosta</i> .....	T1, T2
<i>Hoya</i> .....	T1, T2
<i>Hydrangea</i> .....	AD 1 (186, 378, 382), T1, T2
<i>Hyoscyamus</i> .....	AD 1 (251, 377), T1, T2
<i>Hypoestes</i> .....	T1, T2
<i>Hyssopus</i> .....	T1, T2
<i>Ilex</i> .....	T1, T2
<i>Jatropha</i> .....	AD 1 (257, 278)
<i>Kalanchoe</i> .....	T1, T2
<i>Kalmia</i> .....	T1, T2
<i>Khaya</i> .....	AD 4 (417), T1, T2
<i>Kolkwitzia</i> .....	AD 1 (25, 85,382), T1, T2
<i>Kunzea</i> .....	T1, T2
<i>Laburnum</i> .....	AD 1 (378, 393)
<i>Lambertia</i> .....	AD 1 (159, 287)
<i>Lamium</i> .....	AD 1 (123), T1, T2
<i>Laurelia</i> .....	T1, T2
<i>Lavandula</i> .....	T1, T2
<i>Leschenaultia</i> .....	T1, T2
<i>Limonium</i> .....	T1, T2
<i>Liquidambar</i> .....	AD 1 (142), T1, T2
<i>Liriodendron</i> .....	AD 3 (65), T1, T2
<i>Lisianthus</i> .....	T1, T2
<i>Lonicera</i> .....	AD 1 (401)
<i>Lychnis</i> .....	T1, T2

<i>Lycopodium</i> .....	T1, T2
<i>Lysimachia</i> .....	T1, T2
<i>Lythrum</i> .....	T1, T2
<i>Magnolia</i> .....	AD 1 (401) and/ en AD 1 (229-1 km)
<i>Malva</i> .....	AD 1 (2), AD 2 (111)
<i>Manilkara</i> .....	T1, T2
<i>Medinilla</i> .....	T1, T2
<i>Menianthes</i> .....	T1, T2
<i>Mesembryanthemum</i> .....	AD 1 (253), T1, T2
<i>Metrosideros</i> .....	T1, T2
<i>Mikania</i> .....	T1, T2
<i>Mimulus</i> .....	AD 1 (252)
<i>Mimusops</i> .....	AD 1 (278)
<i>Mitella</i> .....	T1, T2
<i>Monarda</i> .....	T1, T2
<i>Monstera</i> .....	T1, T2
<i>Moringa</i> .....	T1, T2
<i>Mussaenda</i> .....	T1, T2
<i>Myrmecodia</i> .....	T1, T2
<i>Nepenthes</i> .....	T1, T2
<i>Nepeta</i> .....	T1, T2
<i>Nertera</i> .....	T1, T2
<i>Oenanthe</i> .....	T1, T2
<i>Oenothera</i> .....	AD 1 (270, 401), T1, T2
<i>Olearia</i> .....	T1, T2
<i>Onobrychis</i> .....	T1, T2
<i>Origanum</i> .....	T1, T2
<i>Patersonia</i> .....	AD 1 (338, 343, 377), AD 3 (270, 366), AD 4 ( 9, 22, 23, 24, 132, 133)
<i>Peltiphyllum</i> .....	T1, T2

<i>Penstemon</i> .....	AD 1 (123, 270)
<i>Peperomia</i> .....	AD 1( 123, 242)
<i>Persoonia</i> .....	T1, T2
<i>Petasites</i> .....	T1, (317), T2
<i>Philadelphus</i> .....	AD 4 (387), T1, T2
<i>Philodendron</i> .....	AD 1 (152)
<i>Phlomis</i> .....	T1, T2
<i>Phlox</i> .....	AD 1 (319, 380, 401)
<i>Phormium</i> .....	AD 1 (268, 389, 421)
<i>Phyloglossum</i> .....	T1, T2
<i>Physostegia</i> .....	T1, T2
<i>Phyteuma</i> .....	T1, T2
<i>Pimpinella</i> .....	AD 1 (313), T1 (313), T2
<i>Pisonia</i> .....	T1, T2
<i>Pittosporum</i> .....	T1, T2
<i>Platanus</i> .....	AD 1 (68, 172), T2
<i>Plectranthus</i> .....	T1, T2
<i>Plumeria</i> .....	T1, T2
<i>Polemonium</i> .....	T1, T2
<i>Polygonum</i> .....	AD 4 (398), T1, T2
<i>Polypodiaceae</i> .....	T1, T2
<i>Polyscias</i> .....	AD1 (401)
<i>Pothos</i> .....	T1, T2
<i>Pouteria</i> .....	T1, T2
<i>Preslia</i> .....	T1, T2
<i>Prostanthera</i> .....	T1, T2
<i>Prunella</i> .....	T1, T2
<i>Psilotum</i> .....	T1, T2
<i>Pulmonaria</i> .....	T1, T2
<i>Pyrostegia</i> .....	T1, T2

<i>Rhamnus</i> .....	AD 1 (228), T1, T2
<i>Rhododendron</i> .....	AD 1 (88, 234, 346)
<i>Rhodohypoxis</i> .....	T1, T2
<i>Rhoeo</i> .....	T1, T2
<i>Rivinia</i> .....	T1, T2
<i>Rosmarinus</i> .....	T1, T2
<i>Ruellia</i> .....	AD 1 (304)
<i>Rumex</i> .....	T1, T2
<i>Ruscus</i> .....	T1, T2
<i>Salix</i> .....	AD 1 (271, 288, 303, 406) and AD 1 (229- 1km), T1, T2
<i>Salvia</i> .....	AD 1 (270), T1, T2
<i>Sambucus</i> .....	AD 1 (12, 25, 85, 382)
<i>Sansevieria</i> .....	T1, T2
<i>Sarcocephalus</i> .....	T1, T2
<i>Sarracenia</i> .....	T1, T2
<i>Saxifraga</i> .....	AD 4 (387), T1 (387)
<i>Scaevola</i> .....	T1, T2
<i>Schefflera</i> .....	AD 1 (401)
<i>Schizaea</i> .....	T1, T2
<i>Scindapsus</i> .....	T1, T2
<i>Simmondsia</i> .....	T1, T2
<i>Soleirolia</i> .....	T1, T2
<i>Sonerila</i> .....	T1, T2
<i>Spathyphyllum</i> .....	T1, T2
<i>Stachys</i> .....	T1, T2
<i>Stapelia</i> .....	T1, T2
<i>Statice</i> .....	T1, T2
<i>Stephanotis</i> .....	AD 1 (87)
<i>Stereospermum</i> .....	T1, T2

<i>Symphoricarpos</i> .....	T1, T2
<i>Syngonium</i> .....	AD 1 (152)
<i>Tabebuia</i> .....	T1, T2
<i>Talinum</i> .....	T1, T2
<i>Telopia</i> .....	T1, T2
<i>Thunbergia</i> .....	T1, T2
<i>Tilia</i> .....	T1, T2
<i>Tmesipteris</i> .....	T1, T2
<i>Tolmiea</i> .....	T1, T2
<i>Trachelium</i> .....	T1, T2
<i>Tradescantia</i> .....	T1, T2
<i>Typhonium</i> .....	T1, T2
<i>Veronica</i> .....	T1, T2
<i>Verticordia</i> .....	T1, T2
<i>Viburnum</i> .....	AD 1 (401), T1, T2
<i>Weigela</i> .....	AD 1 (12, 25, 85, 382)
<i>Wisteria</i> .....	T1, T2
<i>Wistringia</i> .....	T1, T2
<i>Xanthosoma</i> .....	T1, T2
<i>Yucca</i> .....	AD 1 (198)
<i>Ziziphus</i> .....	AD 1 (259), AD 3 (270), T1, T2
<b>4. Bulbs, tubers and rhizomes of species of the following genera and families:</b>	
<i>Achillea</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Aconitum</i> .....	AD 1(401), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Agapanthus</i> .....	AD 1 (401), AD 3 (270, 366)AD 4 (9, 22, 23, 24, 132, 133), AD 11

<i>Aglaonema</i> .....	AD 1 (152, 401) AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Alstroemeria</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Amaryllidaceae</i> (excluding species of genera indicated elsewhere)	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Amorphophallus</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Androsace</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Aquilegia</i> .....	AD 3 (44, 123, 270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Asparagus</i> .....	AD 2 (35), AD 3 (270, 366) AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Astilbe</i> .....	AD 2 (35), AD 3 (270, 366) AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Begonia</i> .....	AD 1 (408), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Bellis</i> .....	AD 1(44), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Caladium</i> .....	AD 1(337, 343,) AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Calathea</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Cephalotus</i> .....	AD 1(337, 343), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Clivia</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133, 294, 343, 360), AD 11
<i>Colchicum</i> .....	AD 1(343, 391), AD 3 (270, 366), AD 4

<i>Cyclamen</i> .....	(9, 22, 23, 24, 132, 133), AD 11 AD 1(324), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Cynara</i> .....	AD 1 (26, 27, 28), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133, 134), AD 11
<i>Dahlia</i> .....	AD 1 (401, 407), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Darlingtonia</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Dicentra</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Eryngium</i> .....	AD 1 (333), AD 3 (270, 366), AD 4 (8, 9, 22, 23, 24, 132, 133), AD 11
<i>Gloriosa</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Heliotropium</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Hyacinthus</i> .....	AD 1 (337, 343, 416), AD 3 (270, 366), AD 4 (22, 23, 132, 133), AD 11
<i>Incarvillea</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
Iridaceae (excluding species of genera indicated elsewhere)	AD 1 (137, 337, 343, 377), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Lewisia</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Liatris</i> .....	do
Liliaceae (excluding species of genera indicated elsewhere).....	AD 1 (201, 202), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Macropidia</i> .....	AD 1 (337, 343), AD 3 (201, 202, 270,



	366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
Marantaceae.....	AD 1 (1, 333), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Mirabilis</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Mitella</i> .....	do
<i>Myrmecodia</i> .....	do
<i>Oxalis</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Paeonia</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133, 387), AD 11
<i>Panax</i> .....	AD 1 (103), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Phlomis</i> .....	AD 3 (267, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Phylax</i> .....	do
<i>Sarracenia</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Strelitzia</i> .....	AD 1(1, 42, 150, 164), AD 3 (223, 270, 304, 366, 412), AD 4 (9, 22, 23, 24, 132, 133, 321, 322), AD 11
<i>Tacca</i> .....	AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<i>Thalictrum</i> .....	do
<i>Zantedescia</i> .....	AD 1 (152, 279), AD 3 (270, 366), AD 4 (9, 22, 23, 24, 132, 133), AD 11
<b>5. Rooted greenhouse plants [not older than 10 weeks and/or height not exceed 200mm] of species of the</b>	

following genera and families	
<i>Abelia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Acalypha</i> .....	do
<i>Acanthus</i> .....	do
<i>Achillea</i> .....	do
<i>Adenia</i> .....	AD 1 (278), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Adenium</i> .....	do
<i>Aglaonema</i> .....	AD 1(152, 401), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ajuga</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Alberta</i> .....	do
<i>Alocasia</i> .....	do
<i>Aloe</i> .....	AD 1 (290), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Alstroemeria</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
Amaranthaceae.....	AD 4 (22, 23, 24, 44,123, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372, 378, 381, 382), AD 6
Amaryllidaceae.....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371,

<i>Androsace</i> .....	372), AD 6 AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Anigozanthos</i> .....	do
<i>Anthurium</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Aphelandra</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Aralia</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Arbutus</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ardisia</i> .....	do
<i>Arisaema</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Armeria</i> .....	do
<i>Artocarpus</i> .....	AD 1 (194, 278), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Asparagus</i> .....	AD 2 (35), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Astartea</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371,

<i>Azalea</i> .....	372), AD 6 AD 1(88, 234, 346), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Baeckea</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ballota</i> .....	do
<i>Beaucarnea</i> .....	do
<i>Bergenia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Bignonia</i> .....	do
<i>Botrychium</i> .....	do
<i>Bougainvillea</i> .....	AD 1 (278), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Bouvardia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Brachychiton</i> .....	AD 1 (278), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Brighamia</i> .....	AD 1 (44, 123, 317, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Buddleia</i> .....	do
<i>Calathea</i> .....	AD 4 ( 9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6

<i>Calceolaria</i> .....	AD 1 (279), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Callistemon</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Camellia</i> .....	AD 2(54, 160, 161), AD 4 (22, 23, 24, 61 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Campanula</i> .....	AD 1 (44, 123, 317, 401), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Campsis</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Cananga</i> .....	do
<i>Capparis</i> .....	do
<i>Carissa</i> .....	do
<i>Caulophyllum</i> .....	do
<i>Ceanothus</i> .....	do
<i>Ceratopetalum</i> .....	do
<i>Ceropegia</i> .....	do
<i>Chamaelaucium</i> .....	do
<i>Cibotium</i> .....	do
<i>Clerodendron</i> .....	do
<i>Clematis</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6

<i>Cleyera</i> .....	AD 2 (54, 160, 161), AD 4 (22, 23, 24, 61 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Codonanthe</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Coleus</i> .....	do
<i>Columnea</i> .....	do
<i>Coprosma</i> .....	do
<i>Cordyline</i> .....	AD 1(36, 269), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Crossandra</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ctenanthe</i> .....	do
<i>Cussonia</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Cyathea</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Cycadales</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Cyclamen</i> .....	AD 1 (324), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dahlia</i> .....	AD 1 (401, 407), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366,

<i>Dampiera</i> .....	368, 369, 370, 371, 372), AD 6 AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Danae</i> .....	do
<i>Dasyllirion</i> .....	do
<i>Delphinium</i> .....	AD 1 (38, 44, 378), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dendranthema</i> .....	AD 1 (38, 87, 131, 152, 315, 380), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dianthus</i> .....	AD 1 (44, 50, 56, 57, 58, 153, 241, 300, 399), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Diascia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dicksonia</i> .....	do
<i>Dieffenbachia</i> .....	AD 1 (152, 279), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Dipladenia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Draba</i> .....	do
<i>Dracaena</i> .....	AD 1 (36, 269), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368,

<i>Echeveria</i> .....	369, 370, 371, 372), AD 6 AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Epipremnum</i> .....	AD 1 (152), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Erica</i> .....	AD 1 (279, 403), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Erigeron</i> .....	AD 1 (38), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Eryngium</i> .....	AD 1 (333), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Euonymus</i> .....	AD 1(158, 232), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Euphorbia</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Eustoma</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Exacum</i> .....	do
<i>Fatshedera</i> .....	do
<i>Fittonia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6



<i>Fuchsia</i> .....	AD 1 (12, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Gardenia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Genista</i> .....	do
<i>Geogenanthus</i> .....	do
<i>Geranium</i> .....	AD 1 (44, 241, 381, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Gerbera</i> .....	AD 1 (275, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Grevillea</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Gypsophila</i> .....	do
<i>Hamamelis</i> .....	AD 1 (142, 289), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Hebe</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Hedera</i> .....	AD 1 (12), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Helichrysum</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6

<i>Helminthostachys</i> .....	do
<i>Hibbertia</i> .....	AD 1 (123), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Hosta</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Hoya</i> .....	do
<i>Hydrangea</i> .....	AD 1 (186, 378, 382), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Hypoestes</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ilex</i> .....	do
<i>Ixora</i> .....	AD 1 (75), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Jatropha</i> .....	AD 1 (257, 278), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Kalanchoe</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Kalmia</i> .....	do
<i>Lambertia</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6, AD 8 (159, 287)
<i>Lamium</i> .....	AD 1(123), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369,

<i>Lavandula</i> .....	370, 371, 372), AD 6 AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Leschenaultia</i> .....	do
<i>Limonium</i> .....	do
<i>Lisianthus</i> .....	do
<i>Lonicera</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Lychnis</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Lycopodium</i> .....	do
<i>Lysimachia</i> .....	do
<i>Lythrum</i> .....	do
<i>Macropidia</i> .....	AD 1 (337, 343), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Magnolia</i> .....	AD 1 (229, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
Marantaceae.....	AD 1 (1, 333), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Medinilla</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Menianthus</i> .....	do
<i>Metrosideros</i> .....	do

<i>Mimulus</i> .....	AD 1 (252), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Mitella</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Monarda</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Monstera</i> .....	do
<i>Mussaenda</i> .....	do
<i>Myrmecodia</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Nematanthus</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Nepenthes</i> .....	do
<i>Nertera</i> .....	do
<i>Nolina</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 314, 366, 368, 369, 370, 371, 372), AD 6, T1
<i>Oenanthe</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Oenothera</i> .....	AD 1(401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ophioglossum</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371,

	372), AD 6
<i>Origanum</i> .....	do
<i>Osmanthus</i> .....	do
<i>Oxalis</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Pachypodium</i> .....	do
<i>Pachystachys</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Pandanus</i> .....	AD 1 (51), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Peltiphyllum</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Penstemon</i> .....	AD 1 (23), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Peperromia</i> .....	AD 1 (23, 243), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Petasites</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Philodendron</i> .....	AD 1 (152), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Phlox</i> .....	AD 1 (319, 401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368,

<i>Phormium</i> .....	369, 370, 371, 372), AD 6 AD 1 (268, 389, 421), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Physostegia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Phyteuma</i> .....	do
<i>Pisonia</i> .....	do
<i>Pittosporum</i> .....	do
<i>Polypodiaceae</i> .....	do
<i>Polyscias</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Preslia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Primuia</i> .....	AD 1 (38), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Prunella</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Pseuderanthemum</i> .....	do
<i>Psilotum</i> .....	do
<i>Pulmonaria</i> .....	do
<i>Pyrenacantha</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Pyrostegia</i> .....	do

<i>Rhadinophora</i> .....	AD 1 (152, 279), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Rhaphidiphora</i> .....	do
<i>Rhododendron</i> .....	AD 1 (88, 234, 346), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Rheoe</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ruellia</i> .....	AD 1 (304), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Ruscus</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Salix</i> .....	AD 1(271, 288, 303, 406), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Salvia</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Sambucus</i> .....	AD 1(12, 25, 85, 378), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Sansevieria</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Saxifrag</i> .....	do
<i>Schefflera</i> .....	do

<i>Schismatoglottis</i> .....	AD 1 (152), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Schizaea</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Scindapsus</i> .....	do
<i>Selaginella</i> .....	do
<i>Simmondsia</i> .....	do
<i>Soleirolia</i> .....	do
<i>Sonerilla</i> .....	do
<i>Spathyphyllum</i> .....	do
<i>Stachys</i> .....	do
<i>Statice</i> .....	do
<i>Stephanotis</i> .....	AD 1 (87), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Stereospermum</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Sterilitzia</i> .....	AD 1 (1, 150, 164), AD 3 (223, 304, 412), AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Syngonium</i> .....	AD 1 (152), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Talinum</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146,



	162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Thalictrum</i> .....	AD 4 (9, 22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Thymus</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Thibouchina</i> .....	do
<i>Tmesipteris</i> .....	do
<i>Tolmieu</i> .....	do
<i>Trachelium</i> .....	do
<i>Tradescantia</i> .....	do
<i>Verbascum</i> .....	do
<i>Veronica</i> .....	do
<i>Viburnum</i> .....	AD 1 (401), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Wisteria</i> .....	AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<i>Xanthosoma</i> .....	do
<i>Yucca</i> .....	AD 1 (198), AD 4 (22, 23, 24, 132, 133, 145, 146, 162, 203, 270, 366, 368, 369, 370, 371, 372), AD 6
<b>6. Tissue culture in <i>vitro</i> of species of the following genera and families</b>	
<i>Achillea</i> .....	AD 8

<i>Actinidia</i> .....	AD 8
<i>Aglaonema</i> .....	AD 8
<i>Alocasia</i> .....	AD 8
Amaranthaceae.....	AD 8, AD 10 (44, 123, 378, 381, 382)
Amaryllidaceae.....	AD 8
<i>Anigozanthos</i> .....	AD 8
<i>Anthurium</i> .....	AD 8
<i>Aphelandra</i> .....	AD 8
<i>Aralia</i> .....	AD 8
<i>Ardisia</i> .....	AD 8
<i>Asparagus</i> .....	AD 8, AD 10 (35)
<i>Aster</i> .....	AD 4 (388), AD 8, AD 10 (38, 377, 380)
<i>Beaucarnea</i> .....	AD 8
<i>Begonia</i> .....	AD 8
<i>Botrychium</i> .....	AD 8
<i>Bouvardia</i> .....	AD 8
<i>Brachychiton</i> .....	AD 8
Bromeliaceae.....	AD 8
<i>Campanula</i> .....	AD 8, AD 10 (44, 123)
<i>Calathea</i> .....	AD 8
<i>Ceropegia</i> .....	AD 8
<i>Chamaelaucium</i> .....	AD 8
<i>Clematis</i> .....	AD 8
<i>Clerodendron</i> .....	AD 8
<i>Codonanthe</i> .....	AD 8
<i>Columnea</i> .....	AD 8
<i>Cordyline</i> .....	AD 8
<i>Crossandra</i> .....	AD 8
<i>Ctenanthe</i> .....	AD 8
<i>Cupressus</i> .....	AD 8

<i>Cussonia</i> .....	AD 8
<i>Dahlia</i> .....	AD 8
<i>Dendranthema</i> .....	AD 8, AD 10 (38, 87, 380)
<i>Dianthus</i> .....	AD 8, AD 10 (44, 56, 57, 58, 241)
<i>Dieffenbachia</i> .....	AD 8
<i>Dipladenia</i> .....	AD 8
<i>Draba</i> .....	AD 8
<i>Dracaena</i> .....	AD 8
<i>Echeveria</i> .....	AD 8
<i>Erica</i> .....	AD 8
<i>Euphorbia</i> .....	AD 8, AD 10 (159, 287)
<i>Fuchsia</i> .....	AD 8, AD 10 (12)
<i>Geogenanthus</i> .....	AD 8
<i>Geranium</i> .....	AD 8, AD 10 (44, 241, 381)
<i>Gerbera</i> .....	AD 8
<i>Grevillea</i> .....	AD 8
<i>Gypsophila</i> .....	AD 8
<i>Hedera</i> .....	AD 8, AD 10 (12)
<i>Heliconia</i> .....	AD 8, AD 10 (1, 42)
<i>Helminthostachys</i> .....	AD 8
<i>Hibiscus</i> .....	AD 8, AD 10 (44, 111)
<i>Hoya</i> .....	AD 8
<i>Hydrangea</i> .....	AD 8, AD 10 (186, 378, 382)
<i>Kalanchoe</i> .....	AD 8
<i>Lambertia</i> .....	AD 8, AD 10 (159, 287)
<i>Limonium</i> .....	AD 8
<i>Lisianthus</i> .....	AD 8
<i>Lycopodium</i> .....	AD 8
<i>Lysimachia</i> .....	AD 8
<i>Marantaceae</i> .....	AD 8, AD 10 (1,333)

<i>Monstera</i> .....	AD 8
<i>Nematanthus</i> .....	AD 8
<i>Nertera</i> .....	AD 8
<i>Ophioglossum</i> .....	AD 8
<i>Ophiopogon</i> .....	AD 8
Orchidaceae.....	AD 8
<i>Pachypodium</i> .....	AD 8
<i>Passiflora</i> .....	AD 8
<i>Penstemon</i> .....	AD 8, AD 10 (123)
<i>Philodendron</i> .....	AD 8
<i>Phlox</i> .....	AD 8, AD 10 (380)
<i>Phyloglossum</i> .....	AD 8
<i>Phyteuma</i> .....	AD 8
<i>Pisonia</i> .....	AD 8
Polypodiaceae.....	AD 8
<i>Polyscias</i> .....	AD 8
<i>Psilotum</i> .....	AD 8
<i>Rhododendron</i> .....	AD 8
<i>Ruscus</i> .....	AD 8
<i>Sansevieria</i> .....	AD 8
<i>Saxifrage</i> .....	AD 8
Schizeae.....	AD 8
<i>Scindapsus</i> .....	AD 8
<i>Simmondsia</i> .....	AD 8
<i>Solidaster</i> .....	AD 8, AD 10 (38, 377)
<i>Sonerilla</i> .....	AD 8
<i>Spathyphyllum</i> .....	AD 8
<i>Stephanotis</i> .....	AD 8, AD 10 (87)
<i>Strelitzia</i> .....	AD 8, AD 10 (1, 42)
<i>Syngonium</i> .....	AD 8

<i>Thalictrum</i> .....	AD 8
<i>Tibouchina</i> .....	AD 8
<i>Tmesipteris</i> .....	AD 8
<i>Tradescantia</i> .....	AD 8
<i>Yucca</i> .....	AD 8
<b>7. deleted R.57 of 8 January 1999</b>	
<b>8. deleted R.57 of 8 January 1999</b>	
<b>9. deleted R.57 of 8 January 1999</b>	
<b>10.</b> All kinds of timber and unmanufactured timber products 11)	Must be free from bark.
<b>11.</b> Timber and unmanufactured timber products of species of the following genera and families.	
<i>Abies</i> .....	AD 3 (49, 350), AD 4 (175, 207) or AD 9
<i>Acacia</i> .....	None
<i>Acer</i> .....	AD 3 (65) or AD 9
<i>Afzelia</i> .....	None
<i>Agathis</i> .....	AD 9
<i>Electryon</i> .....	None
<i>Amburana</i> .....	None
<i>Anisoptera</i> .....	None
<i>Anthocleista</i> .....	None
<i>Araucaria</i> .....	AD 9
<i>Artocarpus</i> .....	None
<i>Aucoumea</i> .....	None
<i>Baeckea</i> .....	None
<i>Baikrara</i> .....	None
<i>Balfourodendron</i> .....	None
<i>Berchemia</i> .....	None

<i>Betula</i> .....	None
<i>Bowdichia</i> .....	None
<i>Brachystegia</i> .....	None
<i>Buxaceae</i> .....	AD 9
<i>Callitris</i> .....	AD 9
<i>Cariniana</i> .....	None
<i>Castanea</i> .....	AD 3 (66) or/of AD 9
<i>Castanopsis</i> .....	AD 3 (66) or/of AD 9
<i>Casuarina</i> .....	AD 9
<i>Carya</i> .....	None
<i>Cedrus</i> .....	AD 3 (49, 350), AD 4 (175, 207) or AD 9
<i>Celtis</i> .....	AD 3 (70), AD 4 (207) or AD 9
<i>Copaifera</i> .....	None
<i>Chlorophora</i> .....	None
<i>Cupressus</i> .....	AD 9
<i>Cuphea</i> .....	AD 9
<i>Dipteryx</i> .....	None
<i>Dyera</i> .....	None
<i>Entandrophragma</i> .....	None
<i>Eucalyptus</i> .....	None
<i>Euclea</i> .....	None
<i>Fagus</i> .....	AD 3 (70), AD 4 (207) or AD 9
<i>Fraxinus</i> .....	AD 3 (66) or AD 9
<i>Gonystylus</i> .....	None
<i>Guibourtia</i> .....	None
<i>Intsia</i> .....	None
<i>Juglans</i> .....	None
<i>Kalopanax</i> .....	None
<i>Khaya</i> .....	None
<i>Koompassia</i> .....	None

<i>Larix</i> .....	AD 3 (49, 350), AD 4 (175, 207) or AD 9
<i>Lithocarpus</i> .....	AD 3 (66) or AD 9
<i>Millettia</i> .....	None
<i>Perecopsis</i> .....	None
<i>Phoebe</i> .....	None
<i>Physocolumma</i> .....	AD 9
<i>Picea</i> .....	AD 3 (49, 350), AD 4 (175, 207) or AD 9
<i>Pinus</i> .....	do
<i>Platanus</i> .....	None
<i>Podocarpus</i> .....	None
<i>Populus</i> .....	AD 4 (55)
<i>Pseudotsuga</i> .....	AD 3 (49, 350), AD 4 (175, 207), or AD 9
<i>Pterocarpus</i> .....	None
<i>Pterygota</i> .....	None
<i>Quercus</i> .....	AD 3 (66) or AD 9
Rosaceae.....	AD 9
Rutaceae.....	AD 9
<i>Sassafras</i> .....	None
<i>Shorea</i> .....	None
<i>Spirostachys</i> .....	None
<i>Sweetenia</i> .....	None
<i>Tarrieta</i> .....	None
Taxaceae.....	None
Taxodiaceae.....	None
<i>Tectona</i> .....	None
<i>Terminalia</i> .....	AD 9
<i>Theobroma</i> .....	AD 3 (67) or AD 9
<i>Thuja</i> .....	None

<i>Tieghemella</i> .....	None
<i>Tilia</i> .....	None
<i>Triplochiton</i> .....	None
<i>Tsuga</i> .....	AD 3 949, 350), AD 4 (175, 207) or AD 9
<i>Ulmus</i> .....	AD 3 (70), AD 4 (207) or AD 9
<i>Umbellularia</i> .....	None
<i>Zelkova</i> .....	AD 3 (70), AD 4 (207) or AD 9
<b>12. deleted R.57 of 8 January 1999</b>	-----
<b>13. Bark of</b>	
a) <i>Acacia mearnsii</i> (only from Swaziland).....	None
b) <i>Barcena</i> .....	T 7
<b>14. Cork :</b>	
Unmanufactured.....	T 7
Manufactured.....	None
<b>15. Vegetables fibre of species of the following genera and families:</b>	
Bombacaceae (with more than 1 seed per 500 g of fibre vesel)	T 7
<i>Cocos</i> .....	T 7 if necessary
<i>Corchoris</i> .....	do
<i>Gossypium</i> (with more than 1 seed per 2 kg sample)	T 7
<i>Hibiscus</i> .....	T 7
<i>Leopoldiana piassaba</i> .....	T 7 if necessary
<i>Linum</i> .....	None



<i>Sorghum</i> .....	T 7
<b>16. Vegetable gums and resins of the following species and genera:</b>	
<i>Abies balsamea</i> .....	None
<i>Acacia</i> .....	None
<i>Agathis</i> .....	None
<i>Amyris plumeria</i> .....	None
<i>Anacardium occidentale</i> .....	None
<i>Anogeissus latifolia</i> .....	None
<i>Astragalus</i> .....	None
<i>Balanocarpus heimii</i> .....	None
<i>Boswellia</i> .....	None
<i>Bursera</i> .....	None
<i>Ceratonia silique</i> .....	None
<i>Cochlus gossypium</i> .....	None
<i>Commiphora</i> .....	None
<i>Copemica cerifera</i> .....	None
<i>Cistus</i> .....	None
<i>Dacryoidoides hexandra</i> .....	None
<i>Dorema amoniacum</i> .....	None
<i>Dracaena</i> .....	None
<i>Euphorbia resinifera</i> .....	None
<i>Ferula</i> .....	None
<i>Guaiacum</i> .....	None
<i>Guibourtia</i> .....	None
<i>Hymenaea courbaril</i> .....	None
<i>Laccifer lacca</i> .....	None
<i>Liquidambar styraciflua</i> .....	None
<i>Melanorrhoea usitata</i> .....	None

<i>Myroxylon</i> .....	None
<i>Pinus</i> .....	None
<i>Piptadenia</i> .....	None
<i>Pistacia lentiscus</i> .....	None
<i>Protium</i> .....	None
<i>Prunus</i> .....	None
<i>Rhus verniciflua</i> .....	None
<i>Sacapetalum tomentosum</i> .....	None
<i>Sterculia</i> .....	None
<i>Styrax</i> .....	None
<i>Terminalia</i> .....	None
<i>Tetraclinus articulata</i> .....	None
<i>Xanthorrhoea</i> .....	None
<b>17.</b> Rattan and bamboo obtained from the species of the following genera	
<i>Arundinaria</i> .....	None
<i>Bambusa</i> .....	None
<i>Calamus</i> .....	None
<i>Daemonorops</i> .....	None
<i>Dendrocalamus</i> .....	None
<i>Korthalsia</i> .....	None
<i>Phyllostachys</i> .....	None
<i>Plectocomia</i> .....	None
<i>Thyrsostachys</i> .....	None
<b>18.</b> deleted by R.57 of 8 January 1999	-----
<b>19.</b> Herbs, spices and other parts of plants intended for	

medicinal, human or animal consumption and obtained from plants of the following species, genera and families:	
<i>Acanthus mollis</i> .....	None
<i>Achillea</i> .....	None
<i>Aconitum</i> .....	None
<i>Actaea spicata</i> .....	None
<i>Agar-Agar</i> (unrefined).....	None
<i>Agastache foeniculum</i> .....	None
<i>Agrimonia eupatoria</i> .....	None
<i>Ajuga</i> .....	None
<i>Alcea rosea</i> .....	None
<i>Alchemilla vulgaris</i> .....	None
<i>Allium</i> (only dried, flaked and powdered).....	None
<i>Aloe</i> .....	None
<i>Althea</i> .....	None
<i>Anacardium</i> (Only the seed thereof).....	None
<i>Anagallis arvensis</i> .....	None
<i>Anchusa</i> .....	None
<i>Androstephium violaceum</i> .....	None
<i>Anemone</i> .....	AD 11
<i>Anethum</i> .....	None
<i>Angelica</i> .....	None
<i>Anthemis tinctoria</i> .....	None
<i>Antennaria dioica</i> .....	None
<i>Anthriscus</i> .....	None
<i>Anthyllis</i> .....	None
<i>Apium graveolens</i> .....	AD 11
<i>Aquilegia vulgaris</i> .....	None
<i>Arabis</i> .....	None

<i>Aralia</i> .....	None
<i>Arctotis acaulis</i> .....	None
<i>Areca catechu</i> (only the nuts thereof).....	None
<i>Armeria</i> .....	None
<i>Arnica Montana</i> .....	None
<i>Asarum canadense</i> .....	None
<i>Asclepias tuberosa</i> .....	None
<i>Asperula</i> .....	None
<i>Astragalus</i> .....	AD 11
<i>Atropa</i> .....	None
<i>Baptisia</i> .....	None
<i>Barbarea verna</i> .....	None
<i>Bellis perennis</i> .....	None
<i>Borago officinalis</i> .....	None
<i>Brassica</i> (only the seed thereof)	D
<i>Bryonia dioica</i> .....	None
<i>Cajanus</i> [only the seed thereof)	D
<i>Calendula</i> .....	None
<i>Campanula</i> .....	None
<i>Canavalia</i> (only the seed thereof)	D
<i>Capparis spinosa</i> .....	None
<i>Carthamus tinctorius</i> .....	None
<i>Carum carvi</i> .....	None
<i>Carya</i> (only the nuts thereof)	None
<i>Castanea</i> .....	None
<i>Catharanthus roseus</i> .....	None
<i>Ceanothus americanus</i> .....	None
<i>Cedronella triphylla</i> .....	None
<i>Centaurea cyanus</i> .....	None
<i>Centaurium erythraea</i> .....	None

<i>Ceratonia siliqua</i> (only the seed thereof).....	D
<i>Cheiranthus cheiri</i> .....	None
<i>Chelidonium</i> .....	None
<i>Chenopodium</i> .....	None
<i>Chrysanthemum</i> .....	None
<i>Cicer</i> (only the seed thereof).....	D
<i>Cichorium intybus</i> .....	AD 11
<i>Cimicifuga racemosa</i> .....	None
<i>Cinnamomum</i> .....	None
<i>Cnicus benidictus</i> .....	None
<i>Cocos nucifera</i> (only the nuts thereof).....	None
<i>Coffea</i> (only roasted beans).....	None
<i>Colchicum autumnale</i> .....	AD 11
<i>Collinsonia Canadensis</i> .....	None
<i>Colutea</i> .....	None
<i>Conium maculatum</i> .....	None
<i>Convallaria</i> .....	None
<i>Coreopsis tinctoria</i> .....	None
<i>Coriandrum sativum</i> .....	None
<i>Cornus florida</i> .....	None
<i>Corylus</i> (only the nuts thereof).....	None
<i>Crithmum maritimum</i> .....	None
<i>Crocus sativus</i> .....	None
<i>Croton</i> .....	None
<i>Cryptotaenia japonica</i> .....	None
Cucurbitaceae (only the seed thereof).....	D
<i>Cuminum cyminum</i> .....	None
<i>Cupressus</i> .....	None
<i>Curcuma longa</i> .....	AD 11
<i>Cyamopsis</i> (only the seed thereof).....	D

<i>Cynara</i> .....	None
<i>Danae racemosa</i> .....	None
<i>Delphinium grandiflorum</i> .....	None
<i>Dianthus</i> .....	None
<i>Dictamnus albus</i> .....	None
<i>Digitalis</i> .....	None
<i>Dipsacus</i> (flower head).....	T 7, D
<i>Dolichos</i> .....	None
<i>Dracocephalum moldavica</i> .....	None
<i>Elettaria cardamomum</i> .....	None
<i>Epilobium</i> .....	None
<i>Erica</i> .....	None
<i>Erigeron</i> .....	None
<i>Eugenia caryophyllata</i> .....	None
<i>Euphorbia</i> .....	None
<i>Fagopyrum</i> .....	None
<i>Filipendula</i> .....	None
<i>Foeniculum vulgare</i> .....	None
<i>Galega officianalis</i> .....	None
<i>Galium</i> .....	None
<i>Genista tinctoria</i> .....	None
<i>Gentiana</i> .....	None
<i>Geranium</i> .....	None
<i>Glycine</i> (only the seed thereof)	D
<i>Glycyrrhiza glabra</i> .....	AD 11
<i>Gnaphalium</i> .....	None
<i>Gossypium</i> (only the seed thereof).....	T 2, D
<i>Gratiola officinalis</i> .....	None
<i>Grindelia robusta</i> .....	None
<i>Guizotia abyssinica</i> .....	None

<i>Hamamelis virginiana</i> .....	None
<i>Helianthemum</i> .....	None
<i>Heliotropium</i> .....	None
<i>Helleborus niger</i> .....	None
<i>Herniaria</i> .....	None
<i>Heuchera</i> .....	None
<i>Hibiscus sabdariffa</i> .....	None
<i>Hieracium</i> .....	None
<i>Hordeum</i> (only the seed thereof).....	D
<i>Humulus</i> .....	None
<i>Hydrocotyle asiatica</i> .....	None
<i>Hyodcyamus niger</i> .....	None
<i>Hypericum</i> .....	None
<i>Hyssopus officinalis</i> .....	None
<i>Iberis umbellata</i> .....	AD 11
<i>Ilex paraguariensis</i> .....	None
<i>Illicium verum</i> .....	None
<i>Indigofera</i> .....	None
<i>Inula helenium</i> .....	None
<i>Iris</i> .....	AD 11
<i>Isatis tinctoria</i> .....	None
<i>Jasminum</i> .....	None
<i>Juglans</i> (only the nuts thereof).....	D
<i>Juniperus communis</i> .....	None
<i>Lamium</i> .....	None
<i>Laurus</i> .....	None
<i>Lavandula</i> .....	None
<i>Lawsonia inermis</i> .....	None
<i>Lens</i> (only the seed thereof).....	D
<i>Leontopodium alpinum</i> .....	None

<i>Leonurus</i> .....	None
<i>Lepidium sativum</i> .....	None
<i>Levisticum officinale</i> .....	None
<i>Liatris</i> .....	None
<i>Ligustrum</i> .....	None
<i>Linaria</i> .....	None
<i>Linum usitatissimum</i> .....	None
<i>Lobelia</i> .....	None
<i>Lotus</i> .....	None
<i>Lophocarpus</i> .....	None
<i>Lupinus</i> (only the seed thereof).....	D
<i>Lychnis chalcedonica</i> .....	None
<i>Lycium chinense</i> .....	None
<i>Lycopus europaeus</i> .....	None
<i>Lysimachia nummularia</i> .....	None
<i>Lythrum salicaria</i> .....	None
<i>Macadamia</i> (only the nuts thereof)	None
<i>Maclura pomifera</i> .....	None
<i>Mangifera</i> (only the seed thereof)	None
<i>Malva</i> .....	None
<i>Manihot esculenta</i> .....	AD 11
<i>Maranta arundinacea</i> .....	AD 11
<i>Marrubium vulgare</i> .....	None
<i>Matricaria chamomilla</i> .....	None
<i>Melilotus officinalis</i> .....	None
<i>Melissa officinalis</i> .....	None
<i>Mentha</i> .....	None
<i>Metroxylon rumphii</i> .....	None
<i>Mirabilis</i> .....	None
<i>Moluccella laevis</i> .....	None



<i>Monarda didyma</i> .....	None
<i>Morus nigra</i> (dried/gedroog).....	None
<i>Myrica pensylvanica</i> .....	None
<i>Myristica fragrans</i> .....	None
<i>Myrrhis odorata</i> .....	None
<i>Myrtus communis</i> .....	None
<i>Nasturtium officinale</i> .....	None
<i>Nepenthes</i> .....	None
<i>Nepeta</i> .....	None
<i>Nigella damascena</i> .....	None
<i>Ocimum</i> .....	None
<i>Ononis</i> .....	None
<i>Origunum</i> .....	None
<i>Oryza</i> (only the grain thereof).....	D
<i>Panax</i> .....	AD 11
<i>Papaver somniferum</i> .....	T 7, D
<i>Paris quadrifolia</i> .....	None
<i>Pelargonium</i> .....	None
<i>Perilla frutescens</i> .....	None
<i>Petroselinum crispum</i> .....	None
<i>Peucedanum</i> .....	None
<i>Phalaris canariensis</i> .....	D
<i>Phaseolus</i> (only the seed thereof).....	D
<i>Piper</i> .....	None
<i>Pisum</i> (only the seed thereof).....	D
<i>Ricinus</i> .....	None
<i>Saxifraga</i> .....	None
<i>Secale</i> (only the seed thereof)	D
<i>Sedum</i> .....	None
<i>Sempervivum</i> .....	None

<i>Sesamum</i> .....	None
<i>Silybum marianum</i> .....	None
<i>Smilax</i> .....	None
<i>Solidago virgaurea</i> .....	None
<i>Sorghum</i> (only the seed thereof).....	D
<i>Stachys</i> .....	AD 11
<i>Symphytum</i> .....	None
<i>Tagetes</i> .....	None
<i>Taraxacum officinale</i> .....	None
<i>Teucrium</i> .....	None
<i>Tetragonia tetragonioides</i> .....	None
<i>Theobroma</i> .....	None
<i>Thymus</i> .....	None
<i>Tilia cordata</i> .....	None
<i>Trigonella foenum-graecum</i> .....	None
<i>Tropaeolum</i> .....	None
<i>Tussilago farfara</i> .....	None
<i>Urginea maritima</i> .....	None
<i>Urtica</i> .....	None
<i>Valeriana</i> .....	None
<i>Valerianella locusta</i> .....	None
<i>Verbascum</i> .....	None
<i>Vanilla</i> .....	None
<i>Verbena</i> .....	None
<i>Veronica</i> .....	None
<i>Viburnum opulus</i> .....	None
<i>Vigna</i> (only the seed thereof).....	D
<i>Vinca</i> .....	None
<i>Viola</i> .....	None
<i>Voandzeia</i> (only the seed thereof).....	D

<i>Yucca glauca</i> .....	D
<b>20. deleted by R.306 of 15 March 2002</b>	-----
<b>21. Vermi compost .....</b>	AD 4 (206) and as for Biological material indicated above
<b>22. deleted by R.57 of 8 January 1999</b>	-----
<b>23. deleted by R.57 of 8 January 1999</b>	-----

*[Amended by R.2252 of 26 November 1993,  
R. 23 of 8 January 1999 as revoked by, R.57 of 8 January 1999,  
R. 306 of 15 March 2002  
R. 830 of 21 June 2002],  
R. 49 of 05 February 2010]*

**TABLE 2**  
**INSECTS AND PATHOGENS**

- 
1. Abaca mosaic virus
  2. Abutilon mosaic virus
  3. *Acalitus essigi*
  4. *Acalitus orthomera*
  5. *Acarapis woodi*
  6. *Aceria biopsida*
  7. *Aceria breakeyi*
  8. *Aceria peucedamum*
  9. *Aceria tulipae*
  10. *Actinomyces ipomoeae*
  11. *Aecidium fragiforme*
  12. Alfalfa dwarf mosaic virus
  13. *Alternaria cichorii*
  14. *Alternaria padwickii*
  15. *Anarsia lineatella*
  16. *Anastrepha fraterculus*
  17. *Anastrepha ludens*
  18. *Anastrepha mombinpraeoptans*
  19. *Anguina* spp.
  20. *Anguina tritici*
  21. Annual ryegrass toxicity syndrome
  22. *Aphelenchoides besseyi*
  23. *Aphelenchoides fragariae*
  24. *Aphelenchoides ritzema-bosi*
-

- 
25. Arabis mosaic virus
  26. Artichoke curly dwarf virus
  27. Artichoke mosaic virus
  28. Artichoke mottle crinkle virus
  29. *Ascochyta abelmoschi*
  30. *Ascochyta gossypii*
  31. *Ascochyta pisi*
  32. *Ascochyta rabiei*
  33. *Ascochyta* spp.
  34. *Ascospaera apis*
  35. Asparagus virus
  36. *Aspergillus niger* f *floridanus*
  37. *Aspidiella hartii*
  38. Aster yellows mycoplasma
  39. *Bacillus larvae*
  40. Bacterial pathogens
  41. *Balansia oryzae*
  42. Banana bunchy top virus
  43. Bean Yellow Mosaic virus
  44. Beet curly top virus
  45. Black pepper stunt virus
  46. Blueberry stunt virus
  47. *Botrytis tulipae*
  48. Broadbean stain virus
  49. *Bursaphelenchus xylophilus*
  50. *Cacoecimorpha pronubana*
  51. Cadang-cadang viroid
  52. *Caeoma sanctae-crucis*
  53. *Caeoma torreya*
  54. *Calacarus carinatus*
  55. *Campanotus herculeanus*

- 
56. Carnation etched ring virus
  57. Carnation necrotic fleck virus
  58. Carnation streak virus
  59. *Cecidophyopsis ribis*
  60. Celery mosaic virus
  61. *Cephaleuros parasiticus*
  62. *Cephalosporium diospyri*
  63. *Cephalosporium maydis*
  64. *Cephalosporium sacchari*
  65. *Ceratocystis coerulescens*
  66. *Ceratocystis fagacearum*
  67. *Ceratocystis fimbriata*
  68. *Ceratocystis fimbriata* var *platani*
  69. *Ceratocystis* spp.
  70. *Ceratocystis ulmi*
  71. *Ceratostomella fimbriata*
  72. *Cercospora angolensis* (Redescribed as *Phaeoranularia angolensis*)
  73. *Cercospora coffeicola*
  74. *Cercospora corchori*
  75. *Cercospora ixorae*
  76. *Cercospora mangifera*
  77. *Cercospora pini-densiflorae*
  78. *Cercospora purpurea*
  79. *Cercospora sequioae*
  80. *Cercospora sojina*
  81. *Cercospora* spp.
  82. *Cercospora transversiana*
  83. *Ceutospora litchii*
  84. *Chaetocnema pulicaria*
  85. Cherry leafroll virus
  86. Cherry rasp leaf virus

- 
87. Chrysanthemum stunt viroid
  88. *Chrysomyxa rhododendri*
  89. *Ciboria betulae*
  90. Citrus stubborn mycoplasma
  91. *Claviceps purpurea*
  92. *Claviceps* spp.
  93. *Clitocybe tabescens*
  94. Clostero viruses
  95. Clover phyllody mycoplasma
  96. *Cochliobolus miyabeanus* (Syn *Helminthosporium oryzae*)
  97. *Colletotrichum cajani*
  98. *Colletotrichum capsici*
  99. *Colletotrichum coffeanum* (CBD Strain/Ras)
  100. *Colletotrichum dematium* f *sp. truncatum*
  101. *Colletotrichum fuscum*
  102. *Colletotrichum lini*
  103. *Colletotrichum panacicola*
  104. *Colletotrichum villosum*
  105. *Coniella diplodiella*
  106. *Corynebacterium flaccumfaciens* pv *betae*
  107. *Corynebacterium flaccumfaciens* pv *flaccumfaciens*
  108. *Corynebacterium michiganense* pv *michiganense*
  109. *Corynebacterium michiganense* pv *sepedonicum*
  110. *Corynespora casiicola*
  111. Cotton leaf curl virus
  112. Cranbery false blossom mycoplasma
  113. *Crinipellis palmivora*
  114. *Crinipellis perniciosa*
  115. *Cronartium coleosporioides*
  116. *Cronartium comptoriae*
  117. *Cronartium fusiforme*

- 
118. *Cronartium quercuum*
  119. *Cronartium strobultinum*
  120. *Cryptospora longispora*
  121. *Cryptostictis cupressi*
  122. Cucumber leaf roll virus
  123. Cucumber mosaic virus
  124. *Cydia molesta*
  125. *Dacus cucurbitae*
  126. *Dacus dorsalis*
  127. *Dacus tryoni*
  128. *Dacus zonatus*
  129. *Diaporthe phaseolorum* var *batatatis*
  130. *Diaporthe phaseolorum* var *caulivora*
  131. *Didymella chrysanthemi*
  132. *Ditylenchus destructor*
  133. *Ditylenchus dipsaci*
  134. *Ditylenchus* spp
  135. *Dothistroma pini*
  136. *Dotichiza populea*
  137. *Drechslera iridis*
  138. *Drechslera maydis*
  139. *Dysmicoccus brevipes*
  140. *Echinodentium taxodii*
  141. Elm mosaic virus
  142. *Endothia gyrosa*
  143. *Endothia parasitica*
  144. *Ennomos subsignarius*
  145. *Eotetranychus pruni* (*E. pomi*)
  146. *Eotetranychus sexmaculatus*
  147. *Ephelis pallida*
  148. *Eriophyes gastrotrichus*



- 
149. *Erwinia amylovora*
  150. *Erwinia carotovora* f sp *musae*
  151. *Erwinia carotovora* pv *atroseptica*
  152. *Erwinia chrysanthemi*
  153. *Erwinia chrysanthemi* f sp *dianthi*
  154. *Erwinia nigrifluens*
  155. *Erwinia rhapontici*
  156. *Erwinia rubrifaciens*
  157. *Erwinia stewartii*
  158. *Euonymus* variegation virus
  159. *Euphorbia* mosaic virus
  160. *Exobasidium camelliae*
  161. *Exobasidium vexans*
  162. *Frankliniella occidentalis*
  163. Fungal pathogens
  164. *Fusarium oxysporum* f *cubense*
  165. *Fusarium oxysporum* f. sp. *lycopersici* Race III
  166. *Fusarium oxysporum* f. sp. *psidii*
  167. *Fusarium oxysporum* f. *zingiberi*
  168. *Ganoderma lucidum*
  169. *Globodera* spp
  170. *Gloeotinia temulenta*
  171. *Glomerella cingulata*
  172. *Gnomonia platani* (syn *G.veneta*)
  173. *Godrona cassandrae*
  174. *Goplana dioscorea*
  175. *Gremmeniella abeitina*
  176. Guar top necrosis virus
  177. *Guignardia aesculi*
  178. *Guignardia bidwellii*
  179. *Gymnosporangium* spp

- 
180. *Hendersonia agathi*
  181. *Heterodera glycines*
  182. *Heterodera humuli*
  183. *Heterodera* spp
  184. Hop mosaic virus
  185. Hop nettle virus complex
  186. Hydrangea ringspot virus
  187. *Hymenochaeta mongeotii*
  188. *Hymenoptera* spp
  189. Ilar group viruses
  190. *Kabathina thujae*
  191. *Kabatiella nigricans*
  192. *Kabatiella zae*
  193. *Keithia thujina*
  194. *Koleroga noxia*
  195. Leaf scorch
  196. *Leptinotarsa decemlineata*
  197. *Leptosphaeria maculans* (Syn *Phoma lingam*)
  198. *Leptosphaeria obtusispora*
  199. Lethal yellowing mycoplasma
  200. Lettuce mosaic virus
  201. Lily mosaic virus
  202. Lily rosette virus
  203. *Liriomyza* spp
  204. *Lophodermium cedri*
  205. *Lophodermium* spp
  206. *Lumbricus rubellus*
  207. *Lymantria disparina*
  208. *Magnaporthe salvinii*
  209. *Malpigamoeba mellificae*
  210. *Mampava rhodoneura*

- 
211. *Marssonina brannea*
  212. *Melampsora hypericorum*
  213. *Melampsora pinitorqua*
  214. *Meloidogyne* spp
  215. *Microcyclus ulei*
  216. *Microsphaeria alni*
  217. Mollusca
  218. *Monilia roreri*
  219. *Monilochaetes infuscans*
  220. Mosaic
  221. Mosaic virus infection
  222. *Mycosphaerella citri*
  223. *Mycosphaerella fijiensis*
  224. *Mycosphaerella linorum*
  225. Myrobolan latent ringspot virus
  226. Narcissus yellow stripe virus
  227. Necrotic ringspot virus serotypes
  228. *Nectria cinnabarina*
  229. *Nectria galligena*
  230. Nematodes (plant parasitic)
  231. *Neovossia indica*
  232. *Oidium euonymi-japonici*
  233. *Opogona sacchari*
  234. *Ovulina azaleae*
  235. *Paramyelois transitella*
  236. *Pardalaspis cyanescens*
  237. Pea seedborne mosaic virus
  238. Peanut marginal chlorosis virus
  239. Peanut mottle virus (syn. Groundnut mottle virus)
  240. Peanut stunt virus
  241. Pelargonium leaf curl virus

- 
242. Peperomia ringspot virus
  243. *Perenosclerospora maydis*
  244. *Perenosclerospora phillipinensis*
  245. *Perenosclerospora sacchari*
  246. *Perenosclerospora spontanea*
  247. *Peridermium cedri*
  248. *Peronospora arborescens*
  249. *Peronospora documeti*
  250. *Peronospora farinosa*
  251. *Peronospora hyoschyami*
  252. *Peronospora jacksonii*
  253. *Peronospora mesembryanthemi*
  254. *Peronospora schachtii*
  255. *Peronospora tabacina*
  256. *Phakopsora cheoana*
  257. *Phakopsora jatrophiicola*
  258. *Phakopsora pachyrhizi*
  259. *Phakopsora zizyphi-vulgaris*
  260. *Phoma cisti*
  261. *Phoma sabdariffae*
  262. *Phoma* spp
  263. *Phoma strasseri*
  264. *Phomopsis annonacearum*
  265. *Phomopsis heveae*
  266. *Phomopsis theae*
  267. *Phomopsis vexans*
  268. Phormium yellowing mycoplasma
  269. *Phyllosticta dracaenae*
  270. *Phymatotrichum omnivorum*
  271. *Physalospora miyabeana*
  272. *Physopella ampelopsidis*

- 
273. Phytophagous mites
  274. *Phytophthora capsici*
  275. *Phytophthora cryptogea*
  276. *Phytophthora fragariae*
  277. *Phytophthora infestans*
  278. *Phytophthora palmivora*
  279. *Phytophthora* spp
  280. Plant parasitic nematodes
  281. *Plasmodiophora brassicae*
  282. *Plasmopara chrysanthemi-coronarii*
  283. *Plasmopara halstedii*
  284. *Pleospora papaveracea*
  285. *Ploioderma lethale*
  286. Plum Pox virus (Sharka)
  287. Poinsettia mosaic virus
  288. *Polaccia saliciperda*
  289. *Polyporus gilvus*
  290. *Polyporus sanguineus*
  291. *Polyscytalum pustulans*
  292. Potato spindle tuber viroid
  293. *Pratylenchus brachyurus*
  294. *Pratylenchus scribneri*
  295. *Prostephanus truncatus*
  296. *Pseudococcus citri*
  297. *Pseudomonas aleuritides*
  298. *Pseudomonas andropogonis*
  299. *Pseudomonas aptata*
  300. *Pseudomonas caryophylli*
  301. *Pseudomonas maublanci*
  302. *Pseudomonas phaseolicola*
  303. *Pseudomonas saliciperda*

- 
304. *Pseudomonas solanacearum*
  305. *Pseudomonas solanacearum* biotypes III and IV
  306. *Pseudomonas syringae* pv *mellea*
  307. *Pseudomonas syringae* pv *lisi*
  308. *Pseudomonas syringae* pv *populae*
  309. *Pseudomonas syringae* pv *savastanoi*
  310. *Pseudomonas viridiflava*
  311. *Pseudoperonospora humuli*
  312. *Psylla pyricola*
  313. *Puccinia cari-bistortea*
  314. *Puccinia graminis*
  315. *Puccinia horiana*
  316. *Puccinia psidii*
  317. *Puccinia* spp
  318. *Pucciniastrum actinidiae*
  319. *Pyrenochaeta phlogina*
  320. *Pythium myriotylum*
  321. *Radopholus citrophilis*
  322. *Radopholus similis*
  323. *Ramularia bellulensis*
  324. *Ramularia cyclaminicola*
  325. *Rhadinaphelenchus cocophilus*
  326. *Rhagoletis cerasi*
  327. *Rhagoletis pomonella*
  328. *Rhizoctonia solani*
  329. *Rhyncophorus palmarum*
  330. Root wilt/Wortelverwelking
  331. Rose Rosette virus
  332. Rose wilt virus
  333. *Rosselinia bunodes*
  334. *Rotylenchus reniformis*

- 
335. *Sanninoidea exitiosa*
  336. *Sclerophthora rayssiae* var *zeae*
  337. *Sclerotinia bulborum*
  338. *Sclerotinia convulata*
  339. *Sclerotinia narcissicola*
  340. *Sclerotinia polyblastis*
  341. *Sclerotinia ricini*
  342. *Sclerotinia trifolium*
  343. *Sclerotium tuliparum*
  344. *Seiridium cardinale*
  345. *Septobasidium aleuritides*
  346. *Septoria azaleae*
  347. *Septoria gladioli*
  348. *Septoria glycines*
  349. Shuck die-back disease
  350. *Sirex noctilio*
  351. Soil-borne viruses
  352. *Sorosporium syntherismae*
  353. Soyabean mild mosaic virus
  354. Soyabean stunt virus
  355. *Sphaceloma manihoticola*
  356. *Sphaceloma punicae*
  357. *Sphaerotheca mors-uvae*
  358. *Sphaerulina taxicola*
  359. *Spongospora* spp
  360. *Steneotarsonemus laticeps*
  361. Strawberry latent ringspot virus
  362. *Streptomyces scabies*
  363. Sugarcane fiji virus
  364. Sugarcane grassy shoot virus
  365. Sugarcane sereh virus

- 
366. *Synchytrium endobioticum*
  367. *Synchytrium piperi*
  368. *Tetranychus Canadensis*
  369. *Tetranychus mcdanielli*
  370. *Tetranychus pacificus*
  371. *Tetranychus schoenei*
  372. *Tetranychus viennensis*
  373. *Thyronectria denigrata*
  374. *Tilletia barclayana*
  375. *Tilletia contraversa*
  376. Tobacco leaf curl virus
  377. Tobacco rattle virus
  378. Tobacco ringspot virus
  379. Tobacco streak virus
  380. Tomato aspermy virus
  381. Tomato black ring virus
  382. Tomato ringspot virus
  383. *Trioza calacarus*
  384. *Trogoderma granarium*
  385. *Tropilaelops clareae*
  386. Tulip white streak virus
  387. Uredinales
  388. Uradinales (Pine rusts)
  389. *Uredo phormii*
  390. *Urocystis agropyri*
  391. *Urocystis cepulae* (Syn *U. colchici*)
  392. *Uromyces cytisi*
  393. *Uromyces genistae-tinctoriae*
  394. *Uromyces* spp
  395. *Ustilaginoidea virens*
  396. *Ustilago coicis*



- 
397. *Ustilago nuda*
  398. *Ustilago utriculosa*
  399. *Ustilago violacea*
  400. *Varroa jacobsoni*
  401. *Verticillium albo-atrum*
  402. *Verticillium dahliae*
  403. *Verticillium* spp
  404. Virus and virus-like diseases affecting honey bees
  405. Virus and virus-like diseases
  406. Virus chlorosis
  407. Wilt diseases caused by fungi
  408. *Xanthomonas campestris* pv *begoniae*
  409. *Xanthomonas campestris* pv *campestris*
  410. *Xanthomonas campestris* pv *cassavae*
  411. *Xanthomonas campestris* pv *cassiae*
  412. *Xanthomonas campestris* pv *celebensis*
  413. *Xanthomonas campestris* pv *citri*
  414. *Xanthomonas campestris* pv *corylina*
  415. *Xanthomonas campestris* pv *erythrinae*
  416. *Xanthomonas campestris* pv *hyacinthi*
  417. *Xanthomonas campestris* pv *khayae*
  418. *Xanthomonas campestris* pv *manihotis*
  419. *Xanthomonas campestris* pv *oryzae*
  420. *Xanthomonas campestris* pv *oryzicola*
  421. *Xanthomonas campestris* pv *phormicola*
  422. *Xanthomonas campestris* pv *vasculorum*
  423. *Xanthomonas campestris* pv *versicatoria*
  424. *Xanthomonas fragariae*
  425. *Xanthomonas gorlencovianum*
  426. *Xanthomonas* spp
  427. *Xanthomonas panici*

---

 428. Yam mosaic viru
 

---

**TABLE 3  
PORTS OF ENTRY**

The harbours in	Durban, Cape Town, East London and Port Elizabeth
The container depots in	Durban, Cape Town, East London, Port Elizabeth, City Deep and Terminals(Pretcon and Eastcon)
The international airports	Durban, O. R. Tambo, Cape Town, Kruger Mpumalanga, Lanseria, and Port Elizabeth
The border control posts at	Vloosdrift, Nakop, Grobler's Bridge, Skilpad's Gate, Ramatlabama, Beit Bridge, Lebombo, Oshoek and Golela
The Main Post Offices in	Cape Town, Durban, Johannesburg and Port Elizabeth

***[Amended by R. 57 of January 1999  
Amended by R1058 of 27 October 2006]***