

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 10

Taft Ultra Pumphairspray HL4

SDS No. : 681453 V001.0 Revision: 20.05.2021 printing date: 10.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Taft Ultra Pumphairspray HL4

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use:

Hairspray, non-Aerosol

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA Düsseldorf Germany Henkelstr. 67 40191 Düsseldorf Phone: +49 211-797-0

E-mail address of person responsible for Safety Data Sheet: Henkel Cosmetics, e-mail : Elisabeth.Poppe@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases. Further information is available at Poison Control Centers.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Flammable liquidsCategory 2Highly flammable liquid and vapor.Serious eye irritationCategory 2Causes serious eye irritation.

2.2. Label elements (CLP)

Hazard pictogram:



Signal word:	Danger
Hazard statement:	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.
Precautionary statement: Prevention	P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P280 Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement: Response	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P337+P313 If eye irritation persists: Get medical advice/attention. P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Ethanol denatured 64-17-5	200-578-6	01-2119457610-43	>= 70-< 90 %	H225 Flammable liquids 2 H319 Serious eye irritation 2

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

SECTION 4: First aid measures

4.1. Description of first aid measures

General information: In case of adverse health effects seek medical advice. Remove casualty immediately from danger zone. Take off immediately all contaminated clothing.

Inhalation: not relevant.

Skin contact: Rinse with water. Take off all clothing contaminated by the product.

Eye contact: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion: Rinse the mouth. Drink 1-2 glasses of water.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Carbon dioxide.

Extinguishing media which must not be used for safety reasons: High pressure waterjet

5.2. Special hazards arising from the substance or mixture

The release of following substances is possible in case of fire:

carbon oxides. nitrogen oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus. Wear protective equipment.

Additional information:

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations. Collect contaminated fire fighting water separately. It must not enter drains. In case of fire, keep containers cool with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures No information.

6.2. Environmental precautions

Do not allow to enter drainage system, surface or ground water of not diluted product. Do not dispose of in wastepaper bin or trash-can.

6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (chemical binder) Dilute small quantities with large amount of water and rinse.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling advice: No particular measures required.

Fire and explosion protection information: Take measures to prevent the build-up of electrostatic charges. Keep away from sources of ignition - no smoking.

Hygiene measures:

Do not eat, drink or smoke while working. Immediately remove soiled or soaked clothing. Wash hands before work breaks and after finishing work. Keep away from food, beverages and animal feed.

7.2. Conditions for safe storage, including any incompatibilities Store in sealed original container protected against moisture. Store far from foodstuffs.

7.3. Specific end use(s) Hairspray, non-Aerosol

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for

Germany

Ingredient [Regulated substance]	ррт	mg/m ³	Value type	Short term exposure limit category / Remarks	Remarks
Ethanol 64-17-5			1	Category II: substances with a resorptive effect.	TRGS 900
Ethanol 64-17-5	200	380		4 If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7).	TRGS 900

8.2. Exposure controls

Engineering controls: Ensure good ventilation/suction at the workplace.

Respiratory protection: Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Manufacturer e.g. German company KCL, type Dermatril.

Eye protection: Protective goggles

Skin protection: Suitable protective clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture: Appearance

Odo	r
-----	---

pH (20 °C (68 °F)) Initial boiling point Flash point Decomposition temperature Vapour pressure Density (20 °C (68 °F)) Bulk density Viscosity Viscosity Viscosity (kinematic) Explosive properties Solubility (qualitative) (20 °C (68 °F); Solvent: Water) liquid clear light yellow floral, fruity

8,40 - 9,30 Not applicable 18 °C (64.4 °F); ISO 1523-83 Not applicable Not applicable 0,815 - 0,821 g/cm3 Not applicable Not applicable Not applicable Not applicable Soluble Solidification temperature Melting point Flammability Auto-ignition temperature Explosive limits Partition coefficient: n-octanol/water Evaporation rate Vapor density Oxidising properties Container pressure

Not applicable Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None if used for intended purpose.

10.2. Chemical stability

None known.

10.3. Possibility of hazardous reactions

See section reactivity None known.

10.4. Conditions to avoid

Keep away from sources of ignition and naked flames.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

General toxicological information:

The present product is a chemical preparation within the meaning of the chemicals act. The following evaluation has been made on the basis of the toxicological data and content by weight of the individual ingredients. No information exists about acute toxic, irritative or otherwise harmful effects caused by the product.

11.1. Information on toxicological effects

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Ethanol denatured 64-17-5	LD50	10.470 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Ethanol denatured	LD50	> 2.000 mg/kg	rabbit	OECD Guideline 402 (Acute Dermal Toxicity)
64-17-5				

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Test atmosphere	Exposure	Species	Method
CAS-No.	type			time		
Ethanol denatured	LC50	124,7 mg/l	vapour	4 h	rat	OECD Guideline 403 (Acute
64-17-5						Inhalation Toxicity)

Skin corrosion/irritation:

No data available.

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Ethanol denatured 64-17-5	irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Ethanol denatured 64-17-5	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

No data available.

Germ cell mutagenicity:

No data available.

Carcinogenicity

No data available.

Reproductive toxicity:

No data available.

STOT-single exposure:

No data available.

STOT-repeated exposure::

No data available.

Aspiration hazard:

No data available.

SECTION 12: Ecological information

General ecological information:

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Ethanol denatured	LC50	> 12.000 - 16.000 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish,
64-17-5					Acute Toxicity Test)

Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type		_	_	
Ethanol denatured 64-17-5	EC50	> 100 mg/l	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Chronic toxicity to aquatic invertebrates

No data available.

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Ethanol denatured 64-17-5	EC50	> 100 mg/l	24 h	1.5	OECD Guideline 201 (Alga, Growth Inhibition Test)

Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Ethanol denatured	IC50	> 1.000 mg/l	3 h	activated sludge	OECD Guideline 209
64-17-5		-		_	(Activated Sludge,
					Respiration Inhibition Test)

12.2. Persistence and degradability

Hazardous substances	Result	Test type	Degradability	Exposure	Method
CAS-No.				time	
Ethanol denatured	readily biodegradable	aerobic	> 70 %	5 d	OECD Guideline 301 D (Ready
64-17-5					Biodegradability: Closed Bottle
					Test)

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Hazardous substances CAS-No.	PBT / vPvB
Ethanol denatured	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
64-17-5	Bioaccumulative (vPvB) criteria.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Consider national regulations.

SECTION 14: Transport information

14.1. UN number

	1170
ADR	1170
RID	1170
ADN	1170
IMDG	1170
IATA	1170

14.2. UN proper shipping name

ADR	ETHANOL SOLUTION
RID	ETHANOL SOLUTION
ADN	ETHANOL SOLUTION
IMDG	ETHANOL SOLUTION
IATA	Ethanol solution

14.3. Transport hazard class(es)

ADR	3
RID	3
ADN	3
IMDG	3
IATA	3

14.4. Packing group

ADR	II
RID	II
ADN	II
IMDG	II
IATA	II

14.5. Environmental hazards

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.6. Special precautions for user

ADR	not applicable
	Tunnelcode: (D/E)
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations/information (Germany):

WGK:	WGK 1: slightly hazardous to water (Germany. Ordinance on Facilities Handling Substances that are Hazardous to Water, ((AwSV of 21 April 2017), UBA, BAnz AT), as amended)
Storage class according to TRGS 510:	Classification in conformity with the calculation method 3

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation.

Further information:

This information is not related to the use of the product, it is based on our current level of knowledge.