

Developer 9%

# Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 11

SDS No.: 190459

V001.15 Revision: 02.08.2022

printing date: 10.05.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Developer 9%

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Developer

### 1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA Düsseldorf Germany Henkelstr. 67

40191 Düsseldorf Phone: +49 211-797-0

#### E-mail address of person responsible for Safety Data Sheet:

Henkel Cosmetics, e-mail: astrid.kleen@henkel.com

#### 1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 (CLP):

Oxidizing liquids Category 3

May intensify fire; oxidizer.

Serious eye damage Category 1

Causes serious eye damage.

Chronic hazards to the aquatic Category 3

environment

Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements (CLP)

### Hazard pictogram:



SDS No.: 190459 Developer 9% Page 2 of 11

V001.15

Signal word: Danger

**Hazard statement:** H272 May intensify fire; oxidizer.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement:

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220 Keep away from clothing and other combustible materials.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Precautionary statement:** 

Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor.

P370+P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### 3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Hydrogen peroxide	231-765-0	01-2119485845-22	>= 8-< 10 %	H318
7722-84-1				Serious eye damage 1
				H335
				Specific target organ toxicity - single
				exposure 3
				H412
				Chronic hazards to the aquatic
				environment 3
				H271
				Oxidizing liquids 1
				H302
				Acute toxicity 4; Oral
				H332
				Acute toxicity 4; Inhalation
				H314
				Skin corrosion 1A
trimethyloctadecylammonium chloride	203-929-1	01-2119970559-21	>= 0,25-< 1 %	H302
112-03-8				Acute toxicity 4; Oral
				H314
				Skin corrosion 1C
				H400
				Acute hazards to the aquatic
				environment 1
				H410
				Chronic hazards to the aquatic
				environment 1

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Remove casualty immediately from danger zone. Take off immediately all contaminated clothing.

Inhalation:

not relevant.

SDS No.: 190459 Developer 9% Page 3 of 11

V001.15

Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes), seek medical attention from a specialist.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

#### 5.2. Special hazards arising from the substance or mixture

The release of following substances is possible in case of fire:

carbon oxides.

Nitrous gases

Generation of oxygen

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

## Additional information:

The product intensifies fire

Remove product from danger zone.

Extend fire extinguishing measures to the surroundings.

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations.

Collect contaminated fire fighting water separately. It must not enter drains.

In case of fire, keep containers cool with water spray.

The product intensifies fire

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

### 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

Inform authorities in the event of product spillage to water courses or sewage systems.

# 6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (chemical binder)

Dilute small quantities with large amount of water and rinse.

# **SECTION 7: Handling and storage**

SDS No.: 190459 Developer 9% Page 4 of 11

V001.15

#### 7.1. Precautions for safe handling

Handling advice:

Avoid skin and eye contact.

Avoid skin and eye contact.

Fire and explosion protection information:

No special measures required if used properly.

Hygiene measures:

Do not eat, drink or smoke while working. Immediately remove soiled or soaked clothing. Wash hands before work breaks and after finishing work. Keep away from food, beverages and animal feed.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container protected against moisture. Store far from foodstuffs.

### 7.3. Specific end use(s)

Developer

# **SECTION 8: Exposure controls/personal protection**

### Only relevant for professional/industrial use

#### 8.1. Control parameters

Valid for

Germany

None

## 8.2. Exposure controls

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

Not needed.

#### Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Manufacturer e.g. German company KCL, type Dermatril.

Eye protection:

Protective goggles

Skin protection:

Suitable protective clothing

SDS No.: 190459 Developer 9% Page 5 of 11

V001.15

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture:

Appearance emulsion

viscous, O/W white

Odor slightly

pH (20 °C (68 °F)) 3,10 - 3,70Initial boiling point Not applicable Flash point Not applicable Decomposition temperature Not applicable Vapour pressure Not applicable Density (20 °C (68 °F)) 0,995 - 1,035 g/cm3 Bulk density Not applicable Viscosity (Haake; Instrument: Haake VT 550; 20 °C (68 °F); 3.000 - 8.000 mPa.s

Rotary measuring system: MV II)

Viscosity (kinematic) Not applicable Explosive properties Not applicable Solubility (qualitative) (20 °C (68 °F); Solvent: Water) of high solubility Solidification temperature Not applicable Melting point Not applicable Flammability Not applicable Not applicable Auto-ignition temperature Explosive limits Not applicable Partition coefficient: n-octanol/water Not applicable Not applicable Evaporation rate Not applicable Vapor density Oxidising properties Not applicable Container pressure Not applicable

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

None if used for intended purpose.

#### 10.2. Chemical stability

None known.

### 10.3. Possibility of hazardous reactions

See section reactivity None known.

### 10.4. Conditions to avoid

None known.

# 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

None known.

SDS No.: 190459 Developer 9% Page 6 of 11

V001.15

# **SECTION 11: Toxicological information**

### General toxicological information:

The present product is a chemical preparation within the meaning of the chemicals act. The following evaluation has been made on the basis of the toxicological data and content by weight of the individual ingredients.

### 11.1. Information on toxicological effects

#### Acute oral toxicity:

Harmful if swallowed.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Hydrogen peroxide 7722-84-1	LD50	693,7 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)
trimethyloctadecylammon ium chloride 112-03-8	LD50	702,5 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)

#### Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Species	Method
CAS-No.	type			
Hydrogen peroxide 7722-84-1	LD50	> 2.000 mg/kg	rabbit	equivalent or similar to OECD Guideline 402 (Acute Dermal Toxicity)

#### Acute inhalative toxicity:

No data available.

#### Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Hydrogen peroxide 7722-84-1	Category 1A (corrosive)	1 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
trimethyloctadecylammon ium chloride 112-03-8	corrosive		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

# Serious eye damage/irritation:

Risk of serious damage to eyes

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Hydrogen peroxide 7722-84-1	corrosive		rabbit	Draize Test
trimethyloctadecylammon ium chloride 112-03-8	irritating	24 h	rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

#### Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances	Result	Test type	Species	Method
CAS-No.				
Hydrogen peroxide 7722-84-1	not sensitising		guinea pig	not specified
trimethyloctadecylammon ium chloride 112-03-8	not sensitising	not specified	guinea pig	OECD Guideline 406 (Skin Sensitisation)

SDS No.: 190459 Developer 9% Page 7 of 11

V001.15

# Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Hydrogen peroxide 7722-84-1	positive	bacterial reverse mutation assay (e.g Ames test)	with and without		Ames Test
Hydrogen peroxide 7722-84-1	positive	in vitro mammalian chromosome aberration test	with and without		OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)
Hydrogen peroxide 7722-84-1	positive	mammalian cell gene mutation assay	with and without		OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
trimethyloctadecylammon ium chloride 112-03-8	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
Hydrogen peroxide 7722-84-1	negative	intraperitoneal		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

$\sim$			• .
Ca	rcino	ogeni	city

No data available.

# Reproductive toxicity:

No data available.

# STOT-single exposure:

No data available.

# STOT-repeated exposure::

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
Hydrogen peroxide 7722-84-1	NOAEL > 100 ppm	oral: drinking water	ca. 90 d ad libitum	mouse	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

# Aspiration hazard:

No data available.

SDS No.: 190459 Developer 9% Page 8 of 11

V001.15

# **SECTION 12: Ecological information**

#### **General ecological information:**

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

### 12.1. Toxicity

### **Toxicity (Fish):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Hydrogen peroxide 7722-84-1	LC50	16,4 mg/l	96 h	Pimephales promelas	other guideline:
trimethyloctadecylammonium chloride 112-03-8	LC50	0,064 mg/l	96 h		OECD Guideline 203 (Fish, Acute Toxicity Test)

### Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Hydrogen peroxide 7722-84-1	EC50	2,4 mg/l	48 h	Daphnia pulex	other guideline:
trimethyloctadecylammonium chloride 112-03-8	EC50	0,037 mg/l	48 h	1	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

### Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Hydrogen peroxide	NOEC	0,63 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia
7722-84-1					magna, Reproduction Test)

### Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Hydrogen peroxide 7722-84-1	NOEC	0,63 mg/l	72 h	Skeletonema costatum	OECD Guideline 201 (Alga, Growth Inhibition Test)
Hydrogen peroxide 7722-84-1	EC50	1,38 mg/l	72 h	Skeletonema costatum	OECD Guideline 201 (Alga, Growth Inhibition Test)
trimethyloctadecylammonium chloride 112-03-8	NOEC	0,04 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
trimethyloctadecylammonium chloride 112-03-8	EC50	0,08 mg/l	72 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)

### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances	Value	Value	Exposure time	Species	Method
CAS-No.	type				
Hydrogen peroxide 7722-84-1	EC50	> 1.000 mg/l			OECD Guideline 209
7722-84-1				predominantly domestic sewage	Respiration Inhibition Test)
trimethyloctadecylammonium	EC50	43,2 mg/l	3 h	activated sludge	OECD Guideline 209
chloride					(Activated Sludge,
112-03-8					Respiration Inhibition Test)

SDS No.: 190459 Developer 9% Page 9 of 11

V001.15

# 12.2. Persistence and degradability

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
trimethyloctadecylammonium chloride 112-03-8	not readily biodegradable.	aerobic	18 %	28 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
trimethyloctadecylammonium chloride 112-03-8	inherently biodegradable	aerobic	77 %	175 d	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

Hazardous substances	LogPow	Temperature	Method
CAS-No.			
Hydrogen peroxide	-1,57	20 °C	QSAR (Quantitative Structure Activity Relationship)
7722-84-1	4.45		
trimethyloctadecylammonium	4,17		not specified
chloride			
112-03-8			

# 12.5. Results of PBT and vPvB assessment

Hazardous substances	PBT / vPvB
CAS-No.	
Hydrogen peroxide	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not
7722-84-1	be conducted for inorganic substances.
trimethyloctadecylammonium chloride	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very
112-03-8	Bioaccumulative (vPvB) criteria.

### 12.6. Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product disposal:

Consider national regulations.

Consider national regulations.

Special waste incineration or special disposal with the approval of the responsible local authority.

SDS No.: 190459 Developer 9% Page 10 of 11

V001.15

# **SECTION 14: Transport information**

# 14.1. UN number

ADR	2984
RID	2984
ADN	2984
IMDG	2984
IATA	2984

# 14.2. UN proper shipping name

ADR	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
RID	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
ADN	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
IMDG	HYDROGEN PEROXIDE, AQUEOUS SOLUTION
ΙΔΤΔ	Hydrogen peroxide aqueous solution

IATA Hydrogen peroxide, aqueous solution

# 14.3. Transport hazard class(es)

ADR	5.1
RID	5.1
ADN	5.1
IMDG	5.1
IATA	5.1

### 14.4. Packing group

ADR	III
RID	III
ADN	III
IMDG	III
IATA	III

### 14.5. Environmental hazards

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

# 14.6. Special precautions for user

ADR	not applicable
	Tunnelcode: (E)
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SDS No.: 190459 Developer 9% Page 11 of 11

V001.15

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations/information (Germany):

WGK: WGK 3: highly hazardous to water (Germany. Ordinance on Facilities

Handling Substances that are Hazardous to Water, ((AwSV of 21 April 2017),

UBA, BAnz AT), as amended )

Classification in conformity with the calculation method

Storage class according to TRGS 510: 5.1B

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H271 May cause fire or explosion; strong oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

#### **Further information:**

This information is not related to the use of the product, it is based on our current level of knowledge.